

```
Options FollowSymLinks
AddDefaultCharset utf-8
RewriteEngine On

# the main rewrite rule for the frontend application
#RewriteCond %{REQUEST_URI} !^(backend/web/admin)
#RewriteRule !^frontend/web /frontend/web%{REQUEST_URI} [L]
#RewriteRule !^frontend/web /frontend/web/$1

#RewriteCond %{REQUEST_URI} !/frontend/web/
#RewriteRule (.*) /frontend/web/$1 [NC]

# redirect to the page without a trailing slash (uncomment if necessary)
#RewriteCond %{REQUEST_URI} ^/admin/$
#RewriteRule ^(admin)/ /$1 [L,R=301]
# the main rewrite rule for the backend application
#RewriteCond %{REQUEST_URI} ^/admin
#RewriteRule ^admin(.*) /backend/web/$1 [L]

# if a directory or a file of the frontend application exists, use the request directly
#RewriteCond %{REQUEST_URI} ^/frontend/web
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
# otherwise forward the request to index.php
RewriteRule . index.php [L]

# if a directory or a file of the backend application exists, use the request directly
#RewriteCond %{REQUEST_URI} ^/backend/web
#RewriteCond %{REQUEST_FILENAME} !-f
#RewriteCond %{REQUEST_FILENAME} !-d
# otherwise forward the request to index.php
#RewriteRule . /backend/web/index.php [L]

RewriteCond %{REQUEST_URI} \. (htaccess|htpasswd|svn|git)
RewriteRule \. (htaccess|htpasswd|svn|git) - [F]
```