

```
#  
# Hey! Everything in here is better suited to httpd.conf, since  
# we get a performance boost if we can turn off AllowOverride and  
# not have to stat the webroot for every request. On the other  
# hand, this means we never have to touch apache once it's up.  
# Flexibility over performance.  
#  
# In an ideal world, you'd stick it in here on dev and your build  
# system would bundle the changes into (a file included in) httpd.conf  
# for your production deployment, perhaps wrapped in a <VirtualHost>  
# block.  
#
```

```
# ETags are a bad idea if you have multiple web servers. We'll do  
# more explicit caching with Expires headers anyway.
```

```
FileETag none
```

```
# The base set of sensible PHP options. You could put these in your  
# php.ini file too, but having them in your Apache config puts  
# everything in one place. Magic quotes off because they are stupid.  
# Register globals off for the same reason. Track errors is so that  
# we can at least get at the error messages we hide using @func().  
# last_modified is a bad idea if we have any dynamic content. Short  
# tags make for a few saved bytes of cruft and are fine unless you're  
# running another XML preprocessor over your code (wtf?).
```

```
php_value magic_quotes_gpc 0  
php_value register_globals 0  
php_value magic_quotes_runtime 0  
php_value track_errors 1  
php_value last_modified off  
php_value short_open_tag on
```

```
# This value is very useful for development, but should be disabled  
# on production deployments (by setting the value to 'off')
```

```
php_flag display_errors on
```

```
# this sets all current and future error flags on, except for E_NOTICE  
# which can go fuck itself. we have some separate code for checking the  
# one notice we do care about.
```

```
php_value error_reporting 2147483639
```

Some basic pointers to php files

```
DirectoryIndex index.php
ErrorDocument 404 /404.php
ErrorDocument 403 /403.php
```

Get mod_rewrite fired up

```
RewriteEngine on
```

Login stuff

```
RewriteRule ^signin$      signin_tumblr_tumblrauth.php?%(QUERY_STRING) [L]
RewriteRule ^signout$    signout.php [L]
RewriteRule ^checkcookie$ checkcookie.php [L]
```

Account stuff

```
RewriteRule ^account$    account.php [L]
RewriteRule ^account/delete$ account_delete.php [L]
# RewriteRule ^account/sync$    account_sync.php [L]
RewriteRule ^account/sync/blogs account_sync_blogs.php [L]
RewriteRule ^account/sync/following account_sync_following.php [L]
RewriteRule ^account/sync/followers account_sync_followers.php [L]
RewriteRule ^account/sync/posts account_sync_posts.php [L]
RewriteRule ^account/sync/tags account_sync_tags.php [L]
```

General pages

```
RewriteRule ^about$      about.php [L, QSA]
RewriteRule ^following$  following.php [L, QSA]
```

Posts

```
RewriteRule ^posts(/page([0-9]+))/?/?$  posts.php?page=$2%(QUERY_STRING) [L]
RewriteRule ^posts/([0-9]+)/?$          post.php?id=$1 %(QUERY_STRING) [L]
```

Blogs

```
RewriteRule ^blog/([0-9]+)(/page([0-9]+))/?/?$  blog.php?id=$1 &page=$3%(QUERY_STRING)
[L]
RewriteRule ^blog(/page([0-9]+))/?/?$          blog.php?page=$2%(QUERY_STRING) [L]
```

