

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engineincl|incl|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?|xhtml|svn-
base)$|^(\code-style\.|Entries\.|Repository|Root|Tag|Template|all-
wcprops|entries|format)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Force simple error message for requests for non-existent favicon.ico.
<Files favicon.ico>
    # There is no end quote below, for compatibility with Apache 1.3.
    ErrorDocument 404 "The requested file favicon.ico was not found.
</Files>

# Set the default handler.
DirectoryIndex index.php

# Override PHP settings. More in sites/default/settings.php
# but the following cannot be changed at runtime.

# PHP 4, Apache 1.
<IfModule mod_php4.c>
    php_value magic_quotes_gpc          0
    php_value register_globals          0
    php_value session.auto_start       0
    php_value mbstring.http_input      pass
    php_value mbstring.http_output     pass
    php_value mbstring.encoding_translation 0

```

```
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 4, Apache 2.

```
<IfModule sapi_apache2.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 5, Apache 1 and 2.

```
<IfModule mod_php5.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

Requires mod_expires to be enabled.

```
<IfModule mod_expires.c>
```

Enable expirations.

```
ExpiresActive On
```

Cache all files for 2 weeks after access (A).

```
ExpiresDefault A1209600
```

```
<FilesMatch \.php$>
```

*# Do not allow PHP scripts to be cached unless they explicitly send cache
headers themselves. Otherwise all scripts would have to overwrite the
headers set by mod_expires if they want another caching behavior. This may
fail if an error occurs early in the bootstrap process, and it may cause
problems if a non-Drupal PHP file is installed in a subdirectory.*

```
ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

... ..

Various rewrite rules.

```
<IfModule mod_rewrite.c>
```

```
  RewriteEngine on
```

*# If your site can be accessed both with and without the 'www.' prefix, you
can use one of the following settings to redirect users to your preferred
URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:*

#

*# To redirect all users to access the site WITH the 'www.' prefix,
(http://example.com/... will be redirected to http://www.example.com/...)
adapt and uncomment the following:*

```
RewriteCond %{HTTP_HOST} ^SouthlandOrganics\.com$ [NC]
```

```
RewriteRule ^(.*)$ http://www.SouthlandOrganics.com/$1 [L,R=301]
```

#custom redirects

```
RewriteRule ^faqs/customer-service$ http://www.southlandorganics.com/faq/customer-service  
[R=301,L]
```

```
RewriteRule ^faqs/customer-service$ http://www.southlandorganics.com/faq/customer-service  
[R=301,L]
```

```
RewriteRule ^garden-pro-liquid$ http://www.southlandorganics.com/garden-pro [R=301,L]
```

```
RewriteRule ^product-categories/gardening$ http://www.southlandorganics.com/organic-  
gardening [R=301,L]
```

```
RewriteRule ^turf-pro-liquid$ http://www.southlandorganics.com/turf-pro [R=301,L]
```

#end custom redirects

#

*# To redirect all users to access the site WITHOUT the 'www.' prefix,
(http://www.example.com/... will be redirected to http://example.com/...)
uncomment and adapt the following:*

```
# RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
```

```
# RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]
```

*# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
VirtualDocumentRoot and the rewrite rules are not working properly.
For example if your site is at http://example.com/drupal uncomment and
modify the following line:*

```
# RewriteBase /drupal
```

#

*# If your site is running in a VirtualDocumentRoot at http://example.com/,
uncomment the following line:*

```

# RewriteBase /
### BOOST START ###
AddDefaultCharset utf-8
<FilesMatch "(\\.html|\\.html\\.gz)$">
  <IfModule mod_headers.c>
    Header set Expires "Sun, 19 Nov 1978 05: 00: 00 GMT"
    Header set Cache-Control "no-store, no-cache, must-revalidate, post-check=0, pre-
check=0"
  </IfModule>
</FilesMatch>
<IfModule mod_mime.c>
  AddCharset utf-8 .html
  AddCharset utf-8 .css
  AddCharset utf-8 .js
  AddEncoding gzip .gz
</IfModule>
<FilesMatch "(\\.html|\\.html\\.gz)$">
  ForceType text/html
</FilesMatch>
<FilesMatch "(\\.js|\\.js\\.gz)$">
  ForceType text/javascript
</FilesMatch>
<FilesMatch "(\\.css|\\.css\\.gz)$">
  ForceType text/css
</FilesMatch>

# Gzip Cookie Test
RewriteRule boost-gzip-cookie-test\\.html cache/perm/boost-gzip-cookie-test\\.html\\.gz
[L, T=text/html]

# GZIP - Cached css & js files
RewriteCond %{HTTP_COOKIE} !(boost-gzip)
RewriteCond %{HTTP: Accept-encoding} !gzip
RewriteRule .* - [S=2]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.css\\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.css\\.gz [L, QSA, T=text/css]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.js\\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.js\\.gz
[L, QSA, T=text/javascript]

# NORMAL - Cached css & js files

```

```

RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css [L,QSA,T=text/css]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js [L,QSA,T=text/javascript]

# Caching for anonymous users
# Skip boost IF not get request OR uri has wrong dir OR cookie is set OR request came
from this server OR https request
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [OR]
RewriteCond %{REQUEST_URI}
(^/(admin|cache|misc|modules|sites|system|openid|themes|node/add)|
(/(comment/reply|edit|user|user/(login|password|register)))$) [OR]
RewriteCond %{HTTP_COOKIE} DRUPAL_UID [OR]
RewriteCond %{HTTP:Pragma} no-cache [OR]
RewriteCond %{HTTP:Cache-Control} no-cache [OR]
RewriteCond %{HTTPS} on
RewriteRule .* - [S=3]

# GZIP
RewriteCond %{HTTP_COOKIE} !(boost-gzip)
RewriteCond %{HTTP:Accept-encoding} !gzip
RewriteRule .* - [S=1]
RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{
QUERY_STRING}\.html\.gz -s
RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.html\.gz
[L,T=text/html]

# NORMAL
RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{
QUERY_STRING}\.html -s
RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.html
[L,T=text/html]

### BOOST END ###

# Rewrite URLs of the form 'x' to the form 'index.php?q=x'.
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
</IfModule>

```

\$Id: .htaccess,v 1.90.2.5 2010/02/02 07:25:22 dries Exp \$