

```
### paulirish/html5-boilerplate
```

```
AddType audio/ogg oga ogg
AddType video/ogg ogv
AddType video/mp4 mp4
AddType video/webm webm
AddType image/svg+xml svg svgz
AddEncoding gzip svgz
AddType application/vnd.ms-fontobject eot
AddType font/truetype ttf
AddType font/opentype otf
AddType font/opentype woff
AddType image/x-icon ico
AddType image/webp webp
AddType text/cache-manifest appcache manifest
AddType text/x-component htc
AddType application/x-chrome-extension crx
AddType application/x-xpinstall xpi
AddType application/octet-stream safariextz
```

```
<IfModule !mod_filter.c>
```

```
  # Legacy versions of Apache
```

```
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
```

```
  AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-
  javascript
```

```
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
  # webfonts and svg:
```

```
  <FilesMatch "\.(ttf|otf|eot|svg)$" >
```

```
    SetOutputFilter DEFLATE
```

```
  </FilesMatch>
```

```
</IfModule>
```

```
  # these are pretty far-future expires headers
```

```
  # they assume you control versioning with cachebusting query params like
```

```
  # <script src="application.js?20100608">
```

```
<IfModule mod_expires.c>
```

```
  ExpiresActive on
```

```
  # Perhaps better to inhibit expires entirely? Perhaps
```

```
# Perhaps better to whitelist expires rules? Perhaps.
ExpiresDefault "access plus 1 month"

# cache, apache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
ExpiresByType text/cache-manifest "access plus 0 seconds"

# your document html
ExpiresByType text/html "access plus 15 minutes"

# data
ExpiresByType text/xml "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType application/json "access plus 0 seconds"

# rss feed
ExpiresByType application/rss+xml "access plus 1 hour"

# favicon (cannot be renamed)
ExpiresByType image/x-icon "access plus 1 week"

# media: images, video, audio
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# css and javascript
ExpiresByType text/css "access plus 15 minutes"
ExpiresByType application/javascript "access plus 15 minutes"
ExpiresByType text/javascript "access plus 15 minutes"
```

```
<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>
</IfModule>
```

```
# Since we're sending far-future expires, we don't need ETags for
# static content.
```

```
FileETag None
```

```
# use utf-8 encoding for anything served text/plain or text/html
```

```
AddDefaultCharset utf-8
```

```
# force utf-8 for a number of file formats
```

```
AddCharset utf-8 .html .css .js .xml .json .rss
```