

RewriteOptions inherit

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
```

DirectoryIndex app.php

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    # Determine the RewriteBase automatically and set it as environment variable.
    # If you are using Apache aliases to do mass virtual hosting or installed the
    # project in a subdirectory, the base path will be prepended to allow proper
    # resolution of the app.php file and to redirect to the correct URI. It will
    # work in environments without path prefix as well, providing a safe, one-size
    # fits all solution. But as you do not need it in this case, you can comment
    # the following 2 lines to eliminate the overhead.
```

```
    RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*):;\2$
```

```
    RewriteRule ^(.*) - [E=BASE:%1]
```

```
    # Redirect to URI without front controller to prevent duplicate content
    # (with and without `/app.php`). Only do this redirect on the initial
    # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
    # endless redirect loop (request -> rewrite to front controller ->
    # redirect -> request -> ...).
    # So in case you get a "too many redirects" error or you always get redirected
    # to the start page because your Apache does not expose the REDIRECT_STATUS
    # environment variable, you have 2 choices:
    # - disable this feature by commenting the following 2 lines or
    # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
    # following RewriteCond (best solution)
```

```
    RewriteCond %{ENV:REDIRECT_STATUS} ^$
```

```
    RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/$2 [R=301,L]
```

```
    # Redirecting legacy urls that are causing crawl errors
```

```
    RewriteRule ^about\.htm$ %{ENV:BASE}/$1 [R=301,L]
```

```
    RewriteRule ^reel\.htm$ %{ENV:BASE}/$1 [R=301,L]
```

```
    RewriteRule ^boards\.htm$ %{ENV:BASE}/$1 [R=301,L]
```

```
    # If the requested filename exists, abort. httpd.apache.org/docs/2.4/mod/mod\_rewrite.html#RewriteRule
```

```
# If the requested filename exists, simply serve it.
# We only want to let Apache serve files and not directories.
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule .* - [L]

# Rewrite all other queries to the front controller.
RewriteRule .* %{ENV:BASE}/app.php [L]
</IfModule>

<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
    # When mod_rewrite is not available, we instruct a temporary redirect of
    # the start page to the front controller explicitly so that the website
    # and the generated links can still be used.
    RedirectMatch 302 ^/$ /app.php/
    # RedirectTemp cannot be used instead
  </IfModule>
</IfModule>

# Adding for background-size-min, htc and PIE, htc support
AddType text/x-component .htc

# BEGIN Gzip
<IfModule mod_deflate.c>
  AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
  image/gif image/png image/jpeg image/x-icon application/x-javascript
  application/javascript application/json application/x-icon
</IfModule>
# END Gzip

# BEGIN KEEP ALIVE
<IfModule mod_headers.c>
  Header set Connection keep-alive
</IfModule>
# End KEEP ALIVE

# BEGIN EXPIRES
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresDefault "access plus 10 days"
  ExpiresByType text/css "access plus 1 week"
  ExpiresByType text/html "access plus 1 week"
  ExpiresByType text/javascript "access plus 1 week"
  ExpiresByType text/xml "access plus 1 week"
  ExpiresByType application/javascript "access plus 1 week"
  ExpiresByType application/json "access plus 1 week"
  ExpiresByType application/x-javascript "access plus 1 week"
  ExpiresByType image/gif "access plus 1 week"
  ExpiresByType image/jpeg "access plus 1 week"
  ExpiresByType image/png "access plus 1 week"
  ExpiresByType image/x-icon "access plus 1 week"
  ExpiresByType text/x-component "access plus 1 week"
</IfModule>
# END EXPIRES
```

```
ExpiresByType text/plain "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresByType application/x-javascript "access plus 1 month"
ExpiresByType application/javascript "access plus 1 week"
ExpiresByType application/json "access plus 1 week"
ExpiresByType application/x-icon "access plus 1 year"
```

```
</IfModule>
```

```
# END EXPIRES
```

```
Options All -Indexes
```