

```

<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  <FilesMatch "\.(appcache|crx|css|eot|gif|html|ico|jpe?
gl|js|m4a|m4v|manifest|mp4|oex|ogal|ogg|ogv|otf|pdf|png|safariextz|svg|svgz|ttf|vcl|webm|webp|
  Header unset X-UA-Compatible
  </FilesMatch>
</IfModule>

```

```

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(gif|ico|jpe?gl|png|svg|svgz|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

```

```

<IfModule mod_headers.c>
  <FilesMatch "\.(eot|font|css|otf|ttf|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

```

```

AddType application/javascript js jsonp
AddType application/json json
AddType audio/mp4 m4a f4a f4b
AddType audio/ogg oga ogg
AddType video/mp4 mp4 m4v f4v f4p
AddType video/ogg ogv
AddType video/webm webm
AddType video/x-flv flv
AddType image/svg+xml svg svgz
AddEncoding gzip svgz
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf ttc
AddType application/x-font-woff woff
AddType font/opentype otf
AddType application/octet-stream safariextz
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-thunderbolt-extension .xbl

```

```
AddType application/x-shockwave-flash swf
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall xpi
AddType application/xml rss atom xml rdf
AddType image/webp webp
AddType image/x-icon ico
AddType text/cache-manifest appcache manifest
AddType text/vtt vtt
AddType text/x-component htc
AddType text/x-vcard vcf
```

```
<IfModule mod_deflate.c>
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```
            SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\
(4,13))$ HAVE_Accept-Encoding
```

```
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
        </IfModule>
```

```
    </IfModule>
```

```
    <IfModule mod_filter.c>
```

```
        AddOutputFilterByType DEFLATE application/atom+xml \
            application/javascript \
            application/json \
            application/rss+xml \
            application/vnd.ms-fontobject \
            application/x-font-ttf \
            application/xhtml+xml \
            application/xml \
            font/opentype \
            image/svg+xml \
            image/x-icon \
            text/css \
            text/html \
            text/plain \
            text/x-component \
            text/xml
```

```
    </IfModule>
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
  ExpiresActive on
  ExpiresDefault "access plus 1 month"
  ExpiresByType text/cache-manifest "access plus 0 seconds"
  ExpiresByType text/html "access plus 0 seconds"
  ExpiresByType application/json "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType text/xml "access plus 0 seconds"
  ExpiresByType application/atom+xml "access plus 1 hour"
  ExpiresByType application/rss+xml "access plus 1 hour"
  ExpiresByType image/x-icon "access plus 1 week"
  ExpiresByType audio/ogg "access plus 1 month"
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
  ExpiresByType video/mp4 "access plus 1 month"
  ExpiresByType video/ogg "access plus 1 month"
  ExpiresByType video/webm "access plus 1 month"
  ExpiresByType text/x-component "access plus 1 month"
  ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
  ExpiresByType application/x-font-ttf "access plus 1 month"
  ExpiresByType application/x-font-woff "access plus 1 month"
  ExpiresByType font/opentype "access plus 1 month"
  ExpiresByType image/svg+xml "access plus 1 month"
  ExpiresByType application/javascript "access plus 1 year"
  ExpiresByType text/css "access plus 1 year"
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
  Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
<IfModule mod_rewrite.c>
```

```
  Options +FollowSymlinks
```

```
# Options +SymLinksIfOwnerMatch
```

```
  RewriteEngine On
```

```
# RewriteBase /
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
  RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>

# <IfModule mod_rewrite.c>
#   RewriteCond %{REQUEST_FILENAME} !-f
#   RewriteCond %{REQUEST_FILENAME} !-d
#   RewriteRule ^(.+)\.(.+)\.(js|css|png|jpg|gif)$ $1.$3 [L]
# </IfModule>

Options -MultiViews
AddDefaultCharset utf-8
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml

<IfModule mod_autoindex.c>
  Options -Indexes
</IfModule>

<IfModule mod_rewrite.c>
  RewriteCond %{SCRIPT_FILENAME} -d [OR]
  RewriteCond %{SCRIPT_FILENAME} -f
  RewriteRule "(^|/)\." - [F]
</IfModule>

<FilesMatch "(\\. (bak|config|dist|fla|incl|ini|log|psd|sh|sql|swp)|\\.*)">
  Order allow,deny
  Deny from all
  Satisfy All
</FilesMatch>

<IfModule mod_php5.c>
  php_value session.cookie_httponly true
</IfModule>
```