

```

<IfModule mod_rewrite.c>
    RewriteEngine On

    #----- remove trailing slash -----
    RewriteCond %{REQUEST_URI} !^/core [NC]
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^(.+)/$ /$1 [R=301,L,QSA]

    #----- index.php -----
    #strip index.php from the URL if that is all that is given
    RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /(?:[^\s/]+/*index\.php\ HTTP/
    RewriteRule ^((?:[^\s/]+/*)index\.php$ http://%(HTTP_HOST)/ [R=301,NS,L,QSA]
    #strip index.php/* from the URL
    RewriteCond %{THE_REQUEST} ^[^\s/]+/*index\.php/ [NC]
    RewriteRule ^index\.php/(.+) http://%(HTTP_HOST)/$1 [R=301,L,QSA]

    #----- CE Cache Static Driver -----
    RewriteCond %{REQUEST_URI} !^/core [NC]
    RewriteCond %{QUERY_STRING} !ACTI URL [NC]
    RewriteCond %{REQUEST_METHOD} !=POST [NC]
    RewriteCond %{DOCUMENT_ROOT}/static/ce_cache/29174f/static%{REQUEST_URI}/index\.html -
    f [NC]
    RewriteRule (.*) /_static_cache_handler.php%{REQUEST_URI}/index\.html [L,QSA]

    #----- EE -----
    #rewrite all non-image/js/css urls back to index.php if they are not files or
    directories
    RewriteCond $1 !\.(css|js|gif|jpe?g|png) [NC]
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^(.*)$ /index.php/$1 [L,QSA]

    #----- Cache-Busting -----
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^(.+)\.(\d+)\.(\js|css|png|jpg|gif)$ $1.$3 [L]

    #----- CMS rewrite -----
    RewriteRule cms$ http://%(HTTP_HOST)/admin.php [R=301,L]
</IfModule>

```

```
#<IfModule mod_rewrite.c>
#RewriteEngine on
#RewriteCond $1 !\. (gif|jpe?g|png)$ [NC]
#RewriteCond %{REQUEST_FILENAME} !-f
#RewriteCond %{REQUEST_FILENAME} !-d
#RewriteRule ^(.*)$ /index.php/$1 [L]
#</IfModule>
```

```
Options +FollowSymlinks
```

```
ErrorDocument 404 /index.php/404/index
```

```
<FilesMatch "(\\.jpe?g|gif|png|bmp|css|js|flv)$">
  ErrorDocument 404 "File Not Found"
</FilesMatch>
```

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
</IfModule>
```

```
<IfModule mod_rewrite.c>
  RewriteRule "(^/)\." - [F]
</IfModule>
```

```
<IfModule mod_rewrite.c>
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
  RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
  # Force deflate for mangled headers developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-
  beyond-gzipping/
```

```
  <IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
      SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
      ^((gzip|deflate)\s*,?\s*)+ [X"-](<4,13)$ HAVE_Accept-Encoding
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
</IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as
# `AddOutputFilterByType` is still in the core directives)
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml

</IfModule>

</IfModule>
```