

```
##
# @package Joomla
# @copyright Copyright (C) 2005 - 2015 Open Source Matters. All rights reserved.
# @license GNU General Public License version 2 or later; see LICENSE.txt
##

##
# READ THIS COMPLETELY IF YOU CHOOSE TO USE THIS FILE!
#
# The line just below this section: 'Options +FollowSymLinks' may cause problems
# with some server configurations. It is required for use of mod_rewrite, but may already
# be set by your server administrator in a way that disallows changing it in
# your .htaccess file. If using it causes your server to error out, comment it out (add # ;
# beginning of line), reload your site in your browser and test your sef url's. If they work
# it has been set by your server administrator and you do not need it set here.
##

## No directory listings
IndexIgnore *

## Can be commented out if causes errors, see notes above.
Options +FollowSymLinks
Options -Indexes

## Mod_rewrite in use.

RewriteEngine On

## Begin - Rewrite rules to block out some common exploits.
# If you experience problems on your site block out the operations listed below
# This attempts to block the most common type of exploit `attempts` to Joomla!
#
# Block out any script trying to base64_encode data within the URL.
RewriteCond %{QUERY_STRING} base64_encode(?:.*) [OR]
# Block out any script that includes a <script> tag in URL.
RewriteCond %{QUERY_STRING} (<|%)<script.*(%>|%) [NC,OR]
# Block out any script trying to set a PHP GLOBALS variable via URL.
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \[0-9A-Z]{0,2}) [OR]
# Block out any script trying to modify a _REQUEST variable via URL.
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \[0-9A-Z]{0,2})
# Return 403 Forbidden header and show the content of the next banner
```

```
# Return 403 forbidden header and show the content of the root homepage
```

```
RewriteRule .* index.php [F]
```

```
#
```

```
## End - Rewrite rules to block out some common exploits.
```

```
## Begin - Custom redirects
```

```
#
```

```
# If you need to redirect some pages, or set a canonical non-www to
```

```
# www redirect (or vice versa), place that code here. Ensure those
```

```
# redirects use the correct RewriteRule syntax and the [R=301,L] flags.
```

```
#
```

```
## End - Custom redirects
```

```
##
```

```
# Uncomment following line if your webserver's URL
```

```
# is not directly related to physical file paths.
```

```
# Update Your Joomla! Directory (just / for root).
```

```
##
```

```
# RewriteBase /
```

```
## Begin - Joomla! core SEF Section.
```

```
#
```

```
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
```

```
#
```

```
# If the requested path and file is not /index.php and the request
```

```
# has not already been internally rewritten to the index.php script
```

```
RewriteCond %{REQUEST_URI} !^/index\.php
```

```
# and the requested path and file doesn't directly match a physical file
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
# and the requested path and file doesn't directly match a physical folder
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
# internally rewrite the request to the index.php script
```

```
RewriteRule .* index.php [L]
```

```
#
```

```
## End - Joomla! core SEF Section.
```

```
AddDefaultCharset utf-8
```

```
AddCharset utf-8 .htm .html .css .js .woff .woff2
```

```
<IfModule mod_deflate.c>
```

```
    SetOutputFilter DEFLATE
```

```
    <IfModule mod_setenvif.c>
```

```
        # Browser support for compression follows
```

```

    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
    SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary
</IfModule>
<IfModule mod_headers.c>
    Header append Vary User-Agent env=! dont-vary
</IfModule>
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/xml application/xhtml+xml application/rss+
</IfModule>
<files *.html>
    SetOutputFilter DEFLATE
</files>
</IfModule>

<IfModule mod_expires.c>
ExpiresActive on
ExpiresDefault "access plus 1 month"
ExpiresByType text/cache-manifest "access plus 1 month"
ExpiresByType text/html "access plus 1 month"
ExpiresByType text/xml "access plus 1 month"
ExpiresByType application/xml "access plus 1 month"
ExpiresByType application/json "access plus 1 month"
ExpiresByType application/rss+xml "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
ExpiresByType text/x-component "access plus 1 month"
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType application/x-font-woff2 "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"

```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType text/javascript "access plus 1 month"
<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>
```

```
</IfModule>
```

BEGIN Browser Caching/Headers

```
<IfModule mod_mime.c>
    AddType font/ttf .ttf
    AddType font/eot .eot
    AddType font/otf .otf
    AddType font/woff .woff

    AddType application/x-font-woff2 .woff2
    AddType application/x-font-woff .woff
    AddType application/x-font-ttf .ttf

    AddType text/css .css
    AddType application/x-javascript .js
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType video/avi .avi
    AddType image/bmp .bmp
    AddType application/java .class
    AddType video/divx .divx
    AddType application/msword .doc .docx
    AddType application/x-msdownload .exe
    AddType image/gif .gif
    AddType application/x-gzip .gz .gzip
    AddType image/x-icon .ico
    AddType image/jpeg .jpg .jpeg .jpe
    AddType application/vnd.ms-access .mdb
    AddType audio/midi .mid .midi
```

```
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
  <FilesMatch "\.(js|css|xml|gz)$">
```

```
    Header append Vary: Accept-Encoding
```

```
  </FilesMatch>
```

```
</IfModule>
```

```
<FilesMatch "\.(css|js|CSS|JS)$">
```

```
  <IfModule mod_headers.c>
```

```
    Header set Pragma "public"
```

```
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
```

```
  </IfModule>
```

```
</FilesMatch>
```

```
<FilesMatch "\.(rtf|rtx|svg|svgz|txt|xsl|xslt|RTF|RTX|SVG|SVGZ|TXT|XSL|XSLT)$">
```

```
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
</IfModule>
</FilesMatch>
<FilesMatch "\.
(asfl asxl waxl wmxl avil bml classl divxl docl docxl exel gifl gzl gzpl icol jpgl jpegl jpel mdbl midl mi
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
</FilesMatch>

<ifModule mod_headers.c>
    <filesMatch "\.(icol jpe?gl pngl gifl swf)$">
        Header set Cache-Control "max-age=2592000, public"
    </filesMatch>
    <filesMatch "\.(css)$">
        Header set Cache-Control "max-age=604800, public"
    </filesMatch>
    <filesMatch "\.(js)$">
        Header set Cache-Control "max-age=216000, private"
    </filesMatch>
    <filesMatch "\.(x?html?l php)$">
        Header set Cache-Control "max-age=600, private, must-revalidate"
    </filesMatch>
</ifModule>

Header unset ETag
<FilesMatch "\.(gifl jpgl jpegl pngl swfl cssl jsl html?l xml l txtl ico)$">
Header set Expires "Wed, 15 Apr 2025 20:00:00 GMT"
Header set Cache-Control "public"
    FileETag none
</FilesMatch>
Header unset Last-Modified
<IfModule mod_headers.c>
    Header append Vary Accept-Encoding
</IfModule>

<IfModule mod_headers.c>
```

```
<FilesMatch "\.(bmp|css|flv|gif|ico|jpg|jpeg|js|pdf|png|svg|swf|tif|tiff|woff|woff2|ttf)"
    Header set Last-Modified "Mon, 5 Sep 2015 00:00:00 GMT"
</FilesMatch>
</IfModule>

RewriteRule ^templates\jv-trucking/ - [L]
## I found this necessary for @fontface fonts
RewriteRule ^templates\jv-trucking\fonts/ - [L]
```