## DirectoryIndex index.php

```
<IfModule mod_rewrite.c>
RewriteEngine On
# Redirect to URI without front controller to prevent duplicate content
# (with and without `/app.php`). Only do this redirect on the initial
# rewrite by Apache and not on subsequent cycles. Otherwise we would get an
# endless redirect loop (request -> rewrite to front controller ->
# redirect -> request -> ...).
# So in case you get a "too many redirects" error or you always get redirected
# to the startpage because your Apache does not expose the REDIRECT_STATUS
# environment variable, you have 2 choices:
# - disable this feature by commenting the following 2 lines or
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
# following RewriteCond (best solution)
RewriteCond %(ENV: REDIRECT_STATUS) ^$
RewriteRule ^index\.php(/(.*)|$) %(CONTEXT_PREFIX)/$2 [R=301,L]
# If the requested filename exists, simply serve it.
# We only want to let Apache serve files and not directories.
RewriteCond %(REQUEST_FILENAME) -f
RewriteRule .? - [L]
# The following rewrites all other queries to the front controller. The
# condition ensures that if you are using Apache aliases to do mass virtual
# hosting, the base path will be prepended to allow proper resolution of the
# app.php file; it will work in non-aliased environments as well, providing
# a safe, one-size fits all solution.
RewriteCond %(REQUEST_URI)::$1 ^(/.+)(.+)::\2$
RewriteRule ^(.*) - [E=BASE: %1]
RewriteRule .? %(ENV: BASE)index.php [L]
# Order deny, allow
# Deny from all
# AuthName "Password protected"
# AuthType Basic
# AuthUserFile /path/to/.htpasswd
# Require valid-user
# Allow from 127.0.0.1 # your yealink phone IP.
H GILLER GL.
```

# satisty Hny

</IfModule>