

```

<IfModule mod_headers.c>
  Header set Access-Control-Allow-Origin: "*"
  BrowserMatch MSIE ie
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|ogg|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|
  Header unset X-UA-Compatible
  </FilesMatch>
</IfModule>

<FilesMatch "\.(ttf|tfc|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>

AddType application/javascript      js
AddType audio/ogg                    oga ogg
AddType audio/mp4                    m4a
AddType video/ogg                    ogv
AddType video/mp4                    mp4 m4v
AddType video/webm                   webm
AddType image/svg+xml                svg svgz
AddEncoding                          gzip svgz
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf       ttf ttc
AddType font/opentype                otf
AddType application/x-font-woff      woff
AddType image/x-icon                 .ico
AddType image/webp                   webp
AddType text/cache-manifest          appcache manifest
AddType text/x-component              htc
AddType application/x-chrome-extension crx
AddType application/x-xpinstall      xpi
AddType application/octet-stream     safariextz
AddType text/x-vcard                 vcf

<FilesMatch "\.combined\.js$" >
  Options +Includes
  AddOutputFilterByType INCLUDES application/javascript application/json
  <!--
  </FilesMatch>

```

```

    SetOutputFilter INCLUDES
</FilesMatch>

<FilesMatch "\.combined\.css$" >
    Options +Includes
    AddOutputFilterByType INCLUDES text/css
    SetOutputFilter INCLUDES
</FilesMatch>

<IfModule mod_deflate.c>
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ~(15)l -(15))$ ^((gzip|deflate)\
HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE "application/atom+xml" \
            "application/javascript" \
            "application/json" \
            "application/ld+json" \
            "application/manifest+json" \
            "application/rss+xml" \
            "application/vnd.geo+json" \
            "application/vnd.ms-fontobject" \
            "application/x-font-ttf" \
            "application/x-web-app-manifest+json" \
            "application/xhtml+xml" \
            "application/xml" \
            "font/opentype" \
            "image/svg+xml" \
            "image/x-icon" \
            "text/cache-manifest" \
            "text/css" \
            "text/html" \
            "text/plain" \
            "text/vtt" \
            "text/x-component" \
            "text/xml"
    </IfModule>

```

```

<IfModule !mod_filter.c>
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml application/atom
  AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-
</IfModule>
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on
  ExpiresDefault                                     "access plus 1 month"
  ExpiresByType text/cache-manifest                 "access plus 0 seconds"
  ExpiresByType text/html                           "access plus 0 seconds"
  ExpiresByType text/xml                             "access plus 0 seconds"
  ExpiresByType application/xml                     "access plus 0 seconds"
  ExpiresByType application/json                    "access plus 0 seconds"
  ExpiresByType application/rss+xml                  "access plus 1 hour"
  ExpiresByType application/atom+xml                 "access plus 1 hour"
  ExpiresByType image/x-icon                         "access plus 1 month"
  ExpiresByType image/gif                            "access plus 1 month"
  ExpiresByType image/png                           "access plus 1 month"
  ExpiresByType image/jpg                            "access plus 1 month"
  ExpiresByType image/jpeg                          "access plus 1 month"
  ExpiresByType video/ogg                            "access plus 1 month"
  ExpiresByType audio/ogg                            "access plus 1 month"
  ExpiresByType video/mp4                            "access plus 1 month"
  ExpiresByType video/webm                           "access plus 1 month"
  ExpiresByType text/x-component                     "access plus 1 month"
  ExpiresByType font/truetype                         "access plus 1 month"
  ExpiresByType font/opentype                         "access plus 1 month"
  ExpiresByType application/x-font-woff              "access plus 1 month"
  ExpiresByType image/svg+xml                        "access plus 1 month"
  ExpiresByType application/vnd.ms-fontobject       "access plus 1 month"
  ExpiresByType text/css                              "access plus 1 year"
  ExpiresByType application/javascript                "access plus 1 year"

<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>
</IfModule>

```

```
<IfModule mod_headers.c>
  Header unset ETag
</IfModule>
```

FileETag None

```
BrowserMatch "MSIE" brokenvary=1
BrowserMatch "Mozilla/4.[0-9]{2}" brokenvary=1
BrowserMatch "Opera" !brokenvary
SetEnvIf brokenvary 1 force-no-vary
```

```
<IfModule mod_rewrite.c>
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule ^(.+)\.(.+)\.(jst|css|png|jpg|gif)$ $1.$3 [L]
</IfModule>
```

```
Options +FollowSymlinks
Options -Indexes
```

```
<FilesMatch "\.(?!ini|log)">
  Order deny,allow
  Deny from all
</FilesMatch>
```

```
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteBase /
  #RewriteRule ^install/([^?]*$) install/$1 [L,QSA]
  #RewriteRule ^sitemap.xml$ index.php?route=feed/googlesitemap [L]
  #RewriteRule ^googlebase.xml$ index.php?route=feed/googlebase [L]
  #RewriteRule ^download/(.*) index.php?route=error/notfound [L]

  # Rewrite Trailing Slashes ...
  RewriteRule ^(.*)/$ /$1 [L,R=301]

  # Handle Front Controller ...
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteCond %{REQUEST_URI} !\.(ico|gif|jpg|jpeg|png)
```

```
RewriteRule ^([\^?]*\ ) index.php?_route_=$1 [L,QSA]
```

```
</IfModule>
```