

```
php_value post_max_size 128M
php_value upload_max_filesize 128M
php_value max_execution_time 60000000
php_value memory_limit 128M
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

```
# END WordPress
```

```
# Force the latest IE version, in various cases when it may fall back to IE7 mode
```

```
# github.com/rails/rails/commit/123eb25#commitcomment-118920
```

```
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
```

```
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    BrowserMatch MSIE ie
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
  </IfModule>
</IfModule>
```

```
<IfModule mod_headers.c>
# Because X-UA-Compatible isn't sent to non-IE (to save header bytes),
# We need to inform proxies that content changes based on UA
  Header append Vary User-Agent
# Cache control is set only if mod_headers is enabled, so that's unnecessary to declare
</IfModule>
```

```
# allow access from all domains for webfonts
```

```
# alternatively you could only whitelist
```

```
# your subdomains like "sub.domain.com"
```

```
<FilesMatch "\.(ttf|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>
```

```
</FilesMatch>
```

```
# video
```

```
AddType video/ogg ogg ogv
```

```
AddType video/mp4 mp4
```

```
AddType video/webm webm
```

```
# Proper svg serving. Required for svg webfonts on iPad
```

```
# twitter.com/FontSquirrel/status/14855840545
```

```
AddType image/svg+xml svg svgz
```

```
AddEncoding gzip svgz
```

```
# webfonts
```

```
AddType application/vnd.ms-fontobject eot
```

```
AddType font/truetype ttf
```

```
AddType font/opentype otf
```

```
AddType font/woff woff
```

```
# assorted types
```

```
AddType image/vnd.microsoft.icon ico
```

```
AddType image/webp webp
```

```
AddType text/cache-manifest manifest
```

```
AddType text/x-component htc
```

```
AddType application/x-chrome-extension crx
```

```
# gzip compression.
```

```
<IfModule mod_deflate.c>
```

```
# html, txt, css, js, json, xml, htc:
```

```
AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
```

```
AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-javascript
```

```
AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
```

```
# webfonts and svg:
```

```
<FilesMatch "\.(ttf|otf|eot|svg)$" >
```

```
SetOutputFilter DEFLATE
```

```
</FilesMatch>
```

```
</IfModule>
```

```
# these are pretty far-future expires headers
```

```
... ExpiresMaxAge=315360000 ... ExpiresMaxAge=315360000 ... ExpiresMaxAge=315360000 ...
```

```
# they assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/
```

```
# if you don't use filenames to version, lower the css and js to something like
# "access plus 1 week" or so
```

```
<IfModule mod_expires.c>
```

```
Header set Cache-Control "public"
ExpiresActive on
```

```
# Perhaps better to whitelist expires rules? Perhaps.
```

```
ExpiresDefault "access plus 1 month"
```

```
# cache.manifest needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
# your document html
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
# data
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
# rss feed
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

```
# favicon (cannot be renamed)
```

```
ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
```

```
# media: images, video, audio
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType image/jpg "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
```

```
ExpiresByType audio/ogg "access plus 1 month"
```

```
ExpiresByType video/mp4 "access plus 1 month"
```

```
ExpiresByType video/webm "access plus 1 month"
```

```

# webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# css and javascript
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType text/javascript "access plus 1 month"
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# Allow cookies to be set from iframes (for IE only)
# If needed, uncomment and specify a path or regex in the Location directive

# <IfModule mod_headers.c>
# <Location />
# Header set P3P "policyref=\"/w3c/p3p.xml\"", CP="IDC DSP COR ADM DEVI TAIi PSA PSD
IVAI IVDi CONi HIS OUR IND CNT\""
# </Location>
# </IfModule>

# you probably want www.example.com to forward to example.com -- shorter URLs are sexier.
# no-www.org/faq.php?q=class_b
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteCond %{HTTPS} !=on
RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
</IfModule>

# without -MultiViews, Apache will give a 404 for a rewrite if a folder of the same name
# does not exist
# e.g. /blog/hello : webmasterworld.com/apache/3808792.htm

```

```
Options -MultiViews
```

```
# -Indexes will have Apache block users from browsing folders without a default document
```

```
# Options -Indexes
```

```
# use utf-8 encoding for anything served text/plain or text/html
```

```
AddDefaultCharset utf-8
```

```
# force utf-8 for a number of file formats
```

```
AddCharset utf-8 .html .css .js .xml .json .rss
```

```
# We don't need to tell everyone we're apache.
```

```
ServerSignature Off
```