

```
RewriteEngine On
```

```
Options -Multiviews
```

```
ErrorDocument 404 /404.php
```

```
# Mobile pages are not directly accessible
```

```
RewriteRule ^mobile/(.+)$ /404.php [NC,L]
```

```
# All .html pages go straight to PHP
```

```
RewriteRule ^([a-z0-9-_]+?).html$ /$1.php [NC,L]
```

```
# Remove all double slashes
```

```
RewriteCond %{THE_REQUEST} \ (, *)//+(, *)\ [NC]
```

```
RewriteRule .* %1/%2 [R=301,L]
```

```
# Redirect html pages to the root domain
```

```
RewriteRule ^index\.html$ / [NC,R=301,L]
```

```
# Mailer access images
```

```
RewriteRule ^logoimgs/(.+).png/$ /ajax/base/mailer_viewed.php?code=$1 [NC,L]
```

```
# -----
```

```
# Apache caching
```

```
# -----
```

```
FileETag MTime Size
```

```
# Cache expires in a week
```

```
Header set Cache-Control "max-age=604800, public, must-revalidate"
```

```
ExpiresActive On
```

```
ExpiresDefault A604800
```

```
# -----
```

```
# Gzip compression
```

```
# -----
```

```
<IfModule mod_deflate.c>
```

```
    # Force deflate for mangled headers
```

```
    developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```

<IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$
^((gzip|deflate)\s*,?\s*)+([X^~]{4,13})$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
</IfModule>
</IfModule>

<IfVersion >= 2.4>
    # this happens only in versions greater or equal 2.4.0.
    # HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
    <IfModule filter_module>
        FilterDeclare    COMPRESS
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/html'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/css'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/plain'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/x-component'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/javascript'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/json'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/xhtml+xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/rss+xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/atom+xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/vnd.ms-
fontobject'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'image/svg+xml'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'image/x-icon'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/x-font-ttf'"
        FilterProvider    COMPRESS DEFLATE "%(CONTENT_TYPE) = 'font/opentype'"
        FilterChain        COMPRESS
        FilterProtocol    COMPRESS DEFLATE change=yes;byteranges=no
    </IfModule>
</IfVersion>

<IfVersion < 2.4>
    # this happens only in versions lower than 2.4.0.
    # HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
    <IfModule filter_module>
        FilterDeclare    COMPRESS
        FilterProvider    COMPRESS DEFLATE resp=Content-Type $text/html
        FilterProvider    COMPRESS DEFLATE resp=Content-Type $text/css
        FilterProvider    COMPRESS DEFLATE resp=Content-Type $text/javascript
        FilterProvider    COMPRESS DEFLATE resp=Content-Type $text/css
        FilterChain        COMPRESS
        FilterProtocol    COMPRESS DEFLATE change=yes;byteranges=no
    </IfModule>
</IfVersion>

```

```

FilterProvider COMPRESS DEFLATE resp=Content-Type $text/plain
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/x-component
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/javascript
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-

```

fontobject

```

FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/x-icon
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no

```

</IfModule>

<IfModule !mod_filter.c>

Legacy versions of Apache

```

AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml

```

application/atom+xml

```

AddOutputFilterByType DEFLATE image/x-icon image/svg+xml application/vnd.ms-

```

fontobject application/x-font-ttf font/opentype

</IfModule>

</IfVersion>

</IfModule>