

```
AddDefaultCharset utf-8
Options +FollowSymLinks
Options -Indexes
```

```
# Various rewrite rules.
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine on
RewriteRule ^install$ index.php [L]
RewriteRule "(^/)\." - [F]
```

```
RewriteEngine on
RewriteRule ^clifs$ - [R=404]
```

```
# redirect all users to access the site WITH the 'www.' prefix,
#RewriteCond %{HTTP_HOST} !^www\. [NC]
#RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
```

```
RewriteBase /
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteCond %{REQUEST_URI} !=/favicon.gif
RewriteRule ^ index.php [L]
```

```
# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
```

```
<IfModule mod_headers.c>
```

```
# Serve gzip compressed CSS files if they exist and the client accepts gzip.
```

```
RewriteCond %{HTTP:Accept-encoding} gzip
RewriteCond %{REQUEST_FILENAME}\.gz -s
RewriteRule ^(.*)\.css $1\.css\.gz [QSA]
```

```
# Serve gzip compressed JS files if they exist and the client accepts gzip.
```

```
RewriteCond %{HTTP:Accept-encoding} gzip
RewriteCond %{REQUEST_FILENAME}\.gz -s
RewriteRule ^(.*)\.js $1\.js\.gz [QSA]
```

```
# Serve correct content types, and prevent mod_deflate double gzip.
```

```
RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]
```

```
rewriteRule \.js\.gz$ - E I=text/javascript,E=no-gzip: 11
```

```
<FilesMatch "(\\.js\\.gz|\\.css\\.gz)$">
```

```
    # Serve correct encoding type.
```

```
    Header append Content-Encoding gzip
```

```
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
```

```
    Header append Vary Accept-Encoding
```

```
</FilesMatch>
```

```
</IfModule>
```

```
</IfModule>
```