

```
# Proper MIME type for all files
```

```
#-----  
AddType application/javascript      js  
AddType audio/ogg                   oga ogg  
AddType audio/mp4                   m4a  
AddType video/ogg                   ogv  
AddType video/mp4                   mp4 m4v  
AddType video/webm                  webm  
AddType application/vnd.ms-fontobject eot  
AddType application/x-font-ttf      ttf ttc  
AddType font/opentype               otf  
AddType application/x-font-woff     woff  
AddType image/x-icon                ico  
AddType image/webp                  webp  
AddType text/cache-manifest         appcache manifest  
AddType text/x-component            htc  
AddType application/x-chrome-extension crx  
AddType application/x-xpinstall     xpi  
AddType application/octet-stream    safariextz  
AddType text/x-vcard                vcf
```

```
# -----  
# Expires headers (for better cache control)  
# -----
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
# Perhaps better to whitelist expires rules? Perhaps.
```

```
ExpiresDefault "access plus 1 month"
```

```
# cache, appcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
# Your document html
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
# Data
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType application/javascript "access plus 0 seconds"
```

```

ExpiresByType application/json      access plus 0 seconds

# Feed
ExpiresByType application/rss+xml   "access plus 1 hour"
ExpiresByType application/atom+xml  "access plus 1 hour"

# Favicon (cannot be renamed)
ExpiresByType image/x-icon          "access plus 1 week"

# Media: images, video, audio
ExpiresByType image/gif              "access plus 1 month"
ExpiresByType image/png              "access plus 1 month"
ExpiresByType image/jpg              "access plus 1 month"
ExpiresByType image/jpeg             "access plus 1 month"
ExpiresByType video/ogg              "access plus 1 month"
ExpiresByType audio/ogg              "access plus 1 month"
ExpiresByType video/mp4              "access plus 1 month"
ExpiresByType video/webm            "access plus 1 month"

# Webfonts
ExpiresByType font/truetype           "access plus 1 month"
ExpiresByType font/opentype          "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml          "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css                "access plus 1 year"
ExpiresByType application/javascript  "access plus 1 year"

<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>

</IfModule>

# -----
# Gzip compression
# -----

<IfModule mod_deflate.c>

```

```
# Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/
```

```
<IfModule mod_setenvif.c>  
  <IfModule mod_headers.c>  
    SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$  
    ^((gzip|deflate)\s*,?\s*)+([X"]){4,13}$ HAVE_Accept-Encoding  
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding  
  </IfModule>  
</IfModule>
```

```
# Compress all output labeled with one of the following MIME-types  
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`  
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as  
# `AddOutputFilterByType` is still in the core directives)
```

```
<IfModule mod_filter.c>  
  AddOutputFilterByType DEFLATE application/atom+xml \  
    application/javascript \  
    application/json \  
    application/rss+xml \  
    application/vnd.ms-fontobject \  
    application/x-font-ttf \  
    application/xhtml+xml \  
    application/xml \  
    font/opentype \  
    image/svg+xml \  
    image/x-icon \  
    text/css \  
    text/html \  
    text/plain \  
    text/x-component \  
    text/xml  
  
</IfModule>
```

```
</IfModule>
```

```
## Project Five Rewrite Rules #####
```

```
Options +FollowSymlinks  
RewriteRule ^index\.html$ index.php  
IndexIgnore /*  
RewriteEngine On
```

```
RewriteBase /
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . index.php
#####

<IfModule mod_rewrite.c>
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
  RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>

# Built-in filename-based cache busting
# -----

# If you're not using the build script to manage your filename version revving,
# you might want to consider enabling this, which will route requests for
# /css/style.20110203.css to /css/style.css

# To understand why this is important and a better idea than all.css?v1231,
# read: github.com/paulirish/html5-boilerplate/wiki/Version-Control-with-Cachebusting

# Uncomment to enable.
# <IfModule mod_rewrite.c>
#   RewriteCond %{REQUEST_FILENAME} !-f
#   RewriteCond %{REQUEST_FILENAME} !-d
#   RewriteRule ^(\.+\)\.(\d+)\. (js|css|png|jpg|gif)$ $1.$3 [L]
# </IfModule>

AddDefaultCharset utf-8
AddCharset utf-8 .html .css .js .xml .json .rss .atom

<IfModule mod_rewrite.c>
  RewriteRule "(^|/)\." - [F]
</IfModule>

Redirect 302 /help http://admin.vps.projectfive.nl/help
```