

```
# Copy this file to a new file called .htaccess in your eZ Publish web folder
# to secure your installation by turning on .htaccess based virtual host mode.

# Environment.
# Possible values: "prod" and "dev" out-of-the-box, other values possible with proper
configuration
# Defaults to "prod" if omitted
SetEnv ENVIRONMENT "prod"

# Whether to use Symfony's ApcClassLoader.
# Possible values: 0 or 1
# Defaults to 0 if omitted
#SetEnv USE_APC_CLASSLOADER 0

# Prefix used when USE_APC_CLASSLOADER is set to 1.
# Use a unique prefix in order to prevent cache key conflicts
# with other applications also using APC.
# Defaults to "ezpublish" if omitted
#SetEnv APC_CLASSLOADER_PREFIX "ezpublish"

# Whether to use debugging.
# Possible values: 0 or 1
# Defaults to 0 if omitted, unless ENVIRONMENT is set to: "dev"
#SetEnv USE_DEBUGGING 0

# Whether to use Symfony's HTTP Caching.
# Disable it if you are using an external reverse proxy (e.g. Varnish)
# Possible values: 0 or 1
# Defaults to 1 if omitted, unless ENVIRONMENT is set to: "dev"
#SetEnv USE_HTTP_CACHE 1

# Defines the proxies to trust.
# Separate entries by a comma
# Example: "proxy1.example.com,proxy2.example.org"
# By default, no trusted proxies are set
#SetEnv TRUSTED_PROXIES "127.0.0.1"
```

[DirectoryIndex](#) index.php

[RewriteEngine](#) On

```
# v1 rest API required by Legacy before 5.4.3 and 5.3.6
# Uncomment this RewriteRule if you are using 5.4.2 and lower or 5.3.5 and lower
# RewriteRule ^api/[^/]+/v1/ /index_rest.php [L]

RewriteRule ^var/([^/]+)/?storage/images(-versioned)?/. * - [L]
RewriteRule ^var/([^/]+)/?cache/(texttoimage|public)/. * - [L]
RewriteRule ^design/([^/]+)/(stylesheets|images|javascript|fonts)/. * - [L]
RewriteRule ^share/icons/. * - [L]
RewriteRule ^extension/([^/]+)/design/([^/]+)/(stylesheets|flash|images|lib|javascripts?)/. * - [L]
RewriteRule ^packages/styles/./+(stylesheets|images|javascript)/[^/]+/. * - [L]
RewriteRule ^packages/styles/./+thumbnail/. * - [L]
RewriteRule ^var/storage/packages/. * - [L]

# Makes it possible to placed your favicon at the root of your
# eZ Publish instance. It will then be served directly.
RewriteRule ^favicon\.ico - [L]
# Uncomment the line below if you want you favicon be served from the standard design.
# You can customize the path to favicon.ico by replacing
# design/standard/images/favicon.ico
# by the adequate path.
#RewriteRule ^favicon\.ico /design/standard/images/favicon\.ico [L]
RewriteRule ^design/standard/images/favicon\.ico - [L]

# Give direct access to robots.txt for use by crawlers (Google, Bing, Spammers..)
RewriteRule ^robots\.txt - [L]

# Platform for Privacy Preferences Project ( P3P ) related files
# for Internet Explorer
# More info here : http://en.wikipedia.org/wiki/P3p
RewriteRule ^u3c/p3p\.xml - [L]

# Uncomment the following lines when using popup style debug in legacy
#RewriteRule ^var/([^/]+)/?cache/debug\.html. * - [L]

# Following rule is needed to correctly display assets from eZ Publish5 / Symfony bundles
RewriteRule ^bundles/ - [L]

# Additional Assetic rules for eZ Publish 5.1 / 2013.4 and higher:
""
```

```
## Don't forget to run php ezpublish/console assetic:dump --env=prod
## and make sure to comment these out in dev environment.
RewriteRule ^css/.*\.css - [L]
RewriteRule ^js/.*\.js - [L]

RewriteRule .* index\.php
```