

```
<<<<<< HEAD
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app_dev.php
=====
```

```
>>>>>> bf1cc1924f4c672d356095e79964ff5410d1bfd6
```

```
<IfModule mod_rewrite.c>
  RewriteEngine On
  # Rewrite all other queries to the front controller.
```

```
<<<<<< HEAD
  RewriteRule .* %{ENV:BASE}/app_dev.php [L]
</IfModule>
```

```
<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
    RedirectMatch 302 ^/$ /app_dev.php/
    # RedirectTemp cannot be used instead
  </IfModule>
```

```
=====
>>>>>> bf1cc1924f4c672d356095e79964ff5410d1bfd6
</IfModule>
```

```
<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
<<<<<< HEAD
    # When mod_rewrite is not available, we instruct a temporary redirect of
    # the start page to the front controller explicitly so that the website
    # and the generated links can still be used.
    RedirectMatch 302 ^/$ /app_dev.php/
```

```
=====
>>>>>> bf1cc1924f4c672d356095e79964ff5410d1bfd6
    # RedirectTemp cannot be used instead
  </IfModule>
</IfModule>
```