

```

suPHP_ConfigPath /home/floridav/public_html
<Files php.ini>
order allow,deny
deny from all
</Files>

# BEGIN WordPress
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

# uploaded files
RewriteRule ^([_0-9a-zA-Z-]+)/?files/(.*) wp-includes/ms-files.php?file=$2 [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z-]+)/?wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z-]+)/?(wp-(content|admin|includes)|.*) $1 [L]
RewriteRule ^([_0-9a-zA-Z-]+)/?(.*)\.php$ $1 [L]
RewriteRule . index.php [L]
# END WordPress

# BEGIN gzip

<ifModule mod_gzip.c>
  mod_gzip_on Yes
  mod_gzip_dechunk Yes
  mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
  mod_gzip_item_include handler ^cgi-script$
  mod_gzip_item_include mime ^text/. *
  mod_gzip_item_include mime ^application/x-javascript.*
  mod_gzip_item_exclude mime ^image/. *
  mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>

# END gzip

# BEGIN USES Browser Cache

```

```
# DC6111 W31L BROWSER LACNE
```

```
<IfModule mod_mime.c>
```

```
AddType text/css .css
AddType application/x-javascript .js
AddType text/x-component .htc
AddType text/html .html .htm
AddType text/richtext .rtf .rtx
AddType image/svg+xml .svg .svgz
AddType text/plain .txt
AddType text/xsd .xsd
AddType text/xsl .xsl
AddType text/xml .xml
AddType video/asf .asf .asx .wax .wmv .wmx
AddType video/avi .avi
AddType image/bmp .bmp
AddType application/java .class
AddType video/divx .divx
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
```

```
</IfModule>
```

```
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType text/x-component A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
```

```
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
  <IfModule mod_setenvif.c>
```

```
    BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
```

```
    BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
```

```
  </IfModule>
```

```
</IfModule mod_headers.c>
```

```
  Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
<IfModule mod_filter.c>
```

```
  AddOutputFilterByType DEFLATE text/css application/x-javascript text/x-component text
```

```
</IfModule>
```

```
</IfModule>
```

```

<FilesMatch "\.(css|js|htcl|CSSI|JSI|HTC)$">
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtfl|rtxl|svg|svgz|txt|xsd|xsl|xml|HTML|HTML|RTFI|RTXI|SVG|SVGZ|TXT|XSD|
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
<FilesMatch "\.
(asfl|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|icol|jpg|jpeg|jpe|mdbl|mi
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteRule ^(\.*/)?w3tc_rewrite_test$ $1?w3tc_rewrite_test=1 [L]
    RewriteCond %{HTTP_HOST} ^(www\.)?[a-z0-9\-\.,]+\.[a-z]+\.(?:[0-9]+)?$
    RewriteRule .* - [E=W3TC_DOMAIN:%2]
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]

```

```
RewriteCond %{REQUEST_METHOD} !=POST
RewriteCond %{QUERY_STRING} =""
RewriteCond %{HTTP_HOST} =www.housebeach.com
RewriteCond %{REQUEST_URI} \/$ [OR]
RewriteCond %{REQUEST_URI} (sitemap(_index)?\.xml(\.gz)?|[a-z0-9_\-]+-sitemap([0-9]+)?\.)
RewriteCond %{REQUEST_URI} !(\/wp-admin\|\/xmlrpc.php\|\/wp-(appl|cron|login|register|mai
RewriteCond %{REQUEST_URI} (wp\-(comments\|popup\.php|wp\-(links\|opml\.php|wp\-(locations\
RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-(post|pass|wordpress_|[a-f0-9])\+|wordpr
RewriteCond %{HTTP_USER_AGENT} !(M3\ Total\ Cache/0\.9\.2\.4) [NC]
RewriteCond "%{DOCUMENT_ROOT}/wp-content/w3tc-%{ENV:W3TC_DOMAIN}/pgcache/%{REQUEST_URI}/
RewriteRule .* "/wp-content/w3tc-%{ENV:W3TC_DOMAIN}/pgcache/%{REQUEST_URI}/_index%{ENV:W
```

</IfModule>

END W3TC Page Cache core