

```
suPHP_ConfigPath /home/floridav/public_html
```

```
<Files php.ini>
```

```
order allow,deny
```

```
deny from all
```

```
</Files>
```

```
# BEGIN W3TC Page Cache core
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    RewriteBase /
```

```
    RewriteRule ^(.*/)?w3tc_rewrite_test$ $1?w3tc_rewrite_test=1 [L]
```

```
    RewriteCond %{HTTP_HOST} ^(\www\.)?([a-z0-9\-\.\ ]+\.[a-z]+)\.?(:[0-9]+)?$
```

```
    RewriteRule .* - [E=W3TC_DOMAIN:%2]
```

```
    RewriteCond %{HTTP:Accept-Encoding} gzip
```

```
    RewriteRule .* - [E=W3TC_ENC:_gzip]
```

```
    RewriteCond %{REQUEST_METHOD} !=POST
```

```
    RewriteCond %{QUERY_STRING} =""
```

```
    RewriteCond %{HTTP_HOST} =www.housebeach.com
```

```
    RewriteCond %{REQUEST_URI} \/$ [OR]
```

```
    RewriteCond %{REQUEST_URI} (sitemap(_index)?\.xml(\.gz)?|[a-z0-9\-\ ]+--sitemap([0-9]+)?\.
```

```
    RewriteCond %{REQUEST_URI} !(\/wp-admin\/|\/xmlrpc.php|\/wp-(app|cron|login|register|mai
```

```
    RewriteCond %{REQUEST_URI} (wp\-(comments\|popup\|php|wp\-(links\|opml\|php|wp\-(locations\
```

```
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-(post|pass|wordpress_|a\-f0\-9)\+|wordpr
```

```
    RewriteCond %{HTTP_USER_AGENT} !(W3\ Total\ Cache\/0\ 9\ 2\ 4) [NC]
```

```
    RewriteCond "%(DOCUMENT_ROOT)/wp-content/w3tc-%(ENV: W3TC_DOMAIN)/pgcache/%(REQUEST_URI)/
```

```
    RewriteRule .* "/wp-content/w3tc-%(ENV: W3TC_DOMAIN)/pgcache/%(REQUEST_URI)/_index%(ENV: W
```

```
</IfModule>
```

```
# END W3TC Page Cache core
```

```
# BEGIN W3TC Browser Cache
```

```
<IfModule mod_mime.c>
```

```
    AddType text/css .css
```

```
    AddType application/x-javascript .js
```

```
    AddType text/x-component .htc
```

```
    AddType text/html .html .htm
```

```
    AddType text/richtext .rtf .rtx
```

```
    AddType image/svg+xml .svg .svgz
```

```
    AddType text/plain .txt
```

```
    AddType text/xsd .xsd
```

```
    AddType text/xsl .xsl
```

```
    AddType text/xspf+xml .xspf
```

MimeType text/xml .xml
AddType video/asf .asf .asx .wax .wmv .wmx
AddType video/avi .avi
AddType image/bmp .bmp
AddType application/java .class
AddType video/divx .divx
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw

```
    AddType application/zip .zip
</IfModule>
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType text/css A31536000
    ExpiresByType application/x-javascript A31536000
    ExpiresByType text/x-component A31536000
    ExpiresByType text/html A3600
    ExpiresByType text/richtext A3600
    ExpiresByType image/svg+xml A3600
    ExpiresByType text/plain A3600
    ExpiresByType text/xsd A3600
    ExpiresByType text/xsl A3600
    ExpiresByType text/xml A3600
    ExpiresByType video/asf A31536000
    ExpiresByType video/avi A31536000
    ExpiresByType image/bmp A31536000
    ExpiresByType application/java A31536000
    ExpiresByType video/divx A31536000
    ExpiresByType application/msword A31536000
    ExpiresByType application/vnd.ms-fontobject A31536000
    ExpiresByType application/x-msdownload A31536000
    ExpiresByType image/gif A31536000
    ExpiresByType application/x-gzip A31536000
    ExpiresByType image/x-icon A31536000
    ExpiresByType image/jpeg A31536000
    ExpiresByType application/vnd.ms-access A31536000
    ExpiresByType audio/midi A31536000
    ExpiresByType video/quicktime A31536000
    ExpiresByType audio/mpeg A31536000
    ExpiresByType video/mp4 A31536000
    ExpiresByType video/mpeg A31536000
    ExpiresByType application/vnd.ms-project A31536000
    ExpiresByType application/x-font-otf A31536000
    ExpiresByType application/vnd.oasis.opendocument.database A31536000
    ExpiresByType application/vnd.oasis.opendocument.chart A31536000
    ExpiresByType application/vnd.oasis.opendocument.formula A31536000
    ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
    ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
    ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
    ExpiresByType application/vnd.oasis.opendocument.text A31536000
```

```

ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_setenvif.c>
    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
    BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
  </IfModule>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  <IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE text/css application/x-javascript text/x-component te
  </IfModule>
</IfModule>
<FilesMatch "\.(css|js|htcl|CSS|JS|HTC)$">
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
  </IfModule>
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set X-Powered-By "W3 Total Cache/0.9.2.4"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtxl|svg|svgz|txt|xsl|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSD|

```

```

<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
</IfModule>
FileETag MTime Size
<IfModule mod_headers.c>
    Header set X-Powered-By "W3 Total Cache/0.9.2.4"
</IfModule>
</FilesMatch>
<FilesMatch "\.
(asfl asxl waxl umvl umxl avil bmpl classl divxl docl docxl eotl exel gifl gzl gzpl icol jpgl jpegl jpel mdbl mi
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
</IfModule>
FileETag MTime Size
<IfModule mod_headers.c>
    Header set X-Powered-By "W3 Total Cache/0.9.2.4"
</IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteRule ^(.*\/?)?w3tc_rewrite_test$ $1?w3tc_rewrite_test=1 [L]
    RewriteCond %{HTTP_HOST} ^(\www\.)?([a-z0-9\-\.\ ]+\.[a-z]+)\.?(:[0-9]+)?$
    RewriteRule .* - [E=W3TC_DOMAIN:%2]
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{HTTP_HOST} =www.housebeach.com
    RewriteCond %{REQUEST_URI} \/$ [OR]
    RewriteCond %{REQUEST_URI} (sitemap(_index)?\.xml(\.gz)?|[a-z0-9\-\ ]+--sitemap([0-9]+)?\.)
    RewriteCond %{REQUEST_URI} !(\/wp-admin\/|\/xmlrpc.php|\/wp-(appl|cron|login|register|mai
    RewriteCond %{REQUEST_URI} (wp\-\comments\-\popup\.php|wp\-\links\-\opml\.php|wp\-\locations\
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-\postpass|wordpress_[a-f0-9]\+)\+ wordpr
    RewriteCond %{HTTP_USER_AGENT} !(W3\ Total\ Cache\/0\.9\.2\.4) [NC]
    RewriteCond "%{DOCUMENT_ROOT}/wp-content/w3tc-%{ENV: W3TC_DOMAIN}/pgcache/%{REQUEST_URI}/
    RewriteRule .* "/wp-content/w3tc-%{ENV: W3TC_DOMAIN}/pgcache/%{REQUEST_URI}/_index%{ENV: W

```

```
</IfModule>
# END W3TC Page Cache core

# BEGIN WordPress
RewriteEngine On

RewriteCond %{HTTP_HOST} ^housebeach.com$ [NC]
RewriteRule ^(.*)$ http://www.housebeach.com/$1 [R=301,L]

RewriteCond %{HTTP_HOST} vrsports.com$ [NC]
RewriteRule ^(.*)$ http://vrsports.housebeach.com/$1 [R=301,L]

RewriteBase /
RewriteRule ^index\.php$ - [L]

# uploaded files
RewriteRule ^([_0-9a-zA-Z]+)/files/(.+) wp-includes/ms-files.php?file=$2 [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z]+)/wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z]+)/wp-(content|admin|includes)/.* $1 [L]
RewriteRule ^([_0-9a-zA-Z]+)/(.*/\.(php))$ $1 [L]
RewriteRule . index.php [L]
# END WordPress

# BEGIN gzip
```