

```

# Enable PHP 5.4
# AddType application/x-httpd-php54 .php

RewriteEngine on

## Force www.
#RewriteCond %{HTTP_HOST} !^$
#RewriteCond %{HTTP_HOST} !^www\. [NC]
#RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]

## Push everything through index.php
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([^\?]*)$ /index.php/$1 [NC,L,QSA]

# Deny Access to sensitive files directly.
<Files ~ "(.yml|.twig|.incl|.sql)">
    Order allow,deny
    Deny from all
</Files>

# Additional Security for htaccess
<Files .htaccess>
    Order allow,deny
    Deny from all
</Files>

# -----
# Expires headers (for better cache control)
# -----
#
# @NOTE: I recommend disabling this mod_expires on your local machine
# so that you don't need to re-version your assets everytime you make
# a change!
#
# These are pretty far-future expires headers
# They assume you control versioning with cachebusting query params like:
# <script src="application.js?20100608">
# Additionally, consider that outdated proxies may miscache
#
# -----

```

```
# www.stevesouders.com/blog/2006/06/23/reviving-filenames-dont-use-querystring/

#
# If you don't use filenames to version, lower the css and js to something like "access
plus 1 week"
#

<IfModule mod_expires.c>
    ExpiresActive on

    # Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                                     "access plus 1 month"

    # cache, apcache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest                "access plus 0 seconds"

    # Your document html
    ExpiresByType text/html                          "access plus 0 seconds"

    # Data
    ExpiresByType text/xml                           "access plus 0 seconds"
    ExpiresByType application/xml                    "access plus 0 seconds"
    ExpiresByType application/json                   "access plus 0 seconds"

    # RSS feed
    ExpiresByType application/rss+xml                "access plus 1 hour"

    # Favicon (cannot be renamed)
    ExpiresByType image/x-icon                       "access plus 1 week"

    # Media: images, video, audio
    ExpiresByType image/gif                          "access plus 1 month"
    ExpiresByType image/png                          "access plus 1 month"
    ExpiresByType image/jpg                          "access plus 1 month"
    ExpiresByType image/jpeg                         "access plus 1 month"
    ExpiresByType video/ogg                          "access plus 1 month"
    ExpiresByType audio/ogg                          "access plus 1 month"
    ExpiresByType video/mp4                          "access plus 1 month"
    ExpiresByType video/webm                         "access plus 1 month"

    # HTC files (css3pie)
    ExpiresByType text/cache-manifest                 "access plus 0 seconds"
```

```
ExpiresByType text/x-component "access plus 1 month"
```

Webfonts

```
ExpiresByType font/truetype "access plus 1 month"
```

```
ExpiresByType font/opentype "access plus 1 month"
```

```
ExpiresByType application/x-font-woff "access plus 1 month"
```

```
ExpiresByType image/svg+xml "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

CSS and JavaScript

```
ExpiresByType text/css "access plus 1 year"
```

```
ExpiresByType application/javascript "access plus 1 year"
```

```
ExpiresByType text/javascript "access plus 1 year"
```

```
<IfModule mod_headers.c>
```

```
    Header append Cache-Control "public"
```

```
</IfModule>
```

```
</IfModule>
```

GZIP Compression

```
<IfModule mod_gzip.c>
```

```
    mod_gzip_on Yes
```

```
    mod_gzip_dechunk Yes
```

```
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
```

```
    mod_gzip_item_include handler ^cgi-script$
```

```
    mod_gzip_item_include mime ^text/.*
```

```
    mod_gzip_item_include mime ^application/x-javascript.*
```

```
    mod_gzip_item_exclude mime ^image/.*
```

```
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
```

```
</IfModule>
```