

```
SetEnv APPLICATION_ENV production
RewriteEngine on
RewriteRule !\.(html|html1|txt|mpg|swf|js|ico|gif|JPG|zip|jpg|png|css|php|xml|mp3|km|pdf|tif|pptx|ppt|doc|docx|index|php)
RewriteCond %{HTTP_HOST} ^www\.(.+)
RewriteCond %{HTTPS}s/\!$1 \^(on(s)|off(s))/\1
RewriteRule ^ http%2://%3%{REQUEST_URI} [L,R=301]
RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /(.*)index\.php(.*)\ HTTP/ [NC]
RewriteRule ^index\.php(.*)$ /\$1 [R=301,L]

#php_value session.auto_start 0
# Disable all magic quoting.
php_value magic_quotes_gpc off
php_value magic_quotes_runtime off

<IfModule mod_php5.c>

php_flag zend.ze1_compatibility_mode Off
php_flag zlib.output_compression On
php_value zlib.output_compression_level 5
</IfModule>

ExpiresActive On
ExpiresDefault A0
ExpiresByType image/gif A2592000
ExpiresByType image/png A2592000
ExpiresByType image/jpg A2592000
ExpiresByType image/jpeg A2592000
ExpiresByType image/ico A2592000
ExpiresByType text/css A2592000
ExpiresByType text/javascript A2592000
Header unset ETag
FileETag None

redirect 301 /wordpress/blogs/centralunit/
redirect 301 /database/index.php /database/
redirect 301 /romancoins/4thcentury.php /romancoins/reversetypes/
redirect 301 /romancoins/biblio.php /romancoins/articles/page/romanbibliography/
redirect 301 /vacancies/index.php /getinvolved/vacancies/
-->----> 301 /----->----> ---- /----->
```


redirect 301 /romancoins/articles/page/coinvaluesrome/early.php /romancoins/articles/page/coins/

redirect 301 /romancoins/index.php /romancoins/

redirect 301 /romancoins/mintmarks.php /romancoins/articles/page/officina/

redirect 301 /treasure/treasure_summary.php /treasure/advice/summary/

redirect 301 /treasure.php /treasure/

redirect 301 /vacancies/ /getinvolved/vacancies/

redirect 301 /background/links.asp /getinvolved/links/

redirect 301 /background/links.php /getinvolved/links/

redirect 301 /background/treasure /treasure

redirect 301 /background/treasure_summary.asp /treasure/advice/summary/

redirect 301 /conservation/reading.php /conservation/advice/note7

redirect 301 /database/search/byzantinenumismatics /database/search/byzantinenumismatics

redirect 301 /background/treasure /treasure/

redirect 301 /gallery/ /flickr/

redirect 301 /involved/contact.asp /getinvolved/contactus

redirect 301 /involved/faq.php /getinvolved/faq/

redirect 301 /involved/faqs.asp /getinvolved/faq/

redirect 301 /pastexplorers http://www.pastexplorers.org.uk/

redirect 301 /pastexplorers/ http://www.pastexplorers.org.uk/

redirect 301 /romancoins/reece.php /romancoins/reeceperiods/

redirect 301 /romancoins/radiates.php /romancoins/denominations/

redirect 301 /news/hawkshead.php /news/reviews/2004/

redirect 301 /questions.html /getinvolved/faq/

redirect 301 /village/index.html http://www.pastexplorers.org.uk/village/

redirect 301 /finds/her.php /research/datatransfer/hers

redirect 301 /map.xml /info/sitemap/locations/

redirect 301 /treasure/coroners.php /contacts/coroners/

redirect 301 /background/treasure.asp /treasure

redirect 301 /kml/Suffolk.kml /kml/SUFFOLK.kml

redirect 301 /background/cop.php /getinvolved/guides/codeofpractice

redirect 301 /rallycode /getinvolved/guides/rallycode

redirect 301 /discoveries/romansindevon /news/stories/article/id/216

redirect 410 /documents/tmp/

RewriteCond %{QUERY_STRING} emperorID=([^&]*)

RewriteRule ^romancoins/obverse.php\$ http://%(SERVER_NAME)/romancoins/emperors/emperor/id/%1 [L]

RewriteCond %{QUERY_STRING} personID=([^&]*)

RewriteRule ^people/profile.php\$ http://%(SERVER_NAME)/contacts/staff/profile/id/%1/ [R]

RewriteCond %{QUERY_STRING} newsID=([^&]*)

RewriteRule ^news/story.php\$ http://%(SERVER_NAME)/news/stories/article/id/%1/ [R]

RewriteCond %{QUERY_STRING} id=([^&]*)

```
RewriteRule ^news/newsarticle.asp$ http://%(SERVER_NAME)/news/stories/article/id/%1/ [R]
```