

```
# Eliminar www.
<IfModule mod_rewrite.c>
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} ^www\.(.+) $ [NC]
  RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on

  # Por defecto 1 mes de caché
  ExpiresDefault "access plus 1 month"

  # los manifiestos appcache necesitan solicitarse cada vez, por firefox 3.6 (probablemente
  actualmente?
  ExpiresByType text/cache-manifest "access plus 0 seconds"

  # El HTML nunca debe de ser cacheado
  ExpiresByType text/html "access plus 0 seconds"

  # Los datos dinámicos tampoco (tal vez podría variar dependiendo de tu aplicación)
  ExpiresByType text/xml "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType application/json "access plus 0 seconds"

  # Una hora para los feeds (cambiar dependiendo de la fecha de actualización de tu web)
  ExpiresByType application/rss+xml "access plus 1 hour"
  ExpiresByType application/atom+xml "access plus 1 hour"

  # Favicon (Sólo una semana porque el nombre no cambia, luego podría haber cambios y mantei
  ExpiresByType image/x-icon "access plus 1 week"

  # Imágenes, vídeo, audio: 1 mes
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType video/ogg "access plus 1 month"
  ExpiresByType audio/ogg "access plus 1 month"
  ExpiresByType video/mp4 "access plus 1 month"
  ExpiresByType video/webm "access plus 1 month"
```

```
# Fuentes web: 1 mes
```

```
ExpiresByType application/x-font-ttf      "access plus 1 month"  
ExpiresByType font/opentype              "access plus 1 month"  
ExpiresByType application/x-font-woff    "access plus 1 month"  
ExpiresByType image/svg+xml              "access plus 1 month"  
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
# CSS y JavaScript: 1 mes.
```

```
ExpiresByType text/css                    "access plus 1 month"  
ExpiresByType application/javascript      "access plus 1 month"
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
# Force compression for mangled headers.
```

```
# http://developer.yahoo.com/blogs/ymdn/posts/2010/12/pushing-beyond-gzipping
```

```
<IfModule mod_setenvif.c>
```

```
  <IfModule mod_headers.c>
```

```
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|def  
{4,13})$ HAVE_Accept-Encoding
```

```
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
  </IfModule>
```

```
</IfModule>
```

```
<IfModule mod_filter.c>
```

```
  AddOutputFilterByType DEFLATE application/atom+xml \  
    application/javascript \  
    application/json \  
    application/rss+xml \  
    application/vnd.ms-fontobject \  
    application/x-font-ttf \  
    application/x-web-app-manifest+json \  
    application/xhtml+xml \  
    application/xml \  
    font/opentype \  
    image/svg+xml \  
    image/x-icon \  
    text/css \  
    text/html \  
    text/plain \  
    . . . . .
```

```
text/x-component \
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
AddDefaultCharset utf-8
```

```
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml
```

```
# Eliminar www.
```

```
<IfModule mod_headers.c>
```

```
Header set X-UA-Compatible "IE=edge,chrome=1"
```

```
# Sólo queremos añadirlo para páginas HTML, el resto es un desperdicio de ancho de banda.
```

```
<FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?
```

```
gl|jst|m4a|m4v|manifest|mp4|oex|ogal|oggl|ogv|otf|pdf|png|safariextz|svg|svgz|ttf|vcl|webapp|wet
```

```
Header unset X-UA-Compatible
```

```
</FilesMatch>
```

```
</IfModule>
```