

```

#WFIPBLOCKS - Do not remove this line. Disable Web Caching in Wordfence to remove this data.
Order Deny,Allow
#Do not remove this line. Disable Web Caching in Wordfence to remove this data - WFIPBLOCKS
#WFCACHECODE - Do not remove this line. Disable Web Caching in Wordfence to remove this data.
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript applicati
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    <IfModule mod_mime.c>
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
<IfModule mod_mime.c>
    AddType text/html .html_gzip
    AddEncoding gzip .html_gzip
    AddType text/xml .xml_gzip
    AddEncoding gzip .xml_gzip
</IfModule>
<IfModule mod_setenvif.c>
    SetEnvIfNoCase Request_URI \.html_gzip$ no-gzip
    SetEnvIfNoCase Request_URI \.xml_gzip$ no-gzip
</IfModule>
<IfModule mod_headers.c>
    Header set Vary "Accept-Encoding, Cookie"
</IfModule>
<IfModule mod_rewrite.c>
    #Prevents garbled chars in cached files if there is no default charset.
    AddDefaultCharset utf-8

    #Cache rules:
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTPS} on
    RewriteRule .* - [E=WRDFNC_HTTPS:_https]
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=WRDFNC_ENC:_gzip]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{HTTPS} off
    RewriteCond %{QUERY_STRING} ^(?:\d+=\d+)?$
    RewriteCond %{REQUEST_URI} !/wp-content/uploads/.*$

```



```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

END WordPress