

```

# -----
# For full documentation and other suggested options, please see
# http://rtfm.modx.com/evolution/1.0/administration/friendly-url-solutions
# including for unexpected logouts in multi-server/cloud environments
# and especially for the first three commented out rules

#php_flag register_globals Off
AddDefaultCharset utf-8
php_value date.timezone Europe/Moscow

#Options +FollowSymlinks
RewriteEngine On
RewriteBase /

# Fix Apache internal dummy connections from breaking [(site_url)] cache
RewriteCond %{HTTP_USER_AGENT} ^.*internal\ dummy\ connection.*$ [NC]
RewriteRule .* - [F,L]

#----- REDIRECTS -----
# Rewrite domain.com -> www.domain.com -- used with SEO Strict URLs plugin
#RewriteCond %{HTTP_HOST} !^$
#RewriteCond %{HTTP_HOST} !^www\. [NC]
#RewriteCond %{HTTP_HOST} (.+)$
#RewriteRule ^(.*)$ http://www.%1/$1 [R=permanent,L]

# without www
#RewriteCond %{HTTP_HOST} .
#RewriteCond %{HTTP_HOST} !^domain\.ru [NC]
#RewriteRule (.*) http://domain.ru/$1 [R=301,L]

# without www all domains
#RewriteCond %{HTTP_HOST} .
#RewriteCond %{HTTP_HOST} ^www.(.*)$ [NC]
#RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
#----- REDIRECTS -----

# Exclude /assets and /manager directories and images from rewrite rules
RewriteRule ^(manager|assets)/.*$ - [L]
RewriteRule \.(jpg|jpeg|png|gif|ico)$ - [L]

```

For Friendly URLs

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
```

Reduce server overhead by enabling output compression if supported.

```
php_flag zlib.output_compression On
php_value zlib.output_compression_level 9
```

Options -indexes

<IfModule mod_deflate.c>

```
AddEncoding gzip .gz
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE text/javascript
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/x-component
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/json
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/atom+xml
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
AddOutputFilterByType DEFLATE image/x-icon
AddOutputFilterByType DEFLATE image/svg+xml
AddOutputFilterByType DEFLATE font/truetype
AddOutputFilterByType DEFLATE font/opentype
AddOutputFilterByType DEFLATE font/ttf
AddOutputFilterByType DEFLATE font/otf
AddOutputFilterByType DEFLATE font/x-woff
```

</IfModule>

<IfModule mod_expires.c>

```
ExpiresActive on
ExpiresDefault A604800
ExpiresByType image/jpeg A604800
ExpiresByType image/gif A604800
<FilesMatch .*\.(shtml|html|phtml|php)$>
    ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

```
# -----
```