

### *# Error*

```
ErrorDocument 404 /webb/error.php?id=404
ErrorDocument 403 /webb/error.php?id=403
ErrorDocument 401 /webb/error.php?id=401
ErrorDocument 500 /webb/error.php?id=500
```

### *# Cool URI*

```
<IfModule mod_rewrite.c>
Options +FollowSymlinks
RewriteEngine On
RewriteBase /webb/

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.+[^/]*)$ %{REQUEST_URI}/ [R]
```

### *# Dalsie*

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^hrac/([^/]+)/?$ profil.php?lookup=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^admin-team/?$ admin-team.php [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^novinka/([^/]+)/?$ index.php?readmore=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^novinky/([^/]+)/?$ index.php?rowstart=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^hrac/([^/]+)/posli-spravu/?$ messages.php?msg_send=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^clanok/([^/]+)/?$ readarticle.php?article_id=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^server/([^/]+)/?$ server.php?p1=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^servery/?$ server.php [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^upravit-profil/?$ editprofile.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^nastavenie/?$ nastavenie.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^vip/?$ viewpage.php?page_id=5 [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^registrovat/?$ register.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^stratene-heslo/?$ lostpassword.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^registrovat/([^/]+)/?$ register.php?referral=$1 [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^obchod/?$ shop.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^hladaj/?$ search.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^stavky/?$ stavky.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^vip-sloty/?$ vipsloty.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^setuser/?$ setuser.php [L,QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^galeria/?$ galeria.php [L,QSA]

# Rank admin

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^rank-admin/server/([^/]+)/?$ rankadmin.php?server=true&id=$1 [L,QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^rank-admin/servers/?$ rankadmin.php?servers=true [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^rank-admin/([^/]+)/?$ rankadmin.php?id=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^rank-admin/?$ rankadmin.php [L, QSA]
```

### *# Kandidovat*

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^kandidovat/kandidat/([^/]+)/?$ kandidovat.php?info=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^kandidovat/server/([^/]+)/?$ kandidovat.php?server=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^kandidovat/ziadost/?$ kandidovat.php?ziadost=true [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^kandidovat/?$ kandidovat.php [L, QSA]
```

### *# Zaznamy*

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^zaznamy/([^/]+)/([^/]+)/?$ zaznamy.php?p1=$1&p2=$2 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^zaznamy/([^/]+)/?$ zaznamy.php?p1=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^zaznamy/?$ zaznamy.php [L, QSA]
```

### *# Info cast*

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^pravidla/?$ info.php?web=pravidla [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^pravidla/herne/?$ info.php?web=herne [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^pravidla/ligove/?$ info.php?web=ligove [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^kredity/?$ info.php?web=kredity [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^legenda/?$ info.php?web=legenda [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^sponzori/?$ info.php?web=sponzori [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^historia/?$ info.php?web=historia [L, QSA]
```

### *# Banka*

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^zombie-banka/([^/]+)/([^/]+)/?$ banka.php?p0=1 &p1=$1 &p2=$2 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^zombie-banka/([^/]+)/?$ banka.php?p0=1 &p1=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^zombie-banka/?$ banka.php?p0=1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^deathrun-banka/([^/]+)/([^/]+)/?$ banka.php?p0=0&p1=$1 &p2=$2 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^deathrun-banka/([^/]+)/?$ banka.php?p0=0&p1=$1 [L, QSA]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^deathrun-banka/?$ banka.php?p0=0 [L, QSA]
```

```
</IfModule>
```