

```

# -----
# Start rewrite engine
# -----

<IfModule mod_rewrite.c>
    RewriteEngine On
</IfModule>

# -----
# Better website experience for IE users
# -----

<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=Edge,chrome=1"
    <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|ogg|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|
>
    Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

# -----
# Proper MIME type for all files
# -----

AddType application/javascript      js jsonp
AddType application/json            json

AddType audio/ogg                   oga ogg
AddType audio/mp4                    m4a f4a f4b

AddType video/ogg                    ogv
AddType video/mp4                    mp4 m4v f4v f4p
AddType video/webm                   webm
AddType video/x-flv                  flv

AddType    image/svg+xml             svg svgz
AddEncoding gzip                     svgz

AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf        ttf ttfl

```

```

AddType application/x-font-ttf          ttf ttc
AddType font/opentype                  otf
AddType application/x-font-woff        woff

AddType image/x-icon                   ico
AddType image/webp                     webp
AddType text/cache-manifest            appcache manifest
AddType text/x-component                htc
AddType application/xml                 rss atom xml rdf
AddType application/x-chrome-extension crx
AddType application/x-opera-extension  oex
AddType application/x-xpinstall         xpi
AddType application/octet-stream        safariextz
AddType application/x-web-app-manifest+json webapp
AddType text/x-vcard                   vcf
AddType application/x-shockwave-flash  swf
AddType text/vtt                       vtt

```

```

# -----
# Gzip compression
# -----

```

```

<IfModule mod_deflate.c>
  <IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
      SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\
HAVE_Accept-Encoding
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
  </IfModule>

  <IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
                           application/javascript \
                           application/json \
                           application/rss+xml \
                           application/vnd.ms-fontobject \
                           application/x-font-ttf \
                           application/xhtml+xml \
                           application/xml \
                           font/opentype \
                           .
  
```

```
image/svg+xml \
image/x-icon \
text/css \
text/html \
text/plain \
text/x-component \
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# -----
# Expires headers (for better cache control)
# -----
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
ExpiresDefault "access plus 1 month"
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

```
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
ExpiresByType image/x-icon "access plus 1 week"
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
```

```
ExpiresByType audio/ogg "access plus 1 month"
```

```
ExpiresByType video/mp4 "access plus 1 month"
```

```
ExpiresByType video/webm "access plus 1 month"
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```

ExpiresByType application/x-font-ttf      "access plus 1 month"
ExpiresByType font/opentype              "access plus 1 month"
ExpiresByType application/x-font-woff    "access plus 1 month"
ExpiresByType image/svg+xml              "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

ExpiresByType text/css                    "access plus 1 year"
ExpiresByType application/javascript      "access plus 1 year"
</IfModule>

# -----
# ETag removal (no need when sending far-future expires header)
# -----

<IfModule mod_headers.c>
  Header unset ETag
</IfModule>

FileETag None

# -----
# Filename cache busting
# -----

<IfModule mod_rewrite.c>
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule ^(\.+)\/(\d+)\. (js|css|png|jpg|gif|ico|mp4|webm)$ $1.$3 [L]
</IfModule>

# -----
# Rewrite everything that isn't a file to index.php
# -----

<IfModule mod_rewrite.c>
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteRule ^ index.php [QSA,L]
</IfModule>

```