

```
<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|ttd|otf|eot|woff|font. css)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>
Redirect 301 /conversion-manager-anmalan/ http://www.conversionista.se/conversion-manager-st
Redirect 301 /wd13/ http://www.conversionista.se/chief-conversionista-webbdagarna-2013/
#Redirect 301 /vin/ http://www.conversionista.se/chief-conversionista-webbdagarna-2013/

# Conversion Manager Redirects
Redirect 301 /conversion-manager/oversikt /conversion-manager/#oversikt
Redirect 301 /conversion-manager/program /conversion-manager/#program
Redirect 301 /conversion-manager/forelasare /conversion-manager/#forelasare
Redirect 301 /conversion-manager/anmalan /conversion-manager/#anmalan

# Conversion Jam Redirects
Redirect 301 /conversion-jam-4/talare /conversion-jam-4/#talare
Redirect 301 /conversion-jam-4/biljetter /conversion-jam-4/#biljetter
Redirect 301 /conversion-jam-4/program /conversion-jam-4/#program

# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
  AddType text/css .css
  AddType text/x-component .htc
  AddType application/x-javascript .js
  AddType application/javascript .js2
  AddType text/javascript .js3
  AddType text/x-js .js4
  AddType text/html .html .htm
  AddType text/richtext .rtf .rtx
  AddType image/svg+xml .svg .svgz
  AddType text/plain .txt
  AddType text/xsd .xsd
  AddType text/xsl .xsl
  AddType text/xml .xml
  AddType video/asf .asf .asx .wax .wmv .wmx
  AddType video/avi .avi
  AddType image/bmp .bmp
  AddType application/java .class
  AddType video/divx .divx
  AddType application/vnd.ms-powerpoint .pot .pps .ppt
```

```
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/json .json
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresByType text/css R31536000
```

```
-----
```

ExpiresByType text/x-component A31536000  
ExpiresByType application/x-javascript A31536000  
ExpiresByType application/javascript A31536000  
ExpiresByType text/javascript A31536000  
ExpiresByType text/x-js A31536000  
ExpiresByType text/html A3600  
ExpiresByType text/richtext A3600  
ExpiresByType image/svg+xml A3600  
ExpiresByType text/plain A3600  
ExpiresByType text/xsd A3600  
ExpiresByType text/xsl A3600  
ExpiresByType text/xml A3600  
ExpiresByType video/asf A31536000  
ExpiresByType video/avi A31536000  
ExpiresByType image/bmp A31536000  
ExpiresByType application/java A31536000  
ExpiresByType video/divx A31536000  
ExpiresByType application/msword A31536000  
ExpiresByType application/vnd.ms-fontobject A31536000  
ExpiresByType application/x-msdownload A31536000  
ExpiresByType image/gif A31536000  
ExpiresByType application/x-gzip A31536000  
ExpiresByType image/x-icon A31536000  
ExpiresByType image/jpeg A31536000  
ExpiresByType application/json A31536000  
ExpiresByType application/vnd.ms-access A31536000  
ExpiresByType audio/midi A31536000  
ExpiresByType video/quicktime A31536000  
ExpiresByType audio/mpeg A31536000  
ExpiresByType video/mp4 A31536000  
ExpiresByType video/mpeg A31536000  
ExpiresByType application/vnd.ms-project A31536000  
ExpiresByType application/x-font-otf A31536000  
ExpiresByType application/vnd.oasis.opendocument.database A31536000  
ExpiresByType application/vnd.oasis.opendocument.chart A31536000  
ExpiresByType application/vnd.oasis.opendocument.formula A31536000  
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000  
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000  
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000  
ExpiresByType application/vnd.oasis.opendocument.text A31536000  
ExpiresByType audio/ogg A31536000

```

ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript ap
<IfModule mod_mime.c>
  # DEFLATE by extension
  AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
<FilesMatch "\.(css|htcl|js|js2|js3|js4|CSS|HTC|JS|JS2|JS3|JS4)$">
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header set X-Powered-By "W3 Total Cache/0.9.3"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtxl|svg|svgz|txt|xsl|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSL|
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header set X-Powered-By "W3 Total Cache/0.9.3"
  </IfModule>
</FilesMatch>
<FilesMatch "\.
(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|

```

```
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header set X-Powered-By "W3 Total Cache/0.9.3"
</IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```