

```

#
# Apache/PHP/Drupal settings:
#

# Fix the issue: .xlsx and .docx are being saved as a zip file in Internet explorer
AddType application/vnd.openxmlformats .docx .pptx .xlsx .xltx .xltm .dotx .potx .ppsx

BrowserMatch MSIE ie
Header set X-UA-Compatible "IE=Edge" env=ie

# Protect files and directories from prying eyes.
<FilesMatch "\.(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl|\.(php|
  Order allow,deny
</FilesMatch>

<FilesMatch "\.(ttf|otf|eot|woff)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Override PHP settings that cannot be changed at runtime. See
# sites/default/default.settings.php and drupal_environment_initialize() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>
  php_flag magic_quotes_gpc off
  php_flag magic_quotes_runtime off

```

```
php_flag magic_quotes_sybase      on
php_flag register_globals         off
php_flag session.auto_start      off
php_value mbstring.http_input    pass
php_value mbstring.http_output   pass
php_flag mbstring.encoding_translation off
</IfModule>
```

```
# Requires mod_expires to be enabled.
```

```
<IfModule mod_expires.c>
```

```
# Enable expirations.
```

```
ExpiresActive On
```

```
# Cache all files for 2 weeks after access (A).
```

```
ExpiresDefault A1209600
```

```
<FilesMatch \.php$>
```

```
# Do not allow PHP scripts to be cached unless they explicitly send cache
# headers themselves. Otherwise all scripts would have to overwrite the
# headers set by mod_expires if they want another caching behavior. This may
# fail if an error occurs early in the bootstrap process, and it may cause
# problems if a non-Drupal PHP file is installed in a subdirectory.
```

```
ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

```
# Various rewrite rules.
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine on
```

```
# Set "protoss1" to "s" if we were accessed via https://. This is used later
# if you enable "www." stripping or enforcement, in order to ensure that
# you don't bounce between http and https.
```

```
RewriteRule ^ - [E=protoss1]
```

```
RewriteCond %{HTTPS} on
```

```
RewriteRule ^ - [E=protoss1:s]
```

```
# Make sure Authorization HTTP header is available to PHP
# even when running as CGI or FastCGI.
```

```
RewriteRule ^ - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
```

```
# ...
```

```
# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or
# Git to store control files. Files whose names begin with a period, as well
# as the control files used by CVS, are protected by the FilesMatch directive
# above.
#
# NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
# not possible to block access to entire directories from .htaccess, because
# <DirectoryMatch> is not allowed here.
#
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
```

```
RewriteRule "(^/)\." - [F]
```

```
# [CUIT-mod]
```

```
RewriteRule "(^files_secure/(.)*#/)\." - [F]
```

```
RewriteCond %{HTTP_HOST} ^forms\.finance\.columbia\.edu$ [NC]
```

```
RewriteRule ^SOLE-SINGLE-SOURCE/?(.*)$ /sole-single-source/$1 [L,R=301]
```

```
RewriteRule ^ASSET/?(.*)$ /asset/$1 [L,R=301]
```

```
RewriteRule ^VENDOR-REQUEST/?(.*)$ /vendor-request/$1 [L,R=301]
```

```
RewriteRule ^PAYMENTSTATUS/?(.*)$ /paymentstatus/$1 [L,R=301]
```

```
RewriteCond %{HTTP_HOST} ^forms\.sipa\.columbia\.edu$ [NC]
```

```
RewriteCond %{REQUEST_URI} ^/index.php$ [NC]
```

```
RewriteRule ^ http://forms.sipa.columbia.edu/business/ [L,R=301]
```

```
RewriteCond %{HTTP_HOST} ^globalcenters\.columbia\.edu$ [NC]
```

```
RewriteRule ^southasia/(.*)$ http://globalcenters.columbia.edu/mumbai/$1 [L,R=301]
```

```
### Fix the Sparc Form css on Finance Gateway ###
```

```
RewriteCond %{HTTP_HOST} ^gateway-stein\.ias-drupal7-dev\.cc\.columbia\.edu$ [NC]
```

```
RewriteCond %{REQUEST_URI} ^/files/gateway/(cssljs)/(css_41Eg41koWl m5dP4St4VLC1ZSy01FaZjgc
4w_ZSUhyNDL9bazWTLIfPi j7wWs\.cssl css_E1cXsfv0akSWe3tL023VzLjSl jI xwGsIB95tBJbKmQs\.cssl css_Ri
SlYK_sczhkZhL3f10XoorZdEQi o3otBAz9wcDYZ0\.cssl js_3jHgh1MLr jr9xXAC0Juf qSSch3oAbkZstSqYdc4uuck
ajleAM6beTFNPYUpIYU\.jsl js_Q_8qusYsPN6zearGuLMwKeza260zgjS16tFvDi QToSg\.js)$ [NC]
```

```
RewriteRule (.*)/(.*)\.(.*) files/gateway/sparcform/$2\.$3 [L]
```

```
### Fix the Sparc Form css on Finance Gateway ###
```

```
### 404 PAGE START ###
```

```
# DISPLAY 404 PAGE IF STATIC FILE (HTML) NOT EXIST AND THEN REDIRECT TO HOMEPAGE
RewriteCond %{REQUEST_URI} (.*)\.(htm$)|(\.php$) [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule .* sites/404/index\.php [L,T=text/html]

# DISPLAY 404 PAGE IF STATIC FILE (GIF, JPG, PNG, ms office files, pdf ) NOT EXIST. NO REDIRECT
RewriteCond %{REQUEST_URI} !(.*)(system|styles|imagecache|securefiles)(.*) [NC]
RewriteCond %{REQUEST_URI} (.*)\.(ico$)|(\.gif$)|(\.jpg$)|(\.jpeg$)|(\.png$)|(\.bmp$)|(\.ps$)|(\.swf$)|(\.sup$)|(\.save$)|(\.keep$)|(\.old$)|(\.src$)|(\.fla$)|(\.mp4$)|(\.mov$) [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule .* sites/404/404-noredirect\.php [L,T=text/html]

# DISPLAY 404 PAGE IF svn file (.svn or .svn/*)
RewriteCond %{REQUEST_URI} (.*)\.svn/(.*) [NC]
RewriteRule .* sites/404/404-noredirect\.php [L,T=text/html]

# DISPLAY 404 PAGE IF module or info file (.info .module .inc)
RewriteCond %{REQUEST_URI} (.*)\.(info$)|(\.module$)|(\.inc$) [NC]
RewriteRule .* sites/404/404-noredirect\.php [L,T=text/html]

### 404 PAGE END ###

# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} .
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http%{ENV:protoss}://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\. (.+)$ [NC]
# RewriteRule ^ http%{ENV:protoss}://%1%{REQUEST_URI} [L,R=301]
```

```

# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
# [CUIT-mod]: Jake- needed for our dev/test wildcard-subdomain enviros
# RewriteRule ^ index.php [L]
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css$ $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js$ $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

<FilesMatch "(\.js\.gz|\.css\.gz)$">
  # Serve correct encoding type.
  Header set Content-Encoding gzip
  # Force proxies to cache gzipped & non-gzipped css/js files separately.

```

```
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>
</IfModule>
```