

```
#  
# Hey! Everything in here is better suited to httpd.conf, since  
# we get a performance boost if we can turn off AllowOverride and  
# not have to stat the webroot for every request. On the other  
# hand, this means we never have to touch apache once it's up.  
# Flexibility over performance.  
#  
# In an ideal world, you'd stick it in here on dev and your build  
# system would bundle the changes into (a file included in) httpd.conf  
# for your production deployment, perhaps wrapped in a <VirtualHost>  
# block.  
#
```

```
# ETags are a bad idea if you have multiple web servers. We'll do  
# more explicit caching with Expires headers anyway.
```

```
FileETag none
```

```
# The base set of sensible PHP options. You could put these in your  
# php.ini file too, but having them in your Apache config puts  
# everything in one place. Magic quotes off because they are stupid.  
# Register globals off for the same reason. Track errors is so that  
# we can at least get at the error messages we hide using @func().  
# last_modified is a bad idea if we have any dynamic content. Short  
# tags make for a few saved bytes of cruft and are fine unless you're  
# running another XML preprocessor over your code (wtf?).
```

```
php_value magic_quotes_gpc 0  
php_value register_globals 0  
php_value magic_quotes_runtime 0  
php_value track_errors 1  
php_value last_modified off  
php_value short_open_tag on
```

```
# This value is very useful for development, but should be disabled  
# on production deployments (by setting the value to 'off')
```

```
php_flag display_errors on
```

```
# this sets all current and future error flags on, except for E_NOTICE  
# which can go fuck itself. we have some separate code for checking the  
# one notice we do care about.
```

```
php_value error_reporting 2147483639
```

*# Some basic pointers to php files*

DirectoryIndex index.php

ErrorDocument 404 /404.php

ErrorDocument 403 /403.php

*# Get mod\_rewrite fired up*

RewriteEngine on

*# API stuff (part one - there is only HTTPS)*

*# Better off put in your Apache config for the host itself but*

*# you can do it here if you need/want to. See also:*

*# <https://httpd.apache.org/docs/2.2/rewrite/avoid.html>*

*# RewriteCond %{HTTPS} off*

*# RewriteRule (.\*) https://%{HTTP\_HOST}/\$1?%{QUERY\_STRING} [R,L]*

*# You are here*

RewriteRule ^choose/?\$ choose.php?%{QUERY\_STRING} [L]

RewriteRule ^getlatlon/?\$ choose.php?%{QUERY\_STRING} [L]

RewriteRule ^decide/?\$ decide.php?%{QUERY\_STRING} [L]

RewriteRule ^maybe/?\$ /decide/?%{QUERY\_STRING} [R]

*# Assertions*

RewriteRule ^assertions(/page([0-9]+))/?\$ assertions.php?page=\$2&%  
{QUERY\_STRING} [L]

RewriteRule ^assertions/(local|tourist|strangers)(/page([0-9]+))/?\$  
assertions.php?perspective=\$1&page=\$3&%{QUERY\_STRING} [L]

RewriteRule ^a/([A-Za-z0-9]+)/?\$ assertion.php?code=\$1&%{QUERY\_STRING}  
[L]

RewriteRule ^assertions/([0-9]+)/?\$ assertion.php?id=\$1&%{QUERY\_STRING}  
[L]

RewriteRule ^assertions/me(/page([0-9]+))/?\$ assertions\_me.php?page=\$2&%  
{QUERY\_STRING} [L]

RewriteRule ^assertions/me/(local|tourist|stranger)(/page([0-9]+))/?\$

assertions\_me.php?perspective=\$1&page=\$3&%(QUERY\_STRING) [L]

RewriteRule ^assertions/woe/?\$ /assertions/ [R]

RewriteRule ^assertions/woe/([0-9]+)/page([0-9]+)?/?\$ assertions\_woe.php?id=\$1&page=\$3&%(QUERY\_STRING) [L]

RewriteRule ^assertions/woe/([0-9]+)/local|tourist|strangers)/page([0-9]+)?/?\$ assertions\_woe.php?id=\$1&perspective=\$2&page=\$4&%(QUERY\_STRING) [L]

*# Old stuff (TO DO...)*

RewriteRule ^corrections/?\$ /assertions/ [R]

RewriteRule ^corrections/page([0-9]+)/?\$ /assertions/page\$2/ [R]

RewriteRule ^corrections/(local|tourist|strangers)/?\$ /assertions/\$1/ [R]

RewriteRule ^corrections/(local|tourist|strangers)/page([0-9]+)?/?\$ /assertions/\$1/page\$3/ [R]

RewriteRule ^c/([A-Za-z0-9]+)/?\$ /a/\$1/ [R]

RewriteRule ^corrections/([0-9]+)/?\$ /assertions/\$1/ [R]

RewriteRule ^corrections/me/?\$ /assertions/me/ [R]

RewriteRule ^corrections/me/page([0-9]+)?/?\$ /assertions/me/page\$2/ [R]

RewriteRule ^corrections/me/(local|tourist|stranger)/?\$ /assertions/me/\$1/ [R]

RewriteRule ^corrections/me/(local|tourist|stranger)/page([0-9]+)?/?\$ /assertions/me/\$1/page\$3 [R]

RewriteRule ^corrections/woe/?\$ /assertions/ [R]

RewriteRule ^corrections/woe/([0-9]+)/?\$ /assertions/woe/\$1/ [R]

RewriteRule ^corrections/woe/([0-9]+)/page([0-9]+)?/?\$ /assertions/woe/\$1/page\$3/ [R]

RewriteRule ^corrections/woe/([0-9]+)/local|tourist|strangers)/?\$ /assertions/woe/\$1/\$2/ [R]

RewriteRule ^corrections/woe/([0-9]+)/local|tourist|strangers)/page([0-9]+)?/?\$ /assertions/woe/\$1/\$2/page\$4/ [R]

*# WOE*

RewriteRule ^woe/([0-9]+)/?\$ /assertions/woe/\$1 [R]

RewriteRule ^woe/([0-9]+)/geojson/?\$ woedb\_geojson.php?id=\$1&%(QUERY\_STRING)

[L]

### *# Login stuff*

```
RewriteRule ^signin/?$    signin_twitter_oauth.php?%(QUERY_STRING) [L]
RewriteRule ^auth/?$     auth_callback_twitter_oauth.php?%(QUERY_STRING) [L]

RewriteRule ^signout$    signout.php [L]
RewriteRule ^checkcookie$ checkcookie.php [L]
```

### *# Account stuff*

```
RewriteRule ^account$    account.php [L]
RewriteRule ^account/delete$ account_delete.php [L]
```

### *# General pages*

```
RewriteRule ^about$    about.php [L, QSA]
RewriteRule ^colophon$ colophon.php [L, QSA]
```

```
# RewriteRule ^contact$    contact.php [L, QSA]
```

### *# API stuff (part deux)*

```
RewriteRule ^api/?$    api.php [L]
RewriteRule ^api/methods/?$    api_methods.php [L]
RewriteRule ^api/methods/(.*)/?$    api_method.php?method=$1&%(QUERY_STRING) [L]

RewriteRule ^api/keys/?$    api_keys.php?%(QUERY_STRING) [L]
RewriteRule ^api/keys/register/?$    api_keys_register.php?%(QUERY_STRING) [L]
RewriteRule ^api/keys/([a-zA-Z0-9]+)/?$    api_key.php?api_key=$1&%(QUERY_STRING) [L]
RewriteRule ^api/keys/([a-zA-Z0-9]+)/tokens(/page([0-9]+))/?$    api_key_tokens.php?
api_key=$1&page=$3&%(QUERY_STRING) [L]

RewriteRule ^api/oauth2/?$    api_oauth2.php?%(QUERY_STRING) [L]
RewriteRule ^api/oauth2/howto/?$    api_oauth2_howto.php?%(QUERY_STRING) [L]
RewriteRule ^api/oauth2/authenticate/?$    api_oauth2_authenticate.php?%(
QUERY_STRING) [L]
RewriteRule ^api/oauth2/authenticate/like-magic/?$    api_oauth2_authenticate_like_magic.php?%(QUERY_STRING) [L]
RewriteRule ^api/oauth2/access_token/?$    api_oauth2_access_token.php?%
```

(QUERY\_STRING) [L]

RewriteRule ^api/oauth2/tokens(/page([0-9]+))/?/?\$ api\_oauth2\_tokens.php?page=\$2&%

(QUERY\_STRING) [L]

RewriteRule ^api/oauth2/tokens/([a-zA-Z0-9]+)//?\$ api\_oauth2\_token.php?api\_key=\$1&%

(QUERY\_STRING) [L]

RewriteRule ^api/rest/?\$ api\_rest.php?%(QUERY\_STRING) [L]