

```
# -----  
-----  
# Set default directory index files  
# -----  
-----  
DirectoryIndex index.php index.html index.htm  
ErrorDocument 404 http://localhost/cityrock/error.php  
  
# -----  
-----  
# Requires mod_rewrite  
# -----  
-----  
  
<IfModule mod_rewrite.c>  
  
    RewriteEngine On  
    AddDefaultCharset UTF-8  
  
    # Cross domain access # NOT WORKING  
    #Header add Access-Control-Allow-Origin "*"   
    #Header add Access-Control-Allow-Headers "origin, x-requested-with, content-type"   
    #Header add Access-Control-Allow-Methods "PUT, GET, POST, OPTIONS"   
  
    # -----  
    -----  
    # Access Restrictions: Keep web users out of dirs that begin with a period  
    # -----  
    -----  
  
    RewriteRule "(^|/)\." - [F]  
  
    # -----  
    -----  
    # OPTIONAL: Redirect users to the 'www.' version of the site (uncomment to enable).  
    # -----  
    -----  
  
    # RewriteCond %{HTTP_HOST} !^www\. [NC]  
    # RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
```

```
# -----  
-----  
# Remove trailing slashes from URL.  
# -----  
-----  
  
#RewriteCond %{REQUEST_FILENAME} !-d  
#RewriteRule ^(.*)\(/(\?.*)?$ /cityrock/$1 [L,R=301]  
  
# -----  
-----  
  
# The Apache rewrite engine is mainly used to turn dynamic url's such as  
# www.yoursite.com/product.php?id=123 into static and user friendly url's such as  
# www.yoursite.com/product/123  
# -----  
-----  
  
RewriteRule ^course/([^/]+)/?$ course.php?id=$1 [L]  
RewriteRule ^course/([^/]+)/registrants/?$ registrants.php?id=$1 [L]  
RewriteRule ^course/([^/]+)/registrants/([^/]+)/?$ registrants.php?id=$1&action=$2 [L]  
RewriteRule ^course/([^/]+)/([^/]+)/?$ course.php?id=$1&action=$2 [L]  
  
RewriteRule ^user/([^/]+)/?$ user.php?id=$1 [L]  
  
RewriteRule ^events/([^/]+)/?$ events.php?id=$1 [L]  
  
RewriteRule ^archive/([^/]+)/?$ archive.php?id=$1 [L]  
  
# -----  
-----  
  
# Rewrite rules for api requests  
# -----  
-----  
  
#RewriteCond %{REQUEST_FILENAME} !-f  
#RewriteRule ^api/(.*)/?$ index.php [QSA,L]  
  
# -----  
-----  
  
# Add .php extension from a PHP file for example yoursite.com/wallpaper.php to  
# yoursite.com/wallpaper  
..
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^([\^\. ]+)$ $1.php [L] #[NC,L]
```

</IfModule>