

```
#php_value session.name "web"
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteCond %{HTTP_HOST} ^www\.(.*)$ [NC]
```

```
RewriteRule ^(.*)$ http://%1/%1 [R=301,L]
```

```
# The following rule tells Apache that if the requested filename  
# exists, simply serve it.
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
# The following rewrites all other queries to index.php. The  
# condition ensures that if you are using Apache aliases to do  
# mass virtual hosting, the base path will be prepended to  
# allow proper resolution of the index.php file; it will work  
# in non-aliased environments as well, providing a safe, one-size  
# fits all solution
```

```
<ifmodule mod_expires.c>
```

```
  <Filesmatch "\.(j?pgl|jpegl|pngl|gifl|j?sl|cssl|swfl|icol|woffl|mp3)$">
```

```
    ExpiresActive on
```

```
    ExpiresDefault "access plus 30 days"
```

```
  </Filesmatch>
```

```
</ifmodule>
```

```
<Files *.js>
```

```
  Header add "Cache-Control" "max-age=604800"
```

```
</Files>
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.php [NC,L]
```