


```
    RequestHeader append Accept-Encoding gzip, deflate env=HTTP_ACCEPT_ENCODING
</IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
# as `AddOutputFilterByType` is still in the core directives).
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/ld+json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/x-web-app-manifest+json \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml

</IfModule>

</IfModule>

# The following expires headers are set pretty far in the future. If you
# don't control versioning with filename-based cache busting, consider
# lowering the cache time for resources such as style sheets and JavaScript
# files to something like one week.

<IfModule mod_expires.c>

    ExpiresActive on
    ExpiresDefault          'access plus 1 month'
```

```
# CSS
ExpiresByType text/css 'access plus 1 year'

# Data interchange
ExpiresByType application/json 'access plus 0 seconds'
ExpiresByType application/ld+json 'access plus 0 seconds'
ExpiresByType application/xml 'access plus 0 seconds'
ExpiresByType text/xml 'access plus 0 seconds'

# Favicon (cannot be renamed!) and cursor images
ExpiresByType image/x-icon 'access plus 1 week'

# HTML components (HTCs)
ExpiresByType text/x-component 'access plus 1 month'

# HTML
ExpiresByType text/html 'access plus 0 seconds'

# JavaScript
ExpiresByType application/javascript 'access plus 1 year'

# Manifest files
ExpiresByType application/x-web-app-manifest+json 'access plus 0 seconds'
ExpiresByType text/cache-manifest 'access plus 0 seconds'

# Media
ExpiresByType audio/ogg 'access plus 1 month'
ExpiresByType image/gif 'access plus 1 month'
ExpiresByType image/jpeg 'access plus 1 month'
ExpiresByType image/png 'access plus 1 month'
ExpiresByType video/mp4 'access plus 1 month'
ExpiresByType video/ogg 'access plus 1 month'
ExpiresByType video/webm 'access plus 1 month'

# Web feeds
ExpiresByType application/atom+xml 'access plus 1 hour'
ExpiresByType application/rss+xml 'access plus 1 hour'

# Web fonts
ExpiresByType application/font-woff 'access plus 1 month'
ExpiresByType application/vnd.ms-fontobject 'access plus 1 month'
```

```
ExpiresByType application/x-font-ttf 'access plus 1 month'
ExpiresByType font/opentype 'access plus 1 month'
ExpiresByType image/svg+xml 'access plus 1 month'
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
RewriteBase /
```

```
# Remove www uncomment to activate
#RewriteCond %{HTTP_HOST} ^www\. (.*)$ [NC]
#RewriteRule ^(.*)$ http://%1/%1 [R=301,L]
```

```
# Force ssl uncomment to activate
#RewriteCond %{HTTPS} !on
#RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
```

```
# Force to exclude the trailing slash
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} (.+)/$
RewriteRule ^(.+)/$ $1 [R=307,L]
```

```
# Restrict php files direct access off by default
#RewriteCond %{THE_REQUEST} ^.+?\ [^?]+\ .php[?\ ]
#RewriteRule \.php$ - [F]
```

```
# Allow any files or directories that exist to be displayed directly
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

RewriteRule ^(.*)$ index.php?$1 [QSA,L]
```

```
</IfModule>
```