

```
# Options Générales
# Bug apache ...
Options +Indexes FollowSymLinks SymLinksIfOwnerMatch
IndexOptions FancyIndexing IconsAreLinks
FileETag none
```

Règles pour configurer PHP

```
<IfModule mod_php5.c>
  php_flag asp_tags On
  php_flag zlib.output_compression On
  php_value zlib.output_compression_level 5
  php_value session.use_trans_sid 0
  php_value session.use_only_cookies 1
  php_value session.gc_probability 1
  # php_value session.save_path /dev/shm/refdoc
  php_value memory_limit 128M
</IfModule>
```

Règles pour le cache du navigateur

```
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresDefault "access plus 1 seconds"
  ExpiresByType text/html "access plus 1 seconds"
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
  ExpiresByType text/css "access plus 1 month"
  ExpiresByType text/javascript "access plus 1 month"
  ExpiresByType image/x-icon "access plus 1 month"
  ExpiresByType application/javascript "access plus 1 month"
  ExpiresByType application/x-javascript "access plus 1 month"
  ExpiresByType text/xml "access plus 1 seconds"
</IfModule>
```

Règles pour compresser les flux réseaux

```
<IfModule mod_deflate.c>
  AddOutputFilterByType DEFLATE text/css text/js text/javascript application/x-javascript
  BrowserMatch ^Mozilla/4 gzip-only-text/html
  BrowserMatch ^Mozilla/4\.0[678] no-gzip
  BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
<Files *.js>
  SetOutputFilter DEFLATE
</Files>
<Files *.css>
  SetOutputFilter DEFLATE
</Files>
</IfModule>

# Règles de réécriture
<IfModule mod_rewrite.c>
  RewriteEngine on
  RewriteCond %{REQUEST_URI} !=/server-status
  RewriteCond %{REQUEST_URI} !=/server-info
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule . index.php [L]
</IfModule>

<Files data.txt>
  Order deny,allow
  Deny from all
</Files>
```