

```
# MOD_DEFLATE #####
<IfModule deflate_module>
# Compress everything except a few things...
SetOutputFilter DEFLATE
SetEnvIfNoCase Request_URI \.(?: gif|jpe?g|png)$ \
    no-gzip dont-vary
SetEnvIfNoCase Request_URI \
    \.(?: exel?t?gz|zip|bz2|sit|rar)$ \
    no-gzip dont-vary
SetEnvIfNoCase Request_URI \.pdf$ no-gzip dont-vary
# Ignore broken browsers
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
</IfModule>
```

```
# PHP.INI #####
php_value auto_prepend_file '{{(BASE_DIR)}}/samples/prepend.php'
php_value unserialize_callback_func '__autoload'
```

```
# Interferes with XML files.
```

```
php_flag short_open_tag 0
```

```
#<http://talks.php.net/show/froscon08/23>
```

```
#
```

```
# If a default time zone isn't set in PHP configuration, any call to the date()
# function generates a guess_timezone() command that both throws a suppressed
# error (in VERBOSE mode) and makes a system call date_default_timezone_set().
# These calls add up
```

```
#php_value date.timezone 'America/Los_Angeles'
```

```
php_value date.timezone 'UTC'
```

```
# APC #####
```

```
# Monitor this using apc.php, set in php.ini
```

```
#php_value apc.shm_segments 1
```

```
#php_value apc.shm_size 512
```

```
#php_value apc.num_files_hints 1000
```

```
#php_value apc.user_entry_hint 4096
```

```
# Oftentimes when people are using command line apc caching, they have ttl set
# so set it back
```

```
php_value apc.ttl 0
```

```
php_value apc.user_ttl 0
```

```
# Only load stuff as needed (http://httpd.apache.org/docs/2.2/mod/mod_php.html#phpflags)
```

```
# only load stuff as needed <http://tekrat.com/2009/03/10/apc-lazy-loading-initial-
support/>
php_flag apc.lazy_functions 1
php_flag apc.lazy_classes 1

# RUNKIT #####
php_value runkit.superglobal '_TAG'

##### PRODUCTION VERSION
# ERROR #####
# turn off every error
#php_value error_reporting 0
# APC #####
# Disable filestat updates (use restart to refresh)
#php_flag apc.stat 1
# INCLUDED #####
# These don't seem to work
php_flag included.enabled 0
# XDEBUG #####
#php_flag xdebug.profiler_enable 0
#php_flag xdebug.profiler_enable_trigger 0

##### DEVELOPMENT VERSION
# ERROR #####
# turn every error on for debugging (and displly them)
#php_value error_reporting 2147483647
php_value error_reporting -1
php_flag display_errors 1
php_flag html_errors 1

# APC #####
# INCLUDED #####
# These don't seem to work
#php_flag included.enabled 1
#php_value dumpdir {{{BASE_DIR}}}/samples/included
# XDEBUG #####
#php_flag xdebug.show_local_vars 1
#php_value xdebug.dump.SERVER 'HTTP_HOST, SERVER_NAME'
#php_flag xdebug.dump_globals 1
#php_value xdebug.collect_params 4
#php_flag xdebug.show_eception_trace 1
```

```
php_flag xdebug.show_mem_delta 1
# XDEBUG PROFILING #####
# turn on with XDEBUG_PROFILE in GPC
#php_flag xdebug.profiler_enable 1
php_flag xdebug.profiler_enable_trigger 1
php_value xdebug.profiler_output_dir '{{BASE_DIR}}/samples/traces'
php_value xdebug.profiler_output_name 'cachegrind.out.%t.%p'
```