

```
# -----  
# Rewrite Setup  
# -----  
RewriteEngine On  
  
# -----  
# Proper MIME type for all files  
# -----  
  
# JavaScript  
# Normalize to standard type (it's sniffed in IE anyways)  
# tools.ietf.org/html/rfc4329#section-7.2  
AddType application/javascript js  
  
# Audio  
AddType audio/ogg oga ogg  
AddType audio/mp4 m4a  
  
# Video  
AddType video/ogg ogv  
AddType video/mp4 mp4 m4v  
AddType video/webm webm  
  
# SVG,  
# Required for svg webfonts on iPad  
# twitter.com/FontSquirrel/status/14855840545  
AddType image/svg+xml svg svgz  
AddEncoding gzip svgz  
  
# Webfonts  
AddType application/vnd.ms-fontobject eot  
AddType application/x-font-ttf ttf ttc  
AddType font/opentype otf  
AddType application/x-font-woff woff  
  
# Assorted types  
AddType image/x-icon ico  
AddType image/webp webp  
AddType text/cache-manifest appcache manifest  
AddType text/x-component htc  
AddType application/x-shader-source source
```

```
Header type application/x-chrome-extension crx
AddType application/x-xpinstall xpi
AddType application/octet-stream safariextz
AddType text/x-vcard vcf

# -----
# Expires headers
# -----

FileETag None
<ifModule mod_headers.c>
Header unset ETag
Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
Header set Pragma "no-cache"
Header set Expires "Wed, 11 Jan 1984 05:00:00 GMT"
</ifModule>

# -----
# Better website experience for IE users
# -----

# Force the latest IE version, in various cases when it may fall back to IE7 mode
# github.com/rails/rails/commit/123eb25#commitcomment-118920
# Use ChromeFrame if it's installed for a better experience for the poor IE folk

<IfModule mod_headers.c>
Header set X-UA-Compatible "IE=Edge,chrome=1"
# mod_headers can't match by content-type, but we don't want to send this header on *every*
<FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|ogg|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|
>
Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

# -----
# UTF-8 encoding
# -----

# Use UTF-8 encoding for anything served text/plain or text/html
AddDefaultCharset utf-8
```

```
# Force UTF-8 for a number of file formats  
AddCharset utf-8 .css .js .xml .json .rss .atom
```