

```
#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

#   Action php5-cgi /cgi-bin/php5-cgi
#   AddHandler php5-cgi .php

#####
## GoDaddy specific options

#   Options -MultiViews

## you might also need to add this line to php.ini
##   cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php5 .php

#####
## default index file

    DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

#   php_value memory_limit 64M
    php_value memory_limit 256M
    php_value max_execution_time 18000

#####
## disable automatic session start
## before autoload was initialized
```

```
php_flag session.auto_start off
```

```
#####
```

```
## enable resulting html compression
```

```
php_flag zlib.output_compression on
```

```
#####
```

```
# disable user agent verification to not break multiple image upload
```

```
php_flag suhosin.session.cryptua off
```

```
</IfModule>
```

```
<IfModule mod_security.c>
```

```
#####
```

```
# disable POST processing to not break multiple image upload
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
#####
```

```
## enable apache served files compression
```

```
## http://developer.yahoo.com/performance/rules.html#gzip
```

```
# Insert filter on all content
```

```
###SetOutputFilter DEFLATE
```

```
# Insert filter on selected content types only
```

```
#AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript
```

```
# Netscape 4.x has some problems...
```

```
#BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
# Netscape 4.06-4.08 have some more problems
```

```
#BrowserMatch ^Mozilla/4\.[0678] no-gzip
```

```
# MSIE masquerades as Netscape, but it is fine
```

```
## BrowserMatch ^Mozilla/4 MSIE 6.0 no-gzip
```

```
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary

</IfModule>

<IfModule mod_ssl.c>

#####
## make HTTPS env vars available for CGI mode

    SSLOptions StdEnvVars

</IfModule>

<IfModule mod_rewrite.c>

#####
## enable rewrites

    Options +FollowSymLinks
    RewriteEngine on

#####
## you can put here your magento root folder
## path relative to web root

    #RewriteBase /magento/

#####
## workaround for HTTP authorization
## in CGI environment

    RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

#####
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks
```

```
RewriteCond %{REQUEST_METHOD} ^TRACE[EK]
RewriteRule .* - [L,R=405]
```

```
#####
## never rewrite for existing files, directories and links
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-l
```

```
#####
## rewrite everything else to index.php
```

```
RewriteRule .* index.php [L]
```

```
</IfModule>
```

```
#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead
```

```
AddDefaultCharset Off
#AddDefaultCharset UTF-8
```

```
<IfModule mod_expires.c>
```

```
#####
## Add default Expires header
## http://developer.yahoo.com/performance/rules.html#expires
```

```
ExpiresDefault "access plus 1 year"
```

```
</IfModule>
```

```
#####
## By default allow all access
```

```
Order allow,deny
Allow from all
```

#####

Deny access to release notes to prevent disclosure of the installed Magento version

```
<Files RELEASE_NOTES.txt>  
    order allow,deny  
    deny from all  
</Files>
```

#####

If running in cluster environment, uncomment this

http://developer.yahoo.com/performance/rules.html#etags

#FileETag none

#####

Deny access to cron.php

```
<Files cron.php>  
    order allow,deny  
    deny from all  
</Files>
```