

```
# Require all granted MDEET er bij bij OSX 10.10
# bedankt, http://coolestguidesontheplanet.com/forbidden-403-you-dont-have-permission-to-access-username-on-this-server/
# ook handig: http://htaccess.madewithlove.be/

# Caching schema
<FilesMatch "\.(jpg|png|css|js)$">
Header set Cache-Control "public, max-age=28800"
</FilesMatch>

# ###
# Prevent viewing of files
<Files ~ "\.(htaccess|htpasswd)$">
deny from all
</Files>

<Files db.sqlite3>
order allow,deny
deny from all
</Files>

<FilesMatch "admin.php">
AuthName "Member Only"
AuthType Basic
AuthUserFile /home/deb34650n2/domains/redzuurdesem.be/public_html/desemdoos/.htpasswd
require valid-user
Order allow,deny
Allow from localhost
Allow from 127.0.0.1
Satisfy Any
</FilesMatch>

# ###

# ###
# Prevent directory listings
Options All -Indexes
Options +FollowSymLinks -MultiViews

ErrorDocument 404 /desemdoos/404.php

# ###
```

```
# ###  
# prettify URLs, redirect everything to x.php  
  
RewriteEngine On  
RewriteBase /desemdoos/  
  
# needed for development, since parent .htaccess is missing.  
RewriteCond %{HTTP_HOST} ^localhost$ [NC]  
RewriteCond %{REQUEST_URI} !(/$|\.|^$)  
RewriteRule (.*) %{REQUEST_URI}/ [R=301,L]  
RewriteCond %{HTTP_HOST} ^localhost$ [NC]  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteRule ^(.*)/$ $1.php [L]  
  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteCond %{REQUEST_URI} !bestel.php?cadeau=(.*)/$  
RewriteRule ^bestel/cadeau/? bestel.php?cadeau=$1 [L]  
  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteCond %{REQUEST_URI} !betaal.php?id=(.*)/$  
RewriteRule ^betaal/(.*)\.php/? betaal.php?id=$1 [L]  
  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteCond %{REQUEST_URI} !recept.php?id=(.*)/$  
RewriteRule ^recept/(.*)\.php/? recept.php?id=$1 [L]  
  
# ###
```