

```
#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

# Action php5-cgi /cgi-bin/php5-cgi
# AddHandler php5-cgi .php

#####
## GoDaddy specific options

# Options -MultiViews

## you might also need to add this line to php.ini
##     cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php5 .php

#####
## default index file

DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

# php_value memory_limit 64M
php_value memory_limit 256M
php_value max_execution_time 18000

#####
## disable magic quotes for php request vars
```

```
php_flag magic_quotes_gpc off

#####
## disable automatic session start
## before autoload was initialized

php_flag session.auto_start off

#####
## enable resulting html compression

php_flag zlib.output_compression on

#####
# disable user agent verification to not break multiple image upload

php_flag suhosin.session.encrypt off

#####
# turn off compatibility with PHP4 when dealing with objects

php_flag zend.ze1_compatibility_mode Off

</IfModule>

<IfModule mod_security.c>
#####
# disable POST processing to not break multiple image upload

SecFilterEngine Off
SecFilterScanPOST Off
</IfModule>

<IfModule mod_deflate.c>

#####
## enable apache served files compression
## http://developer.yahoo.com/performance/rules.html#gzip

# Insert filter on all content
###SetOutputFilter DEFLATE
<!-- <.php .html .htm .js -->
```

```
# Insert filter on selected content types only
AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

# Netscape 4.x has some problems...
BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
BrowserMatch ^Mozilla/4\.[0-678] no-gzip

# MSIE masquerades as Netscape, but it is fine
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
SetEnvIfNoCase Request_URI \.(?: gif|jpe?g|png)$ no-gzip dont-vary

<IfModule mod_headers.c>
    # Make sure proxies don't deliver the wrong content
    Header append Vary User-Agent env=!dont-vary
</IfModule>
</IfModule>

<IfModule mod_ssl.c>

#####
## make HTTPS env vars available for CGI mode

SSLOptions StdEnvVars

</IfModule>

#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead

AddDefaultCharset Off
AddDefaultCharset UTF-8

<IfModule mod_expires.c>

#####
## Add default Expires header
```

```
## http://developer.yahoo.com/performance/rules.html#expires
ExpiresActive on

ExpiresDefault "access plus 1 year"

</IfModule>

#####
## By default allow all access

Order allow,deny
Allow from all

#####
## If running in cluster environment, uncomment this
## http://developer.yahoo.com/performance/rules.html#etags

#FileETag none
```