

Options -Indexes +FollowSymLinks

```
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    BrowserMatch MSIE ie
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
  </IfModule>
</IfModule>

<ifmodule mod_deflate.c>
  AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
  application/x-javascript application/javascript
</ifmodule>

<IfModule mod_headers.c>
  Header append Vary User-Agent
</IfModule>

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXng| X-cept-Encoding| X(15)| ^(15)| -(15))$
    ^((gzip| deflate)\s, ?\s(gzip| deflate)?| X(4,13)| ^(4,13)| -(4,13))$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

<IfModule filter_module>
  FilterDeclare COMPRESS
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/html
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/css
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/javascript
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/plain
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/xml
  FilterProvider COMPRESS DEFLATE resp=Content-Type $text/x-component
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/javascript
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-javascript
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
  FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
```

```

FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>

<IfModule !mod_filter.c>
    # Legacy versions of Apache
    AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
    AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-
javascript
    AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
    AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml
application/atom+xml
    AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-
font-ttf font/opentype
</IfModule>

<IfModule mod_expires.c>
    ExpiresActive on

    # Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                                "access plus 1 month"

    # cache, apcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest            "access plus 0 seconds"

    # Your document html
    ExpiresByType text/html                       "access plus 0 seconds"

    # Data
    ExpiresByType text/xml                       "access plus 0 seconds"
    ExpiresByType application/xml                "access plus 0 seconds"
    ExpiresByType application/json              "access plus 0 seconds"

    # RSS feed
    ExpiresByType application/rss+xml            "access plus 1 hour"

    # ...

```

```

# Favicon (cannot be renamed)
ExpiresByType image/x-icon "access plus 1 week"

# Media: images, video, audio
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# HTC files (css3pie)
ExpiresByType text/x-component "access plus 1 month"

# Webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"

<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>

</IfModule>

RewriteEngine On
RewriteBase /

RewriteCond %{HTTP_HOST} ^www\. smarchal\. com [NC]
RewriteRule (.*) http://smarchal.com/$1 [QSA,R=301,L]

# Fix old url

```

```
RewriteRule ^(\monsterflat|24ssl|twbscolor|hashicon) http://$1.smarchal.com/ [L,R=301]
```

### *# Assets*

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^(\.+)\.\d+\. (css|js|png|jpe?g|ico)$ $1.$2 [L]
```

### *# Errors*

```
ErrorDocument 404 /
```