

```
<IfModule mod_rewrite.c>
    Options +FollowSymLinks
    IndexIgnore /*
    # 开启rewrite模块
    RewriteEngine on
    # if a directory or a file exists, use it directly
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d

    # 定向到index.php
    RewriteRule . index.php

    # 设置不能执行php权限的目录
    RewriteRule assets/(.*)\.php$ - [F]
    RewriteRule commands/(.*)\.php$ - [F]
    RewriteRule config/(.*)\.php$ - [F]
    RewriteRule controllers/(.*)\.php$ - [F]
    RewriteRule mail/(.*)\.php$ - [F]
    RewriteRule models/(.*)\.php$ - [F]
        RewriteRule runtime/(.*)\.php$ - [F]
        RewriteRule tests/(.*)\.php$ - [F]
        RewriteRule vendor/(.*)\.php$ - [F]
        RewriteRule views/(.*)\.php$ - [F]

    # 设置环境限制
    #php_value upload_max_filesize 50M
    #php_value post_max_size 60M
    #php_value max_execution_time 2000

</IfModule>
```

```
<IfModule mod_expires.c>
    # Activate mod_expires for this directory
    ExpiresActive on

    # locally cache common image types for 7 days
    ExpiresByType image/jpg "access plus 7 days"
    ExpiresByType image/jpeg "access plus 7 days"
    ExpiresByType image/gif "access plus 7 days"
    ExpiresByType image/png "access plus 7 days"
```

```
# cache CSS files for 24 hours  
ExpiresByType text/css "access plus 24 hours"  
</IfModule>
```