

BEGIN Better WP Security

Begin HackRepair.com Blacklist

RewriteEngine on

Abuse Agent Blocking

RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]

RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DISCO [NC,OR]

RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]

RewriteCond %{HTTP_USER_AGENT} GT: : WWW [NC,OR]

RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]

RewriteCond %{HTTP_USER_AGENT} HTTP: : Lite [NC,OR]

RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]

RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]

RewriteCond %{HTTP_USER_AGENT} id-search\.org [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Internet\ Explorer\ 5.0 [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^libwww-perl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Link [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LinksManager.com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^lwp-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\.url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
```

RewriteCond %{HTTP_USER_AGENT} panscient. com [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC, OR]
RewriteCond %{HTTP_USER_AGENT} PECL: : HTTP [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC, OR]
RewriteCond %{HTTP_USER_AGENT} PHPCrawl [NC, OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey\$ [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\. internetseer\. com [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC, OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^takeOut [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC, OR]
RewriteCond %{HTTP_USER_AGENT} URI: : Fetch [NC, OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC, OR]
RewriteCond %{HTTP_USER_AGENT} User-Agent [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC, OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC, OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^(\. *)Zeus\. *Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^. * - [F,L]
# Abuse bot blocking rule end
# End HackRepair.com Blacklist
<IfModule mod_rewrite.c>
RewriteEngine On

RewriteRule ^loginPitara/?$ /wp-login.php?j312k3cqdkibaiyj2p05a [R,L]

RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^adminPitara/?$ /wp-login.php?j312k3cqdkibaiyj2p05a&redirect_to=/wp-admin/ [R,L]

RewriteRule ^adminPitara/?$ /wp-admin/?j312k3cqdkibaiyj2p05a [R,L]

RewriteRule ^registerPitara/?$ /wp-login.php?j312k3cqdkibaiyj2p05a&action=register [R,L]

RewriteCond %{SCRIPT_FILENAME} !^(\. *)admin-ajax\.php
RewriteCond %{HTTP_REFERER} !^(\. *)dealspitara.com/wp-admin
RewriteCond %{HTTP_REFERER} !^(\. *)dealspitara.com/wp-login\.php
RewriteCond %{HTTP_REFERER} !^(\. *)dealspitara.com/loginPitara
RewriteCond %{HTTP_REFERER} !^(\. *)dealspitara.com/adminPitara
RewriteCond %{HTTP_REFERER} !^(\. *)dealspitara.com/registerPitara
RewriteCond %{QUERY_STRING} !^j312k3cqdkibaiyj2p05a
RewriteCond %{QUERY_STRING} !^action=logout
RewriteCond %{QUERY_STRING} !^action=rp
```

```
RewriteCond %{QUERY_STRING} !^action=register
RewriteCond %{QUERY_STRING} !^action=postpass
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^.*wp-admin/?! ^.*wp-login\.php /not_found [R,L]
```

```
RewriteCond %{QUERY_STRING} ^loggedout=true
RewriteRule ^.*$ /wp-login.php?j3l2k3cqdkibaiyj2p05a [R,L]
```

```
</IfModule>
```

```
# END Better WP Security
```

```
# BEGIN W3TC Browser Cache
```

```
<IfModule mod_mime.c>
```

```
    AddType text/css .css
    AddType text/x-component .htc
    AddType application/x-javascript .js
    AddType application/javascript .js2
    AddType text/javascript .js3
    AddType text/x-js .js4
    AddType text/html .html .htm
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType text/xml .xml
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType video/avi .avi
    AddType image/bmp .bmp
    AddType application/java .class
    AddType video/divx .divx
    AddType application/msword .doc .docx
    AddType application/vnd.ms-fontobject .eot
    AddType application/x-msdownload .exe
    AddType image/gif .gif
    AddType application/x-gzip .gz .gzip
    AddType image/x-icon .ico
    AddType image/jpeg .jpg .jpeg .jpe
    AddType application/json .json
    AddType application/vnd.ms-access .mdb
    AddType audio/midi .mid .midi
    AddType video/quicktime .mov .qt
```

AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip

</IfModule>

<IfModule mod_expires.c>

ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600

ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/json A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000

```

ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
<IfModule mod_mime.c>
  # DEFLATE by extension
  AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
<FilesMatch "\.(css|htcl|jsl|js2|js3|js4|CSS|HTC|JS|JS2|JS3|JS4)$">
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header unset Set-Cookie
    Header set X-Powered-By "W3 Total Cache/0.9.3"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsd|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSD|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header set X-Powered-By "W3 Total Cache/0.9.3"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(asf|asx|wax|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header unset Set-Cookie
    Header set X-Powered-By "W3 Total Cache/0.9.3"
  </IfModule>
</FilesMatch>

```



```

-----
# END W3TC Browser Cache
# BEGIN W3TC CDN
<FilesMatch "\.
(asfl asxl waxl wmxl avil bmlpl classl divxl docl docxl eotl exel gifl gzl gzpl icol jpgl jpegl jpel jsonl r
  <IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %(HTTPS) !=on
    RewriteRule .* - [E=CANONICAL: http://dealspitara.com%(REQUEST_URI), NE]
    RewriteCond %(HTTPS) =on
    RewriteRule .* - [E=CANONICAL: https://dealspitara.com%(REQUEST_URI), NE]
  </IfModule>
  <IfModule mod_headers.c>
    Header set Link "<%(CANONICAL)e>; rel=\"canonical\""
  </IfModule>
</FilesMatch>
<FilesMatch "\.(ttfl ttcl otfl eotl woffl font. css)$">
<IfModule mod_headers.c>
  Header set Access-Control-Allow-Origin "*"
</IfModule>
</FilesMatch>
# END W3TC CDN
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteBase /
  RewriteCond %(HTTP: Accept-Encoding) gzip
  RewriteRule .* - [E=W3TC_ENC: _gzip]
  RewriteCond %(REQUEST_METHOD) !=POST
  RewriteCond %(QUERY_STRING) =""
  RewriteCond %(REQUEST_URI) \/$
  RewriteCond %(HTTP_COOKIE) !(comment_author|wp-postpass|w3tc_logged_out|wordpress_logged
  RewriteCond "%(DOCUMENT_ROOT)/wp-content/cache/page_enhanced/%(HTTP_HOST)/%(REQUEST_URI)
  RewriteRule .* "/wp-content/cache/page_enhanced/%(HTTP_HOST)/%(REQUEST_URI)/_index.html"
</IfModule>
# END W3TC Page Cache core
# BEGIN W3TC Skip 404 error handling by WordPress for static files
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteCond %(REQUEST_FILENAME) !-f
  RewriteCond %(REQUEST_FILENAME) !-d
  RewriteCond %(REQUEST_URI) !(robots\|typo\|sitemap\|index\?|xml\|gz)?|[-_&@-Q \-]+site

```

```
 RewriteCond %{REQUEST_FILENAME} !-f
 RewriteCond %{REQUEST_FILENAME} !-d
 RewriteRule .* - [L]
```

```
</IfModule>
```

```
# END W3TC Skip 404 error handling by WordPress for static files
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteRule ^index\.php$ - [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]
```

```
</IfModule>
```

```
<ifModule mod_security.c>
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</ifModule>
```

```
# END WordPress
```