

```
# Apache Configuration File

# (!) Using '.htaccess' files slows down Apache, therefore, if you have access
# to the main server config file (usually called 'httpd.conf'), you should add
# this logic there: http://httpd.apache.org/docs/current/howto/htaccess.html.

# ##### CROSS-ORIGIN RESOURCE SHARING (CORS) #####
# # Cross-domain AJAX requests
# -----
# Enable cross-origin AJAX requests.
# http://code.google.com/p/html5security/wiki/CrossOriginRequestSecurity
# http://enable-cors.org/

# <IfModule mod_headers.c>
#   Header set Access-Control-Allow-Origin "*"
# </IfModule>

# -----
# Cross-origin images
# -----
# Send the CORS header for images when browsers request it.
# https://developer.mozilla.org/en/CORS_Enabled_Image
# http://blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html
# http://hacks.mozilla.org/2011/11/using-cors-to-load-webgl-textures-from-cross-domain-images

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(gif|ico|jpe?g|png|svg|svgz|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>
```

```
# -----
# I Web fonts access                                /
# -----
# Allow access from all domains for web fonts

<IfModule mod_headers.c>
    <FilesMatch "\.(eot|font.css|otf|ttc|ttf|woff)$">
        Header set Access-Control-Allow-Origin "*"
    </FilesMatch>
</IfModule>

# ######
# # ERRORS                                     #
# ######

# -----
# I 404 error prevention for non-existing redirected folders      /
# -----
# Prevent Apache from returning a 404 error for a rewrite if a directory
# with the same name does not exist.
# http://httpd.apache.org/docs/current/content-negotiation.html#multiviews
# http://www.webmasterworld.com/apache/3808792.htm

Options -MultiViews

# -----
# I Custom error messages / pages                  /
# -----
# You can customize what Apache returns to the client in case of an error (see
# http://httpd.apache.org/docs/current/mod/core.html#errordocument), e.g.:

ErrorDocument 404 /404.html

# ######
# # INTERNET EXPLORER                           #
# ######

# -----
```

```
# I Better website experience |  
# -----  
  
# Force IE to render pages in the highest available mode in the various  
# cases when it may not: http://hsivonen.iki.fi/doctype/ie-mode.pdf.  
# Use, if installed, Google Chrome Frame.  
  
<IfModule mod_headers.c>  
    Header set X-UA-Compatible "IE=edge,chrome=1"  
    # `mod_headers` can't match based on the content-type, however, we only  
    # want to send this header for HTML pages and not for the other resources  
    <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?  
gl|js|manifest|mp4|oex|ogal|oggl|ogvl|otf|pdf|png|safariextz|svg|svgz|ttf|vcf|webappl|web  
        Header unset X-UA-Compatible  
    </FilesMatch>  
</IfModule>  
  
# -----  
# I Cookie setting from iframes |  
# -----  
  
# Allow cookies to be set from iframes in IE.  
  
# <IfModule mod_headers.c>  
#     Header set P3P "policyref=\"/w3c/p3p.xml\", CP=\"IDC DSP COR ADM DEVi TRII PSA PSD IVAi  
CNTV\""  
# </IfModule>  
  
# -----  
# I Screen flicker |  
# -----  
  
# Stop screen flicker in IE on CSS rollovers (this only works in  
# combination with the `ExpiresByType` directives for images from below).  
  
# BrowserMatch "MSIE" brokenvary=1  
# BrowserMatch "Mozilla/4.[0-9]{2}" brokenvary=1  
# BrowserMatch "Opera" !brokenvary  
# SetEnvIf brokenvary 1 force-no-vary  
  
# #####
```

```
# # MIME TYPES AND ENCODING #  
# #####  
  
# -----  
# I Proper MIME types for all files /  
# -----  
  
<IfModule mod_mime.c>  
  
# Audio  
AddType audio/mp4 m4a f4a f4b  
AddType audio/ogg oga ogg  
  
# JavaScript  
# Normalize to standard type (it's sniffed in IE anyways);  
# http://tools.ietf.org/html/rfc4329#section-7.2  
AddType application/javascript js jsonp  
AddType application/json json  
  
# Video  
AddType video/mp4 mp4 m4v f4v f4p  
AddType video/ogg ogv  
AddType video/webm webm  
AddType video/x-flv flv  
  
# Web fonts  
AddType application/font-woff woff  
AddType application/vnd.ms-fontobject eot  
  
# Browsers usually ignore the font MIME types and sniff the content,  
# however, Chrome shows a warning if other MIME types are used for the  
# following fonts.  
AddType application/x-font-ttf ttc ttf  
AddType font/opentype otf  
  
# Make SVGZ fonts work on iPad:  
# https://twitter.com/FontSquirrel/status/14855840545  
AddType image/svg+xml svg svgz  
AddEncoding gzip svgz  
  
# Other
```

```
AddType application/octet-stream safariextz
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-shockwave-flash swf
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpiinstall xpi
AddType application/xml atom rdf rss xml
AddType image/webp webp
AddType image/x-icon ico
AddType text/cache-manifest appcache manifest
AddType text/vtt vtt
AddType text/x-component htc
AddType text/x-vcard vcf
```

```
</IfModule>
```

```
# -----
# I UTF-8 encoding / 
# -----
```

```
# Use UTF-8 encoding for anything served as `text/html` or `text/plain`.
```

```
AddDefaultCharset utf-8
```

```
# Force UTF-8 for certain file formats.
```

```
<IfModule mod_mime.c>
    AddCharset utf-8 .atom .css .js .json .rss .vtt .webapp .xml
</IfModule>
```

```
# ######
# # URL REWRITES #
# ######
# -----
```

```
# I Rewrite engine / 
# -----
```

```
# Turning on the rewrite engine and enabling the `FollowSymLinks` option is
# necessary for the following directives to work.
```

```
# If your web host doesn't allow the `FollowSymLinks` option, you may need to
# comment it out and use `Options +SymLinksIfOwnerMatch` but, be aware of the
```

```
# performance impact: http://httpd.apache.org/docs/current/misc/perf-tuning.html#symlinks

# Also, some cloud hosting services require 'RewriteBase' to be set:
# http://www.rackspace.com/knowledge_center/frequently-asked-question/why-is-mod-rewrite-not-working

<IfModule mod_rewrite.c>
    Options +FollowSymlinks
    # Options +SymLinksIfOwnerMatch
    RewriteEngine On
    # RewriteBase /
</IfModule>

# -----
# I Suppressing / Forcing the "www." at the beginning of URLs
# -----
# The same content should never be available under two different URLs especially
# not with and without "www." at the beginning. This can cause SEO problems
# (duplicate content), therefore, you should choose one of the alternatives and
# redirect the other one.

# By default option 1 (no "www.") is activated:
# http://no-www.org/faq.php?q=class_b

# If you'd prefer to use option 2, just comment out all the lines from option 1
# and uncomment the ones from option 2.

# IMPORTANT: NEVER USE BOTH RULES AT THE SAME TIME!

# -----
# Option 1: rewrite www.example.com + example.com

<IfModule mod_rewrite.c>
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+)\$ [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>

FallbackResource /index.php
```

```
# -----  
  
# Option 2: rewrite example.com + www.example.com  
  
# Be aware that the following might not be a good idea if you use "real"  
# subdomains for certain parts of your website.  
  
# <IfModule mod_rewrite.c>  
#   RewriteCond %{HTTPS} !=on  
#   RewriteCond %{HTTP_HOST} !^www\.\.+$ [NC]  
#   RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]  
# </IfModule>  
  
# #####  
# # SECURITY  
# #####  
  
# -----  
# | Content Security Policy (CSP) |  
# -----  
  
# You can mitigate the risk of cross-site scripting and other content-injection  
# attacks by setting a Content Security Policy which whitelists trusted sources  
# of content for your site.  
  
# The example header below allows ONLY scripts that are loaded from the current  
# site's origin (no inline scripts, no CDN, etc). This almost certainly won't  
# work as-is for your site!  
  
# To get all the details you'll need to craft a reasonable policy for your site,  
# read: http://html5rocks.com/en/tutorials/security/content-security-policy (or  
# see the specification: http://w3.org/TR/CSP).  
  
# <IfModule mod_headers.c>  
#   Header set Content-Security-Policy "script-src 'self'; object-src 'self'"  
#   <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?  
gl|js|manifest|mp4|oex|ogal|ogg|ogv|otf|pdf|png|safariextz|svg|svgz|ttf|vcf|webappl|wei  
#         Header unset Content-Security-Policy  
#   </FilesMatch>  
# </IfModule>
```

```
# ----- /  
# I File access  
# -----  
  
# Block access to directories without a default document.  
# Usually you should leave this uncommented because you shouldn't allow anyone  
# to surf through every directory on your server (which may includes rather  
# private places like the CMS's directories).  
  
<IfModule mod_autoindex.c>  
    Options -Indexes  
</IfModule>  
  
# -----  
  
# Block access to hidden files and directories.  
# This includes directories used by version control systems such as Git and SVN.  
  
<IfModule mod_rewrite.c>  
    RewriteCond %{SCRIPT_FILENAME} -d [OR]  
    RewriteCond %{SCRIPT_FILENAME} -f  
    RewriteRule "(^|/)\.", - [F]  
</IfModule>  
  
# -----  
  
# Block access to backup and source files.  
# These files may be left by some text editors and can pose a great security  
# danger when anyone has access to them.  
  
<FilesMatch "(\#. *#\|.bak|config|dist|flat|incl|ini|log|psd|sh|sql|sw[op])|\"$">  
    Order allow,deny  
    Deny from all  
    Satisfy All  
</FilesMatch>  
  
# ----- /  
# I Secure Sockets Layer (SSL)  
# -----  
  
# Rewrite secure requests properly to prevent SSL certificate warnings. e.g.:  
#
```

```
# -----  
# prevent `https://www.example.com` when your certificate only allows  
# `https://secure.example.com`.  
  
# <IfModule mod_rewrite.c>  
#   RewriteCond %{SERVER_PORT} !^443  
#   RewriteRule ^ https://example-domain-please-change-me.com%{REQUEST_URI} [R=301,L]  
# </IfModule>  
  
# -----  
  
# Force client-side SSL redirection.  
  
# If a user types "example.com" in his browser, the above rule will redirect him  
# to the secure version of the site. That still leaves a window of opportunity  
# (the initial HTTP connection) for an attacker to downgrade or redirect the  
# request. The following header ensures that browser will ONLY connect to your  
# server via HTTPS, regardless of what the users type in the address bar.  
# http://www.html5rocks.com/en/tutorials/security/transport-layer-security/  
  
# <IfModule mod_headers.c>  
#   Header set Strict-Transport-Security max-age=16070400;  
# </IfModule>  
  
# -----  
# | Server software information |  
# -----  
  
# Avoid displaying the exact Apache version number, the description of the  
# generic OS-type and the information about Apache's compiled-in modules.  
  
# ADD THIS DIRECTIVE IN THE `httpd.conf` AS IT WILL NOT WORK IN THE `.htaccess`!  
  
# ServerTokens Prod  
  
# #####  
# # WEB PERFORMANCE #  
# #####  
  
# -----  
# | Compression |  
# -----
```

```
# -----  
  
<IfModule mod_deflate.c>  
  
    # Force compression for mangled headers.  
    # http://developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping  
    <IfModule mod_setenvif.c>  
        <IfModule mod_headers.c>  
            SetEnvIfNoCase ^((Accept-Encoding|X-cept-Encoding)(\X{15}|"(15)|-(15))$)^ ((gzip|deflate)) HAVE_Accept-Encoding  
            RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding  
        </IfModule>  
    </IfModule>  
  
    # Compress all output labeled with one of the following MIME-types  
    # (for Apache versions below 2.3.7, you don't need to enable 'mod_filter'  
    # and can remove the '<IfModule mod_filter.c>' and '</IfModule>' lines  
    # as 'AddOutputFilterByType' is still in the core directives).  
    <IfModule mod_filter.c>  
        AddOutputFilterByType DEFLATE application/atom+xml \  
                                    application/javascript \  
                                    application/json \  
                                    application/rss+xml \  
                                    application/vnd.ms-fontobject \  
                                    application/x-font-ttf \  
                                    application/x-web-app-manifest+json \  
                                    application/xhtml+xml \  
                                    application/xml \  
                                    font/opentype \  
                                    image/svg+xml \  
                                    image/x-icon \  
                                    text/css \  
                                    text/html \  
                                    text/plain \  
                                    text/x-component \  
                                    text/xml  
    </IfModule>  
  
</IfModule>  
  
# -----
```



```
ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!)
ExpiresByType image/x-icon "access plus 1 week"

# HTML components (HTCs)
ExpiresByType text/x-component "access plus 1 month"

# HTML
ExpiresByType text/html "access plus 0 seconds"

# JavaScript
ExpiresByType application/javascript "access plus 1 year"

# Manifest files
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

# Web fonts
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"

</IfModule>
```

```
# -----
# I Filename-based cache busting
# -----
#
# If you're not using a build process to manage your filename version revving,
# you might want to consider enabling the following directives to route all
# requests such as `/css/style.12345.css` to `/css/style.css`.
#
# To understand why this is important and a better idea than `*.css?v231`, read:
# http://stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring
#
# <IfModule mod_rewrite.c>
#   RewriteCond %{REQUEST_FILENAME} !-f
#   RewriteCond %{REQUEST_FILENAME} !-d
#   RewriteRule ^(.+)\.(\d+)\.(js|css|png|jpg|gif)$ $1.$3 [L]
# </IfModule>
#
# -----
# I File concatenation
# -----
#
# Allow concatenation from within specific CSS and JS files, e.g.:
# Inside of `script.combined.js` you could have
#   <!--#include file="libs/jquery.js" -->
#   <!--#include file="plugins/jquery.idletimer.js" -->
# and they would be included into this single file.
#
# <IfModule mod_include.c>
#   <FilesMatch "\.combined\.js$">
#     Options +Includes
#     AddOutputFilterByType INCLUDES application/javascript application/json
#     SetOutputFilter INCLUDES
#   </FilesMatch>
#   <FilesMatch "\.combined\.css$">
#     Options +Includes
#     AddOutputFilterByType INCLUDES text/css
#     SetOutputFilter INCLUDES
#   </FilesMatch>
# </IfModule>
```

```
# ----- /  
# I Persistent connections  
# -----
```

```
# Allow multiple requests to be sent over the same TCP connection:  
# http://httpd.apache.org/docs/current/en/mod/core.html#keepalive.
```

```
# Enable if you serve a lot of static content but, be aware of the  
# possible disadvantages!
```

```
# <IfModule mod_headers.c>  
#   Header set Connection Keep-Alive  
# </IfModule>
```