

```
# BEGIN iThemes Security
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 162$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 162$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 162$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.162
allow from all

#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 211$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 211$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 211$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.211
allow from all

#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 126$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 126$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 126$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.126
allow from all

#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 52$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.52
allow from all

#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 135$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 135$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 135$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.135
allow from all
```

```
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\.46\.13\.111$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\.46\.13\.111$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\.46\.13\.111$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.111
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\.55\.39\.202$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.202$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.202$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.202
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\.55\.39\.107$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.107$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.107$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.107
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\.55\.39\.39$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.39$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.39$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.39
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\.55\.39\.17$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.17$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.17$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.17
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 215$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 215$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 215$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.215
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 203$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 203$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 203$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.203
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 16$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 16$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 16$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.16
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^192\. 162\. 176\. 164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^192\. 162\. 176\. 164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^192\. 162\. 176\. 164$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 192.162.176.164
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 37$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.37
allow from all
```

```
#Quick ban IP. Will be updated on next formal rules save.
```

```
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 167$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 167
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 40$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207. 46. 13. 40
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 111$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 111$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 111$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 111
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 223$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 223$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 223$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 223
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 91$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 91$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 91$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207. 46. 13. 91
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 11$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 11$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 11$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.11
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 174$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 174$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 174$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.174
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 252$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 252$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 252$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.252
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 11$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 11$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 11$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.11
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 67$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 67$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 67$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.67
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 95$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 95$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 95$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207. 46. 13. 95
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 239$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 239$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 239$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 239
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\. 46\. 13\. 69$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\. 46\. 13\. 69$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\. 46\. 13\. 69$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207. 46. 13. 69
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 109$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 109$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 109$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 109
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 85$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 85$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 85$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 157. 55. 39. 85
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 50$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 50$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 50$" DenyAccess
```

```
order allow,deny
deny from env=DenyAccess
deny from 157.55.39.50
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^66\.249\.69\.111$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.69\.111$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.69\.111$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 66.249.69.111
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^94\.153\.9\.220$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.153\.9\.220$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.153\.9\.220$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 94.153.9.220
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^66\.249\.69\.103$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.69\.103$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.69\.103$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 66.249.69.103
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^66\.249\.69\.95$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.69\.95$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.69\.95$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 66.249.69.95
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^157\.55\.39\.158$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.158$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.158$" DenyAccess
order allow,deny
```

```

deny from env=DenyAccess
deny from 157.55.39.158
allow from all
#Quick ban IP. Will be updated on next formal rules save.
SetEnvIF REMOTE_ADDR "^207\.46\.13\.132$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\.46\.13\.132$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\.46\.13\.132$" DenyAccess
order allow,deny
deny from env=DenyAccess
deny from 207.46.13.132
allow from all
# BEGIN Ban Users
# Begin HackRepair.com Blacklist
RewriteEngine on
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Acunetix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^binlar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^BOT\ for\ JCE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^casper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^checkprivacy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^clshhttp [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^cmsworldmap [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^comodo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^diavol [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^dotbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^extract [NC,OR]

```



```
-----  
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^feedfinder [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^FHscan [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^flicky [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^g00gle [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^grab [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^harvest [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^ia_archiver [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\. com [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^jakarta [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^kanagawa [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^kmccrew [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^libwww [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Maxthon$ [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^microsoft\. url [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^miner [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^NaviGator [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^nutch [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^planetnetwork [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^purebot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pycurl [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey$ [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\.internetseer\.com [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^skygrid [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^turnit [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^vikspider [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCrawler [NC, OR]
```

```
RewriteCond %{HTTP_USER_AGENT} WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WPScan [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Yandex [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^zmeu [NC,OR]
RewriteCond %{HTTP_USER_AGENT} AhrefsBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]
RewriteCond %{HTTP_USER_AGENT} GT: : WWW [NC,OR]
RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTP: : Lite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search\.org [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager.com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lup-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MJ12bot [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} panscient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL: : HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHPcrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIDER [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Stealer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI: : Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair
SetEnvIF REMOTE_ADDR "^66\.249\.67\.77$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.67\.77$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.67\.77$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.67\.51$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.67\.51$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.67\.51$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.67\.64$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.67\.64$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.67\.64$" DenyAccess

SetEnvIF REMOTE_ADDR "^157\.55\.39\.255$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.255$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.255$" DenyAccess

SetEnvIF REMOTE_ADDR "^208\.80\.194\.29$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^208\.80\.194\.29$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^208\.80\.194\.29$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.78\.168$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.168$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.168$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^173\. 255\. 225\. 130$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^173\. 255\. 225\. 130$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^173\. 255\. 225\. 130$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^69\. 64\. 86\. 159$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^69\. 64\. 86\. 159$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^69\. 64\. 86\. 159$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^216\. 163\. 188\. 232$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^216\. 163\. 188\. 232$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^216\. 163\. 188\. 232$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^189\. 153\. 247\. 163$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^189\. 153\. 247\. 163$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^189\. 153\. 247\. 163$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^107\. 170\. 171\. 224$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^107\. 170\. 171\. 224$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^107\. 170\. 171\. 224$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^95\. 27\. 129\. 128$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^95\. 27\. 129\. 128$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^95\. 27\. 129\. 128$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^95\. 221\. 252\. 188$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^95\. 221\. 252\. 188$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^95\. 221\. 252\. 188$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^104\. 236\. 255\. 12$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^104\. 236\. 255\. 12$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^104\. 236\. 255\. 12$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^63\. 251\. 175\. 215$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^63\. 251\. 175\. 215$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^63\. 251\. 175\. 215$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^91\. 109\. 247\. 249$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\. 109\. 247\. 249$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\. 109\. 247\. 249$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^66\.249\.78\.112$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.112$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.112$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.78\.119$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.119$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.119$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.78\.105$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.105$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\.55\.23\.55$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.55\.23\.55$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.55\.23\.55$" DenyAccess

SetEnvIF REMOTE_ADDR "^201\.166\.46\.209$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\.166\.46\.209$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\.166\.46\.209$" DenyAccess

SetEnvIF REMOTE_ADDR "^202\.46\.53\.136$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^202\.46\.53\.136$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^202\.46\.53\.136$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\.120\.63\.137$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\.120\.63\.137$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\.120\.63\.137$" DenyAccess

SetEnvIF REMOTE_ADDR "^202\.46\.48\.62$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^202\.46\.48\.62$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^202\.46\.48\.62$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.64\.30$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.64\.30$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.64\.30$" DenyAccess

SetEnvIF REMOTE_ADDR "^204\.124\.183\.98$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^204\.124\.183\.98$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^204\.124\.183\.98$" DenyAccess

SetEnvIF REMOTE_ADDR "^66\.249\.64\.26$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "^66\.249\.64\.26$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^66\.249\.64\.26$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^186\.122\.44\.231$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^186\.122\.44\.231$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^186\.122\.44\.231$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^209\.66\.70\.253$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^209\.66\.70\.253$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^209\.66\.70\.253$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^38\.100\.21\.113$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^38\.100\.21\.113$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^38\.100\.21\.113$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^184\.173\.227\.141$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^184\.173\.227\.141$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^184\.173\.227\.141$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^10\.9\.71\.1$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^10\.9\.71\.1$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^10\.9\.71\.1$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^91\.121\.60\.19$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^91\.121\.60\.19$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^91\.121\.60\.19$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^66\.249\.64\.22$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^66\.249\.64\.22$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^66\.249\.64\.22$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^66\.249\.84\.218$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^66\.249\.84\.218$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^66\.249\.84\.218$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^66\.249\.84\.212$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^66\.249\.84\.212$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^66\.249\.84\.212$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^180\.76\.5\.169$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^180\.76\.5\.169$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 76\. 5\. 169\$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\. 76\. 6\. 45\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^180\. 76\. 6\. 45\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 76\. 6\. 45\$" DenyAccess

SetEnvIF REMOTE_ADDR "^95\. 160\. 46\. 213\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^95\. 160\. 46\. 213\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^95\. 160\. 46\. 213\$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\. 224\. 192\. 84\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^91\. 224\. 192\. 84\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^91\. 224\. 192\. 84\$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\. 76\. 6\. 131\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^180\. 76\. 6\. 131\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 76\. 6\. 131\$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\. 76\. 6\. 21\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^180\. 76\. 6\. 21\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 76\. 6\. 21\$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 221\. 120\. 232\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^176\. 221\. 120\. 232\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 221\. 120\. 232\$" DenyAccess

SetEnvIF REMOTE_ADDR "^198\. 46\. 81\. 166\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^198\. 46\. 81\. 166\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^198\. 46\. 81\. 166\$" DenyAccess

SetEnvIF REMOTE_ADDR "^75\. 205\. 85\. 149\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^75\. 205\. 85\. 149\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^75\. 205\. 85\. 149\$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\. 212\. 41\. 253\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^37\. 212\. 41\. 253\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 212\. 41\. 253\$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\. 156\. 167\. 240\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\. 156\. 167\. 240\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 156\. 167\. 240\$" DenyAccess


```
SetEnvIF REMOTE_ADDR "^70\. 211\. 5\. 56$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^70\. 211\. 5\. 56$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^70\. 211\. 5\. 56$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^180\. 76\. 6\. 59$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^180\. 76\. 6\. 59$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 76\. 6\. 59$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^192\. 169\. 58\. 125$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^192\. 169\. 58\. 125$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^192\. 169\. 58\. 125$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^62\. 133\. 145\. 122$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^62\. 133\. 145\. 122$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^62\. 133\. 145\. 122$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^46\. 242\. 82\. 30$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\. 242\. 82\. 30$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 242\. 82\. 30$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^188\. 32\. 52\. 165$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\. 32\. 52\. 165$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\. 32\. 52\. 165$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^212\. 55\. 81\. 89$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\. 55\. 81\. 89$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\. 55\. 81\. 89$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^74\. 118\. 182\. 101$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^74\. 118\. 182\. 101$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^74\. 118\. 182\. 101$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^157\. 55\. 39\. 76$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\. 55\. 39\. 76$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\. 55\. 39\. 76$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^216\. 163\. 188\. 230$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^216\. 163\. 188\. 230$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^216\. 163\. 188\. 230$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^216\.163\.188\.227$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^216\.163\.188\.227$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^216\.163\.188\.227$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^66\.249\.78\.208$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.208$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.208$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^66\.249\.78\.201$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.201$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.201$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^66\.249\.78\.194$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^66\.249\.78\.194$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^66\.249\.78\.194$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^207\.46\.13\.102$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\.46\.13\.102$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\.46\.13\.102$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^157\.55\.39\.209$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.209$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.209$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^37\.187\.56\.66$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.187\.56\.66$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.187\.56\.66$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^178\.137\.166\.68$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.137\.166\.68$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.137\.166\.68$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^207\.46\.13\.136$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^207\.46\.13\.136$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^207\.46\.13\.136$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^157\.55\.39\.248$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^157\.55\.39\.248$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^157\.55\.39\.248$" DenyAccess
```

```
order allow deny
```

deny from 10.1.1.0/24 deny

deny from env=DenyAccess

deny from 66.249.67.77

deny from 66.249.67.51

deny from 66.249.67.64

deny from 157.55.39.255

deny from 208.88.194.29

deny from 66.249.78.168

deny from 173.255.225.130

deny from 69.64.86.159

deny from 216.163.188.232

deny from 189.153.247.163

deny from 107.170.171.224

deny from 95.27.129.128

deny from 95.221.252.188

deny from 104.236.255.12

deny from 63.251.175.215

deny from 91.109.247.249

deny from 66.249.78.112

deny from 66.249.78.119

deny from 66.249.78.105

deny from 46.55.23.55

deny from 201.166.46.209

deny from 202.46.53.136

deny from 176.120.63.137

deny from 202.46.48.62

deny from 66.249.64.30

deny from 204.124.183.98

deny from 66.249.64.26

deny from 186.122.44.231

deny from 209.66.70.253

deny from 38.100.21.113

deny from 184.173.227.141

deny from 10.9.71.1

deny from 91.121.60.19

deny from 66.249.64.22

deny from 66.249.84.218

deny from 66.249.84.212

deny from 180.76.5.169

deny from 180.76.6.45

deny from 95.160.46.213

deny from 66.249.64.100.84

```
deny from 91.224.192.84
deny from 188.76.6.131
deny from 188.76.6.21
deny from 176.221.120.232
deny from 198.46.81.166
deny from 75.205.85.149
deny from 37.212.41.253
deny from 88.156.167.240
deny from 70.211.5.56
deny from 188.76.6.59
deny from 192.169.58.125
deny from 62.133.145.122
deny from 46.242.82.30
deny from 188.32.52.165
deny from 212.55.81.89
deny from 74.118.182.101
deny from 157.55.39.76
deny from 216.163.188.230
deny from 216.163.188.227
deny from 66.249.78.208
deny from 66.249.78.201
deny from 66.249.78.194
deny from 207.46.13.102
deny from 157.55.39.209
deny from 37.187.56.66
deny from 178.137.166.68
deny from 207.46.13.136
deny from 157.55.39.248
allow from all
```

```
# END Ban Users
```

```
# BEGIN Hide Backend
```

```
    # Rules to hide the dashboard
```

```
    RewriteRule ^(/)?logowanie/?$ /wp-login.php [QSA,L]
```

```
# END Hide Backend
```

```
# BEGIN Tweaks
```

```
    # Rules to block access to WordPress specific files
```

```
<files .htaccess>
```

```
    Order allow,deny
```

```
    Deny from all
```

```
</files>
```

```
</files>
<files readme.html>
    Order allow,deny
    Deny from all
</files>
<files readme.txt>
    Order allow,deny
    Deny from all
</files>
<files install.php>
    Order allow,deny
    Deny from all
</files>
<files wp-config.php>
    Order allow,deny
    Deny from all
</files>

# Rules to disable XML-RPC
<files xmlrpc.php>
    Order allow,deny
    Deny from all
</files>

<IfModule mod_rewrite.c>
    RewriteEngine On

    # Rules to protect wp-includes
    RewriteRule ^wp-admin/includes/ - [F]
    RewriteRule !^wp-includes/ - [S=3]
    RewriteCond %{SCRIPT_FILENAME} !^(. *)wp-includes/ms-files.php
    RewriteRule ^wp-includes/[^/]+\.\php$ - [F]
    RewriteRule ^wp-includes/js/tinymce/langs/.+\.\php - [F]
    RewriteRule ^wp-includes/theme-compat/ - [F]

    # Rules to prevent php execution in uploads
    RewriteRule ^(. *)/uploads/(. *)\.\php(.\?) - [F]

    # Rules to block suspicious URIs
    RewriteCond %{QUERY_STRING} \. \. \. [NC,OR]
    RewriteCond %{QUERY_STRING} ^. *. (bash|git|hgl|log|svn|svn|cvs) [NC,OR]
```

```

RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} ftp\:[ ] [NC,OR]
RewriteCond %{QUERY_STRING} http\:[ ] [NC,OR]
RewriteCond %{QUERY_STRING} https\:[ ] [NC,OR]
RewriteCond %{QUERY_STRING} <\<| %3C>\. *script\. *(<\>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z_]{1,21}<=| %3D) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(|.*\)| [NC,OR]
RewriteCond %{QUERY_STRING} ^\. *(&#x| %24&x) \. * [NC,OR]
RewriteCond %{QUERY_STRING} ^\. *(127\| \. 0) \. * [NC,OR]
RewriteCond %{QUERY_STRING} ^\. *(global|sl|encode|localhost|loopback) \. * [NC,OR]
RewriteCond %{QUERY_STRING} ^\. *(request|concat|insert|union|declare) \. * [NC]
RewriteCond %{QUERY_STRING} !^loggedout=true
RewriteCond %{QUERY_STRING} !^action=jetpack-ss0
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{HTTP_COOKIE} !^\. *wordpress_logged_in_ \. *$
RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(|.*)$
RewriteRule ^(|.*)$ - [F]

# Rules to help reduce spam
RewriteCond %{REQUEST_METHOD} POST
RewriteCond %{REQUEST_URI} ^(|.*)wp-comments-post\.php*
RewriteCond %{HTTP_REFERER} !^(|.*)sp4bilgoraj.pl.*
RewriteCond %{HTTP_REFERER} !^http://jetpack\.wordpress\.com/jetpack-comment/ [OR]
RewriteCond %{HTTP_USER_AGENT} ^$
RewriteRule ^(|.*)$ - [F]
</IfModule>
# END Tweaks
# END iThemes Security
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress

```