

```
<IfModule mod_rewrite.c>

    # Enable mod_rewrite
    RewriteEngine On

    # Specify the folder in which the application resides.
    # Use / if the application is in the root.
    RewriteBase /zendframework/ZendSkeletonApplication/
    # RewriteBase /TheGymParkSystem/

    # Redirect to correct domain to avoid canonicalization problems
    RewriteCond %{HTTP_HOST} !^localhost/zendframework/ZendSkeletonApplication/ [NC]
    RewriteRule ^/(.*)$ http://localhost/zendfraework/ZendSkeletonApplication/public/$1 [L,R=301]

    # Redirect URLs ending in /index.php or /index.html to /
    RewriteCond %{THE_REQUEST} ^GET \.*/index\.(phpl?html?)\ HTTP
    RewriteRule ^(.*)index\.(phpl?html?)$ $1 [R=301,L]

    RewriteRule ^etiquette/?$ index.php?action=etiquette [L]

    RewriteRule ^faq/?$ index.php?action=faq [L]

    RewriteRule ^contacts/?$ index.php?action=contact [L]

    RewriteRule ^password/request?$ index.php?action=passwordRequest [L]
    RewriteRule ^password/sent?$ index.php?action=passwordSent [L]

    RewriteRule ^sign-in/?$ index.php?action=signin [L]

    RewriteRule ^register/?$ index.php?action=signup [L]

    RewriteRule ^log-off/?$ index.php?action=logoff [L]

    RewriteRule ^my-account/?$ index.php?action=myAccount [L]

    RewriteRule ^about-us/?$ index.php?action=aboutus [L]

    RewriteRule ^logged-in/?$ index.php?action=loggedinView [L]

    RewriteRule ^contact-us/?$ index.php?action=contactUs [L]
```

```

RewriteRule memberships/?$ index.php?action=memberships [L]

RewriteRule ^addNewsletter/?$ index.php?action=addNewsletter [L]
RewriteRule ^newsletter-([0-9]+)/editNewsletter/?$ index.php?tgp_newsletter_id=$1&action=editNewsletter [L]
RewriteRule ^newsletterCategories/?$ index.php?action=newsletterCategories [L]
RewriteRule ^newsletterMembers/?$ index.php?action=newsletterMembers [L]

RewriteRule ^addNewsletterMember/?$ index.php?action=addNewsletterMember [L]
RewriteRule ^newsletter/category-([0-9]+)/addNewsletterMember/?$ index.php?tgp_newsletter_category=$1&action=addNewsletterMember [L]

RewriteRule ^newsletterCategories/?$ index.php?action=newsletterCategories [L]
RewriteRule ^addNewsletterExistingMember/?$ index.php?action=addNewsletterExistingMember [L]
RewriteRule ^addNewsletterCategory/?$ index.php?action=addNewsletterCategory [L]
RewriteRule ^newsletter/category-([0-9]+)/editCategory/?$ index.php?tgp_newsletter_category=$1&action=editCategory [L]

RewriteRule ^admin/?$ index.php?folder=admin&action=index [L]

RewriteRule ^admin/categories/?$ index.php?folder=admin&action=categories [L]

RewriteRule ^admin/classes/?$ index.php?folder=admin&action=classes [L]
RewriteRule ^admin/classes/day/([A-Za-z]+)/?$ index.php?folder=admin&day=$1&action=classes [L]
RewriteRule ^admin/classes/addClasses?$ index.php?folder=admin&action=addClasses [L]

RewriteRule ^admin/employees/?$ index.php?folder=admin&action=employees [L]
RewriteRule ^admin/employees/([0-9]+)/?$ index.php?folder=admin&tgp_employee_id=$1&action=employees [L]

RewriteRule ^admin/open-plays/?$ index.php?folder=admin&action=openPlays [L]
RewriteRule ^admin/open-plays/all?$ index.php?folder=admin&action=openPlays [L]
RewriteRule ^admin/open-plays/([0-9]+)/addClass?$ index.php?tgp_openplay_id=$1&action=addClass [L]
RewriteRule ^admin/open-plays/([0-9]+)/?$ index.php?folder=admin&tgp_openplay_id=$1&action=openPlays [L]
RewriteRule ^admin/open-plays/([0-9]+)/addStudent?$ index.php?folder=admin&tgp_openplay_id=$1&action=addStudent [L]
RewriteRule ^admin/open-plays/([0-9]+)/addStudent/letter/([A-Z]+)/?$ index.php?folder=admin&tgp_openplay_id=$1&letter=$2&action=addStudentToOpenPlay [L]
RewriteRule ^admin/open-plays/add?$ index.php?folder=admin&action=addOpenPlay [L]
RewriteRule ^admin/open-plays/packages?$ index.php?folder=admin&action=openPlays [L]
RewriteRule ^admin/open-plays/packages/add?$ index.php?folder=admin&action=addOpenPlay [L]
RewriteRule ^admin/open-plays/packages/([0-9]+)/?$ index.php?folder=admin&tgp_package_id=$1&action=openPlays [L]
RewriteRule ^admin/open-plays/packages/([0-9]+)/addStudent?$ index.php?folder=admin&tgp_package_id=$1&action=addStudent [L]

```

[L]

```
RewriteRule ^admin/newsletters/?$ index.php?folder=admin&action=newsletters [L]
RewriteRule ^admin/newsletters/categories?$ index.php?folder=admin&action=newsletterCateg
RewriteRule ^admin/newsletters/([0-9]+)?$ index.php?folder=admin&gp_newsletter_id=$1&acti
RewriteRule ^admin/newsletters/([0-9]+)/edit?$ index.php?folder=admin&gp_newsletter_id=$1
RewriteRule ^admin/newsletters/([0-9]+)/send?$ index.php?folder=admin&gp_newsletter_id=$1

RewriteRule ^admin/Emails/?$ index.php?folder=admin&action=emails [L]

RewriteRule ^admin/invoices/?$ index.php?folder=admin&action=invoices [L]

RewriteRule ^admin/programs/?$ index.php?folder=admin&action=programs [L]
RewriteRule ^admin/programs/([0-9]+)?$ index.php?folder=admin&gp_program_id=$1&action=pr
RewriteRule ^admin/programs/([0-9]+)/categories?$ index.php?folder=admin&gp_program_id=$1
RewriteRule ^admin/programs/([0-9]+)/class-groups?$ index.php?folder=admin&gp_program_id=
RewriteRule ^admin/programs/([0-9]+)/classes?$ index.php?folder=admin&gp_program_id=$1&ac
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)?$ index.php?
folder=admin&gp_program_id=$1&gp_category_id=$2&action=category [L]
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/addClassTitle?$ i
folder=admin&gp_program_id=$1&gp_category_id=$2&action=addClassTitle [L]
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups?$ ir
folder=admin&gp_program_id=$1&gp_category_id=$2&action=classGroups [L]
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)?$
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&action=classGroup [L]
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/addClass?$
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&action=addClass [L]
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/classes?$
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&action=classGroupCl:
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/classes/([0-
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&gp_class_id=$4&acti
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/classes/([0-
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&gp_class_id=$4&acti
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/classes/([0-
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&gp_class_id=$4&acti
RewriteRule ^admin/programs/([0-9]+)/categories/([0-9]+)/class-groups/([0-9]+)/classes/([0-
$ index.php?
folder=admin&gp_program_id=$1&gp_category_id=$2&gp_class_group_id=$3&gp_class_id=$4&type
```

```
RewriteRule ^admin/seasons/?$ index.php?folder=admin&action=seasons [L]
RewriteRule ^admin/seasons/add?$ index.php?folder=admin&action=addSeason [L]
RewriteRule ^admin/seasons/([0-9]+)?$ index.php?tg_season_id=$1&folder=admin&action=seasons [L]

RewriteRule ^admin/students/?$ index.php?folder=admin&action=students [L]
RewriteRule ^admin/students/sort/firstname?$ index.php?folder=admin&sort=firstname&action=students [L]
RewriteRule ^admin/students/sort/dob?$ index.php?folder=admin&sort=dob&action=students [L]
RewriteRule ^admin/students/([0-9]+)?$ index.php?folder=admin&tg_student_id=$1&action=students [L]

RewriteRule ^admin/students/([0-9]+)/edit?$ index.php?tg_edit_student&folder=admin&tg_student_id=$1&action=students [L]

RewriteRule ^admin/students/([0-9]+)/([A-Za-z]+)/([A-Za-z]+)/([A-Za-z]+)?$ index.php?tg_$2_student&option=$3&folder=admin&tg_student_id=$1&action=student#$4 [L]
RewriteRule ^admin/students/([0-9]+)?$ index.php?folder=admin&tg_student_id=$1&action=students [L]
RewriteRule ^admin/students/([0-9]+)/addPackage?$ index.php?folder=admin&tg_student_id=$1&action=students [L]
#remove a class from a student
RewriteRule ^admin/students/([0-9]+)/classes/([0-9]+)/remove?$ index.php?folder=admin&tg_student_id=$1&tg_class_id=$2&action=removeClass [L]

RewriteRule ^admin/students/([0-9]+)/parents/([0-9]+)/edit?$ index.php?folder=admin&tg_student_id=$1&tg_parent_id=$2&option=edit&action=student [L]

RewriteRule ^admin/memberships/?$ index.php?folder=admin&action=memberships [L]

RewriteRule ^employee/?$ index.php?folder=employee&action=index [L]
RewriteRule ^employee/students?$ index.php?folder=employee&action=students [L]
RewriteRule ^employee/open-plays?$ index.php?folder=employee&action=openplays [L]

RewriteRule ^employee/open-plays/current?$ index.php?folder=employee&action=openPlayCurrent [L]
RewriteRule ^employee/open-plays/current/([A-Z]+)/?$ index.php?folder=employee&letter=$1&action=openPlayCurrent [L]
RewriteRule ^employee/open-plays/current/([0-9]+)?$ index.php?tg_openplay_id=$1&folder=employee [L]
RewriteRule ^employee/open-plays/current/([0-9]+)/([A-Z]+)?$ index.php?tg_openplay_id=$1&letter=$2&folder=employee&action=openPlayCurrent [L]
RewriteRule ^employee/open-plays/current/([0-9]+)/sort/([A-Za-z]+)?$ index.php?tg_openplay_id=$1&sort=$2&folder=employee&action=openPlayCurrent [L]

RewriteRule ^employee/open-plays/current/addParticipant?$ index.php?folder=employee&letter=$1&action=openPlayCurrent [L]

RewriteRule ^employee/open-plays/current/students/([0-9]+)/history?$ index.php?tg_student_id=$1&folder=employee&action=openPlayCurrent [L]
```

```
folder=employee&tgp_student_id=$1&action=studentOpenPlayHistory [L]
RewriteRule ^employee/open-plays/current/([0-9]+)/students/([0-9]+)/history?$ index.php?
tgp_openplay_id=$1&folder=employee&tgp_student_id=$2&action=studentOpenPlayHistory [L]
RewriteRule ^employee/open-plays/current/students/([0-9]+)/add?$ index.php?
folder=employee&tgp_student_id=$1&action=addStudentToOpenPlay [L]
RewriteRule ^employee/open-plays/current/students/([0-9]+)/add/([0-9])?$ index.php?
folder=employee&tgp_student_id=$1&tgp_openplay_package_id=$2&action=addStudentToOpenPlay [L]
RewriteRule ^employee/open-plays/current/students/([0-9]+)/add/([0-9])/payment/([0-9])?$
folder=employee&tgp_student_id=$1&tgp_openplay_package_id=$2&tgp_payment_op_id=$3&action=ad

RewriteRule ^employee/open-plays/current/sort/first/?$ index.php?folder=employee&sort=fir:
RewriteRule ^employee/open-plays/current/sort/last/?$ index.php?folder=employee&sort=last:
RewriteRule ^employee/open-plays/current/sort/amount/?$ index.php?folder=employee&sort=am:
RewriteRule ^employee/open-plays/current/sort/used/?$ index.php?folder=employee&sort=used:
RewriteRule ^employee/classes/([0-9])?$ index.php?tgp_class_id=$1&folder=employee&action=

RewriteRule ^employee/classes?$ index.php?folder=employee&action=classes [L]
RewriteRule ^employee/classes/current?$ index.php?folder=employee&action=currentClasses [L]
RewriteRule ^employee/classes/current/([0-9])?$ index.php?tgp_class_id=$1&folder=employe

RewriteRule ^instructor/?$ index.php?folder=instructor&action=index [L]

RewriteRule ^newsletters/?$ index.php?action=newsletters [L]
RewriteRule ^newsletter-info/([0-9])/?$ index.php?tgp_newsletter_id=$1&action=newsletter

RewriteRule ^newsletter/category-info/([0-9])/?$ index.php?tgp_newsletter_category_id=$1:
RewriteRule ^newsletter/category-([0-9])/addExistingUser?$ index.php?
tgp_newsletter_category_id=$1&action=addNewsletterCategoryExistingUsers [L]
RewriteRule ^newsletter/category-([0-9])/member-([0-9])/removeNewsletterCategoryMember?$
tgp_newsletter_category_id=$1&tgp_newsletter_member_id=$2&action=removeNewsletterCategoryMem
RewriteRule ^newsletter/category-([0-9])/deleteNewsletterCategory?$ index.php?
tgp_newsletter_category_id=$1&action=deleteNewsletterCategory [L]

RewriteRule ^sendNewsletter/?$ index.php?action=sendNewsletter [L]
RewriteRule ^newsletter-([0-9])/sendNewsletter/?$ index.php?tgp_newsletter_id=$1&action=:

RewriteRule ^addFilter/?$ index.php?action=addFilter [L]
RewriteRule ^newsletterFilters/?$ index.php?action=newsletterFilters [L]
RewriteRule ^newsletterFilters/edit-([0-9])?$ index.php?tgp_newsletter_filter_id=$1&actio
```

RewriteRule ^newsletterSetUp/?\$ index.php?action=newsletterSetUp [L]

RewriteRule ^mailChimp/?\$ index.php?action=mailChimp [L]

RewriteRule ^classes/?\$ index.php?action=classes [L]

RewriteRule ^email/?\$ index.php?action=email [L]

RewriteRule ^membership-([0-9]+)/Gold?\$ index.php?tg\_membership\_id=\$1&action=gold [L]

RewriteRule ^membership-([0-9]+)/Silver?\$ index.php?tg\_membership\_id=\$1&action=silver [L]

RewriteRule ^membership-([0-9]+)/Bronze?\$ index.php?tg\_membership\_id=\$1&action=bronze [L]

RewriteRule ^my-members/([0-9])?\$ index.php?tg\_my\_member\_id=\$1&action=myMember [L]

RewriteRule ^my-members/([0-9]+)/edit?\$ index.php?tg\_my\_member\_id=\$1&action=myMemberEdit

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-([0-9]+)/classRegister?\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_id=\$3&action=classRegister [L]

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_title=\$3&tg\_class\_id=\$4&action=classSignUp&

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_title=\$3&tg\_class\_id=\$4&action=classSignIn

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_title=\$3&tg\_class\_id=\$4&action=classSignUp&

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_title=\$3&tg\_class\_id=\$4&action=classSignUp&

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class\$ index.php?tg\_program\_id=\$1&tg\_category\_id=\$2&tg\_class\_title=\$3&tg\_class\_id=\$4&action=step1&option=

RewriteRule ^cart/?\$ index.php?action=cart [L]

RewriteRule ^membership/([0-9])?\$ index.php?tg\_membership\_id=\$1&action=membership [L]

RewriteRule ^membership-([0-9]+)/addAttribute?\$ index.php?tg\_membership\_id=\$1&action=addF

RewriteRule ^membership-([0-9]+)/addFeature?\$ index.php?tg\_membership\_id=\$1&action=addFe

```

RewriteRule ^feature/([0-9]+)?$ index.php?tg_feature_id=$1&action=feature [L]

RewriteRule ^program-info/([0-9]+)?$ index.php?tg_program_id=$1&action=viewProgram [L]

#Rewrite add a program/
RewriteRule ^add-program/?$ index.php?action=addProgram [L]

#Rewrite add a category in a specific program
RewriteRule ^program-([0-9]+)/add-category/?$ index.php?tg_program_id=$1&action=addCategory [L]

#Rewrite add a class title in a specific category/
RewriteRule ^program-([0-9]+)/category-([0-9]+)/add-classTitle/?$ index.php?tg_program_id=$1&tg_category_id=$2&action=addClassTitle [L]

#OPEN PLAY
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/addClassPackage?$ index.php?tg_program_id=$1&tg_category_id=$2&tg_class_group_id=$3&action=addClassPackages [L]
RewriteRule ^program-([0-9]+)/category-([0-9]+)/open-play/([0-9]+)?$ index.php?tg_program_id=$1&tg_category_id=$2&tg_class_group_id=$3&action=publicOpenPlay [L]

RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/season-([0-9]+)?$ index.php?tg_openplay_id=$1&tg_package_id=$2&tg_season_id=$3&action=openPlayRegister [L]
RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/step1?$ index.php?tg_openplay_id=$1&tg_openplay_package=$s2&action=openPlayRegistrationStep1 [L]
RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/step2?$ index.php?tg_openplay_id=$1&tg_openplay_package=$s2&action=openPlayRegistrationStep2 [L]
RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/step3?$ index.php?tg_openplay_id=$1&tg_openplay_package=$s2&action=openPlayRegistrationStep3 [L]
RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/final?$ index.php?tg_openplay_id=$1&tg_openplay_package=$s2&action=openPlayRegistrationFinal [L]
RewriteRule ^openplay-([0-9]+)/register/package-([0-9]+)/complete?$ index.php?tg_openplay_id=$1&tg_openplay_package=$s2&action=openPlayComplete [L]

#RewriteRule viewing a program and a category
RewriteRule ^program-([0-9]+)/category-info/([0-9]+)?$ index.php?tg_program_id=$1&tg_category_id=$2&action=viewProgramAndCategory [L]

#Rewrite viewing a program and a category
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-info/([0-9]+)?$ index.php?tg_program_id=$1&tg_category_id=$2&tg_class_group_id=$3&tg_class_id=$4&action=classView [L]

RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/addChi

```

```
tgp_program_id=$1&tgp_category_id=$2&tgp_class_group_id=$3&tgp_class_id=$4&action=addChild [
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/class:
tgp_program_id=$1&tgp_category_id=$2&tgp_class_group_id=$3&tgp_class_id=$4&action=classSignl
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/addChi
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&action=addChildren [L]
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/addChi
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&action=addChildFromFile [L]
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student [L]
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student&edit=(
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student&edit=:
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student&edit=:
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student&edit=:
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/class-([0-9]+)/studer
tgp_program_id=$1&tgp_category_id=$2&tgp_class_id=$3&tgp_student_id=$4&action=student&edit=:
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group/([0-9]+)?$ index.php?
tgp_program_id=$1&tgp_category_id=$2&tgp_class_group_id=$3&action=class_groupView [L]
```

```
RewriteRule ^program-([0-9]+)/category-([0-9]+)/class-group-([0-9]+)/add-class/?$ index.ph
tgp_program_id=$1&tgp_category_id=$2&tgp_class_group_id=$3&action=addClass [L]
```

#### #Open Plays Information

```
RewriteRule ^open-plays/?$ index.php?action=openPlays [L]
```

```
RewriteRule ^open-plays/([0-9]+)?$ index.php?tgp_openplay_id=$1&action=adminopenPlay [L]
```

```
RewriteRule ^open-plays-([0-9]+)/attendance?$ index.php?tgp_openplay_id=$1&action=openPlay
```

```
RewriteRule ^open-plays-([0-9]+)/class-([0-9]+)/attendance?$ index.php?
```

```
tgp_openplay_id=$1&tgp_class_id=$2&action=openPlayClassAttendance [L]
```

```
RewriteRule ^open-plays-([0-9]+)/student-([0-9]+)/historu?$ index.php?
```



```
##### open page #####
tgp_openplay_id=$1&tgp_student_id=$2&action=openPlayStudentHistory [L]
```

```
#Rewrite about the classes for a month
```

```
RewriteRule ^month/([0-9]+)/([0-9])?$ index.php?tgp_month=$1&tgp_year=$2&action=month [L]
```

```
#Rewrite about the classes for a day
```

```
RewriteRule ^day-info/([0-9])-([0-9])-([0-9])?$ index.php?tgp_day=$1&tgp_month=$2&tgp_
```

```
</IfModule>
```

```
# Set the default 500 page for Apache errors
```

```
#ErrorDocument 500 /TheGymParkSystem/500.php
```

```
ErrorDocument 500 /thegypark/500.php
```

```
# Set the default 404 page
```

```
#ErrorDocument 404 /TheGymParkSystem/404.php
```

```
ErrorDocument 404 /thegypark/404.php
```