```
#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engine|inc|info|install|make|module|profile|test|po|sh|.*sql|theme|tpl(\.php)?|xtmpl)
(~|\.sw[op]|\.bak|\.orig|\.save)?
$|^(\..*|Entries.*|Repository|Root|Tag|Template|composer\.
(json|lock))$|^#.*#$|\.php(~|\.sw[op]|\.bak|\.orig\.save)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Override PHP settings that cannot be changed at runtime.  See
# sites/default/default.settings.php and drupal_environment_initialize() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>
    php_flag magic_quotes_gpc                off
    php_flag magic_quotes_sybase             off
    php_flag register_globals                off
    php_flag session.auto_start              off
    php_value mbstring.http_input            pass
    php_value mbstring.http_output           pass
    php_flag mbstring.encoding_translation   off
</IfModule>

# Requires and expires to be enabled.
```

```
# Requires mod_expires to be enabled.
<IfModule mod_expires.c>
  # Enable expirations.
  ExpiresActive On

  # Cache all files for 2 weeks after access (A).
  ExpiresDefault A1209600

  <FilesMatch \.php$>
    # Do not allow PHP scripts to be cached unless they explicitly send cache
    # headers themselves. Otherwise all scripts would have to overwrite the
    # headers set by mod_expires if they want another caching behavior. This may
    # fail if an error occurs early in the bootstrap process, and it may cause
    # problems if a non-Drupal PHP file is installed in a subdirectory.
    ExpiresActive Off
  </FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
  RewriteEngine on

  # Set "protossl" to "s" if we were accessed via https://.  This is used later
  # if you enable "www." stripping or enforcement, in order to ensure that
  # you don't bounce between http and https.
  RewriteRule ^ - [E=protossl]
  RewriteCond %{HTTPS} on
  RewriteRule ^ - [E=protossl:s]

  # Make sure Authorization HTTP header is available to PHP
  # even when running as CGI or FastCGI.
  RewriteRule ^ - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

  # Block access to "hidden" directories whose names begin with a period. This
  # includes directories used by version control systems such as Subversion or
  # Git to store control files. Files whose names begin with a period, as well
  # as the control files used by CVS, are protected by the FilesMatch directive
  # above.
  #
  # NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
  # not possible to block access to entire directories from .htaccess, because
```

```
# <DirectoryMatch> is not allowed here.
#
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
RewriteRule "(^|/)\." - [F]


# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} .
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http%{ENV:protossl}://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
# RewriteRule ^ http%{ENV:protossl}://%1%{REQUEST_URI} [L,R=301]


# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /


# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]
```

```
# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

  <FilesMatch "(\.js\.gz|\.css\.gz)$">
    # Serve correct encoding type.
    Header set Content-Encoding gzip
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>
</IfModule>

# Add headers to all responses.
<IfModule mod_headers.c>
  # Disable content sniffing, since it's an attack vector.
  Header always set X-Content-Type-Options nosniff
</IfModule>

deny from 104.197.102.1/32
deny from 104.197.102.2/31
deny from 104.197.102.4/30
deny from 104.197.102.8/29
deny from 104.197.102.16/28
deny from 104.197.102.32/27
deny from 104.197.102.64/26
deny from 104.197.102.128/25
deny from 200.92.149.1/32
```

```
deny from 200.92.149.2/31
deny from 200.92.149.4/30
deny from 200.92.149.8/29
deny from 200.92.149.16/28
deny from 200.92.149.32/27
deny from 200.92.149.64/26
deny from 200.92.149.128/25
deny from 81.182.252.1/32
deny from 81.182.252.2/31
deny from 81.182.252.4/30
deny from 81.182.252.8/29
deny from 81.182.252.16/28
deny from 81.182.252.32/27
deny from 81.182.252.64/26
deny from 81.182.252.128/25
deny from 81.89.80.5
deny from 117.169.1.1/32
deny from 117.169.1.2/31
deny from 117.169.1.4/30
deny from 117.169.1.8/29
deny from 117.169.1.16/28
deny from 117.169.1.32/27
deny from 117.169.1.64/26
deny from 117.169.1.128/25
deny from 87.153.8.1/32
deny from 87.153.8.2/31
deny from 87.153.8.4/30
deny from 87.153.8.8/29
deny from 87.153.8.16/28
deny from 87.153.8.32/27
deny from 87.153.8.64/26
deny from 87.153.8.128/25
deny from 71.202.38.1/32
deny from 71.202.38.2/31
deny from 71.202.38.4/30
deny from 71.202.38.8/29
deny from 71.202.38.16/28
deny from 71.202.38.32/27
deny from 71.202.38.64/26
deny from 71.202.38.128/25
deny from 188.163.110.1/32
```

```
deny from 188.163.110.2/31
deny from 188.163.110.4/30
deny from 188.163.110.8/29
deny from 188.163.110.16/28
deny from 188.163.110.32/27
deny from 188.163.110.64/26
deny from 188.163.110.128/25
deny from 193.201.224.150
```

Russia (RU), Ukraine (UA), Belarus (BY), Bulgaria (BG), Czech Republic (CZ), Romania (RO), Latvia (LV), Estonia (EE), Kazakstan (KZ), Moldavia/Moldova (MD), Poland (PL), Serbia (RS), Siberia, Slovakia (SK), Slovenia (SL)

```
deny from 2.72.0.0/13 2.92.0.0/14 2.132.0.0/14 5.16.0.0/14 5.34.56.0/22 5.60.0.0/16
5.101.152.0/21 5.141.0.0/16 5.143.0.0/16 5.158.96.0/19 5.158.232.0/21 5.166.0.0/15
5.248.0.0/16 5.254.96.0/21 5.255.192.0/18 31.6.70.0/23 31.11.43.0/24 31.11.128.0/17
31.15.88.0/21 31.23.0.0/16 31.28.224.0/19 31.29.0.0/19 31.31.96.0/19 31.41.0.0/16
31.43.128.0/19 31.129.96.0/19 31.131.0.0/17 31.148.0.0/16 31.162.64.0/18 31.170.168.0/21
31.174.0.0/15 31.178.0.0/16 31.181.0.0/16 31.184.192.0/19 31.184.224.0/21 31.184.234.0/23
31.184.236.0/22 31.187.0.0/18 31.192.104.0/21 31.192.128.0/19 31.207.192.0/18 37.9.0.0/19
37.9.32.0/20 37.9.48.0/21 37.17.176.0/21 37.44.64.0/18 37.45.0.0/16 37.52.0.0/14
37.56.0.0/15 37.99.0.0/17 37.110.128.0/19 37.115.0.0/16 37.128.0.0/17 37.139.0.0/18
37.140.0.0/16 37.143.8.0/21 37.143.16.0/20 37.143.88.0/21 37.143.96.0/21 37.143.104.0/21
37.144.0.0/14 37.150.0.0/15 37.190.0.0/17 37.212.0.0/14 37.221.128.0/19 37.221.160.0/21
37.228.64.0/21 37.228.80.0/20 37.229.0.0/16 46.0.0.0/16 46.4.240.0/27 46.10.0.0/16
46.16.240.0/21 46.17.96.0/21 46.28.101.0/24 46.30.160.0/21 46.33.224.0/19 46.36.217.0/24
46.38.96.0/19 46.39.0.0/18 46.39.64.0/19 46.50.128.0/18 46.53.141.0/24 46.56.128.0/17
46.61.0.0/16 46.62.0.0/15 46.72.0.0/15 46.98.0.0/16 46.108.0.0/16 46.109.0.0/16
46.112.0.0/15 46.118.0.0/15 46.146.224.0/19 46.147.128.0/17 46.148.16.0/20 46.148.48.0/20
46.151.152.0/21 46.158.0.0/16 46.159.0.0/16 46.160.80.0/21 46.164.0.0/18 46.164.128.0/18
46.164.192.0/18 46.172.0.0/16 46.173.0.0/17 46.173.128.0/19 46.173.160.0/19
46.175.200.0/21 46.180.0.0/15 46.182.48.0/21 46.185.0.0/17 46.187.0.0/17 46.191.128.0/18
46.200.0.0/14 46.211.0.0/16 46.229.48.0/20 46.229.176.0/20 46.237.0.0/17 46.250.0.0/19
46.254.18.0/23 62.16.96.0/19 62.21.0.0/17 62.24.64.0/19 62.64.64.0/18 62.69.0.0/19
62.76.0.0/16 62.85.0.0/17 62.109.0.0/20 62.117.64.0/18 62.122.64.0/21 62.122.104.0/21
62.129.192.0/18 62.133.128.0/19 62.140.224.0/19 62.141.64.0/18 62.148.64.0/19
62.152.32.0/19 62.168.0.0/18 62.168.224.0/19 62.182.104.0/21 62.213.32.0/19 62.213.64.0/18
62.220.32.0/19 62.221.64.0/19 62.233.142.0/26 62.244.0.0/18 69.175.104.218
70.85.189.224/29 77.28.0.0/15 77.34.0.0/15 77.37.128.0/17 77.40.0.0/17 77.41.0.0/17
77.43.128.0/17 77.45.128.0/17 77.46.128.0/17 77.51.0.0/18 77.51.64.0/18 77.55.0.0/16
77.65.0.0/17 77.70.0.0/17 77.73.128.0/21 77.75.8.0/21 77.78.10.0/23 77.79.128.0/18
77.79.192.0/18 77.81.0.0/24 77.85.0.0/16 77.87.32.0/20 77.87.152.0/21 77.87.168.0/21
```

77.87.192.0/21 77.88.0.0/18 77.91.128.0/18 77.91.224.0/21 77.93.0.0/18 77.93.32.0/19
77.94.124.0/22 77.94.192.0/19 77.106.64.0/18 77.108.192.0/18 77.120.0.0/14 77.221.128.0/19
77.222.32.0/19 77.222.128.0/19 77.232.156.0/22 77.233.160.0/19 77.234.0.0/19
77.234.192.0/19 77.235.96.0/20 77.239.224.0/19 77.241.160.0/20 77.243.96.0/22
77.244.208.0/20 77.247.208.0/22 77.252.0.0/14 78.8.0.0/14 78.24.152.0/21 78.24.216.0/21
78.26.128.0/18 78.29.0.0/18 78.31.176.0/21 78.36.0.0/15 78.60.128.0/17 78.85.0.0/16
78.96.0.0/15 78.106.0.0/15 78.108.84.0/23 78.108.86.0/23 78.108.176.0/20 78.109.16.0/20
78.110.48.0/20 78.110.160.0/20 78.111.48.0/20 78.128.0.0/17 78.137.0.0/19 78.152.160.0/19
78.157.128.0/19 79.96.0.0/16 79.98.208.0/21 79.99.216.0/21 79.101.0.0/16 79.105.0.0/16
79.111.0.0/16 79.112.0.0/13 79.120.0.0/17 79.126.0.0/18 79.133.96.0/18 79.133.128.0/18
79.133.192.0/19 79.135.128.0/17 79.135.192.0/19 79.136.128.0/17 79.137.224.0/20
79.139.0.0/16 79.140.64.0/20 79.140.160.0/20 79.162.128.0/18 79.163.0.0/16 79.174.64.0/19
79.184.0.0/13
deny from 80.48.0.0/13 80.70.96.0/20 80.71.240.0/20 80.73.0.0/20 80.73.64.0/21
80.77.80.0/24 80.77.160.0/20 80.78.192.0/20 80.80.128.0/19 80.82.160.0/20 80.85.176.0/20
80.86.96.0/19 80.86.240.0/21 80.91.160.0/19 80.92.224.0/20 80.93.48.0/21 80.233.128.0/17
80.235.0.0/17 80.239.224.0/19 80.240.208.0/20 80.242.123.0/24 80.245.80.0/20
80.249.80.0/20 80.250.64.0/24 80.251.112.0/20 81.5.96.0/20 81.9.0.0/20 81.12.128.0/17
81.16.80.0/20 81.18.64.0/19 81.19.64.0/19 81.21.0.0/20 81.24.208.0/20 81.25.48.0/22
81.26.176.0/20 81.30.176.0/20 81.88.208.0/20 81.89.112.0/20 81.90.224.0/20 81.91.208.0/20
81.94.32.0/20 81.95.128.0/20 81.95.144.0/20 81.176.0.0/15 81.180.0.0/16 81.181.16.0/22
81.195.0.0/16 81.196.0.0/16 81.198.0.0/16 81.200.0.0/20 81.222.128.0/20 82.76.0.0/14
82.103.64.0/18 82.112.48.0/20 82.114.64.0/19 82.114.224.0/19 82.137.32.0/19
82.138.6.128/25 82.138.32.0/19 82.140.64.0/18 82.140.192.0/18 82.144.192.0/19
82.146.40.0/21 82.146.56.0/21 82.151.112.0/21 82.160.203.0/24 82.179.0.0/16 82.193.96.0/19
82.193.128.0/19 82.198.160.0/19 82.199.96.0/19 82.200.0.0/16 82.204.128.0/17
82.210.128.0/18 83.0.0.0/11 83.69.114.0/23 83.69.240.0/21 83.99.128.0/17 83.102.128.0/17
83.139.128.0/18 83.142.184.0/21 83.143.136.0/21 83.148.64.0/18 83.166.192.0/19
83.167.96.0/19 83.167.224.0/19 83.170.192.0/18 83.174.192.0/18 83.219.129.0/24
83.222.0.0/19 83.222.160.0/19 83.222.192.0/19 83.228.0.0/17 83.229.128.0/17 83.234.0.0/16
83.237.0.0/16 83.243.64.0/21 83.246.0.0/20 83.246.192.0/18 84.17.0.0/19 84.21.64.0/19
84.23.32.0/19 84.42.128.0/17 84.51.64.0/19 84.53.192.0/18 84.237.0.0/16 84.245.192.0/18
84.253.64.0/18 85.9.0.0/18 85.12.192.0/18 85.14.35.0/24 85.21.0.0/16 85.26.184.0/22
85.29.192.0/18 85.31.96.0/21 85.90.192.0/19 85.93.0.0/19 85.93.32.0/19 85.93.128.0/19
85.94.0.0/19 85.94.32.0/19 85.112.112.0/20 85.113.128.0/19 85.121.39.0/24 85.121.180.0/23
85.122.16.0/20 85.128.128.0/17 85.140.0.0/15 85.142.0.0/15 85.172.0.0/14 85.186.0.0/16
85.192.60.0/23 85.192.128.0/18 85.198.80.0/21 85.204.0.0/16 85.207.0.0/16 85.217.192.0/18
85.222.0.0/17 85.234.0.0/19 85.248.0.0/16 85.249.0.0/16 85.254.0.0/16 85.255.0.0/20
85.255.112.0/20 86.34.0.0/16 86.35.0.0/21 86.35.15.0/24 86.35.128.0/17 86.55.120.0/22
86.55.140.0/24 86.55.210.0/23 86.57.128.0/17 86.61.0.0/17 86.104.0.0/14 86.111.240.0/21
86.120.0.0/13 87.99.64.0/19 87.103.192.0/20 87.103.208.0/20 87.110.0.0/16 87.117.0.0/18

87.117.128.0/19 87.117.160.0/19 87.118.128.0/18 87.119.224.0/19 87.120.16.0/20
87.204.0.0/15 87.226.0.0/17 87.229.128.0/17 87.239.24.0/21 87.242.64.0/18 87.244.128.0/18
87.247.0.0/18 87.248.160.0/19 87.249.192.0/19 87.251.128.0/19 87.253.0.0/19
87.253.192.0/19 87.255.64.0/19 88.81.224.0/19 88.147.128.0/17 88.200.128.0/17
88.201.128.0/17 88.205.128.0/17 88.212.192.0/18 88.213.192.0/18 89.18.16.0/21
89.20.128.0/19 89.21.64.0/19 89.21.128.0/19 89.23.0.0/19 89.23.128.0/19 89.28.0.0/17
89.31.112.0/21 89.32.152.0/21 89.33.72.0/21 89.33.208.0/20 89.33.252.0/22 89.35.64.0/21
89.37.120.0/21 89.37.144.0/21 89.38.112.0/20 89.38.128.0/21 89.39.174.0/23 89.39.200.0/21
89.41.176.0/20 89.44.0.0/16 89.45.0.0/16 89.47.224.0/21 89.64.0.0/12 89.104.64.0/19
89.105.224.0/19 89.106.96.0/19 89.108.64.0/18 89.109.0.0/18 89.110.0.0/18 89.110.64.0/18
89.111.160.0/20 89.111.176.0/20 89.113.72.0/21 89.114.0.0/15 89.116.0.0/15 89.121.128.0/17
89.122.0.0/16 89.123.0.0/16 89.136.0.0/15 89.146.192.0/18 89.149.0.0/17 89.161.128.0/17
89.165.128.0/17 89.169.0.0/16 89.175.0.0/16 89.176.0.0/15 89.178.0.0/15 89.186.0.0/19
89.187.48.0/23 89.187.128.0/19 89.189.0.0/19 89.189.128.0/18 89.190.224.0/19
89.200.232.0/21 89.200.240.0/21 89.200.248.0/21 89.201.0.0/17 89.204.0.0/17 89.208.0.0/16
89.212.0.0/16 89.216.0.0/16 89.218.0.0/16 89.222.128.0/17 89.223.0.0/16 89.228.96.0/20
89.230.0.0/16 89.232.192.0/18 89.238.192.0/18 89.239.128.0/18 89.251.16.0/21
89.251.96.0/20 89.251.144.0/20 89.251.160.0/20 89.252.0.0/18 89.253.0.0/18 89.254.192.0/18
deny from 90.150.112.0/20 90.150.128.0/20 90.151.16.0/20 90.151.128.0/20 90.156.128.0/17
90.157.0.0/17 90.188.16.0/20 90.188.64.0/19 90.189.0.0/18 91.76.0.0/14 91.90.8.0/21
91.92.176.0/22 91.122.0.0/16 91.123.0.0/19 91.124.0.0/16 91.135.192.0/22 91.143.56.0/22
91.143.160.0/20 91.144.176.0/22 91.146.0.0/18 91.148.128.0/18 91.149.64.0/18
91.149.128.0/21 91.149.136.0/21 91.149.144.0/20 91.149.160.0/19 91.185.192.0/21
91.188.32.0/19 91.188.124.0/23 91.189.80.0/21 91.189.128.0/21 91.191.64.0/18
91.192.68.0/22 91.193.80.0/22 91.193.140.0/22 91.194.10.0/23 91.194.72.0/23
91.195.230.0/23 91.196.92.0/22 91.196.100.0/22 91.196.216.0/22 91.197.0.0/20
91.197.16.0/21 91.197.24.0/22 91.197.40.0/21 91.197.48.0/21 91.197.56.0/22 91.197.64.0/21
91.197.76.0/22 91.197.80.0/22 91.197.96.0/22 91.197.104.0/22 91.197.112.0/20
91.197.128.0/22 91.197.132.0/22 91.197.144.0/20 91.197.160.0/22 91.197.168.0/21
91.197.176.0/20 91.197.192.0/21 91.197.204.0/22 91.197.212.0/22 91.197.216.0/21
91.197.224.0/22 91.197.232.0/21 91.197.244.0/23 91.197.252.0/22 91.200.12.0/22
91.200.164.0/22 91.200.228.0/22 91.200.232.0/22 91.201.28.0/22 91.201.64.0/22
91.201.196.0/22 91.202.240.0/20 91.203.4.0/22 91.203.92.0/22 91.204.16.0/21 91.204.24.0/22
91.204.36.0/22 91.204.40.0/21 91.204.48.0/20 91.204.64.0/22 91.204.84.0/22 91.204.128.0/22
91.204.228.0/22 91.205.72.0/22 91.205.120.0/21 91.206.30.0/23 91.206.32.0/23
91.206.200.0/23 91.206.226.0/23 91.207.4.0/22 91.207.8.0/23 91.207.44.0/23 91.207.60.0/23
91.208.228.0/24 91.210.100.0/22 91.210.104.0/22 91.211.16.0/22 91.211.64.0/22
91.211.68.0/22 91.211.248.0/22 91.212.41.0/24 91.212.65.0/24 91.212.124.0/24
91.212.132.0/24 91.212.177.0/24 91.212.198.0/24 91.212.226.0/24 91.213.33.0/24
91.213.117.0/24 91.213.121.0/24 91.213.174.0/24 91.214.96.0/22 91.214.136.0/22
91.214.184.0/22 91.215.216.0/22 91.216.122.0/24 91.216.141.0/24 91.216.215.0/24

91.217.90.0/23 91.218.36.0/22 91.218.112.0/22 91.218.156.0/22 91.220.0.0/23 91.220.3.0/24
91.220.6.0/24 91.220.10.0/23 91.220.12.0/23 91.220.13.0/24 91.220.14.0/24 91.220.26.0/24
91.220.31.0/24 91.220.35.0/24 91.220.43.0/24 91.224.246.0/23 91.226.78.0/23 91.226.80.0/21
91.226.92.0/22 91.226.96.0/23 91.228.196.0/22 91.229.210.0/24 91.232.0.0/18 91.232.21.0/24
91.235.176.0/24 91.236.74.0/23 91.237.240.0/21 91.237.248.0/23 91.237.250.0/24
91.238.134.0/23 91.241.12.0/22 91.241.128.0/17 92.36.0.0/17 92.37.128.0/17 92.38.128.0/17
92.39.48.0/20 92.46.0.0/15 92.48.126.128/25 92.48.201.0/26 92.49.128.0/19 92.49.160.0/19
92.49.192.0/18 92.50.128.0/18 92.53.96.0/19 92.53.104.0/22 92.55.144.0/21 92.62.48.0/20
92.80.0.0/13 92.100.0.0/15 92.112.0.0/15 92.114.0.0/16 92.115.0.0/16 92.124.0.0/14
92.241.160.0/19 92.243.64.0/19 92.244.224.0/19 92.247.192.0/18 92.248.128.0/17
92.249.64.0/18 92.255.0.0/16 93.72.0.0/13 93.80.0.0/15 93.84.0.0/15 93.86.0.0/15
93.89.208.0/20 93.91.0.0/20 93.91.224.0/20 93.92.32.0/21 93.99.0.0/16 93.100.0.0/16
93.112.0.0/16 93.113.27.0/24 93.113.112.0/21 93.114.40.0/21 93.118.64.0/20 93.120.128.0/18
93.123.0.0/16 93.124.0.0/17 93.125.40.0/24 93.125.99.0/24 93.155.128.0/17 93.157.96.0/21
93.159.0.0/18 93.170.0.0/15 93.182.0.0/18 93.183.128.0/18 93.183.192.0/18 93.185.77.0/24
93.187.136.0/21 94.19.128.0/17 94.24.120.0/21 94.24.128.0/17 94.25.0.0/16 94.26.0.0/17
94.27.0.0/17 94.31.128.0/17 94.41.0.0/17 94.45.160.0/19 94.50.0.0/15 94.60.0.0/14
94.73.192.0/18 94.75.0.0/18 94.77.0.0/19 94.79.0.0/18 94.100.181.128/25 94.101.64.0/20
94.101.96.0/20 94.103.80.0/20 94.103.230.0/23 94.112.0.0/14 94.124.0.0/20 94.124.16.0/21
94.131.0.0/16 94.139.112.0/21 94.142.128.0/21 94.143.40.0/21 94.143.48.0/20 94.152.0.0/15
94.156.228.0/22 94.176.96.0/24 94.178.0.0/15 94.180.0.0/15 94.188.0.0/17 94.189.128.0/17
94.190.0.0/18 94.190.128.0/17 94.229.65.160/27 94.230.0.0/20 94.231.160.0/20
94.232.48.0/21 94.232.144.0/21 94.232.232.0/21 94.233.192.0/18 94.240.0.0/18
84.242.96.0/19 94.243.192.0/18 94.244.0.0/18 94.244.128.0/18 94.247.0.0/21 94.250.248.0/21
95.24.0.0/13 95.32.0.0/16 95.40.0.0/14 95.48.0.0/14 95.52.0.0/14 95.56.0.0/14 95.64.0.0/16
95.65.0.0/16 95.67.0.0/17 95.68.0.0/17 95.69.192.0/22 95.71.0.0/17 95.76.0.0/15
95.78.0.0/15 95.78.128.0/18 95.79.0.0/16 95.82.192.0/18 95.83.0.0/17 95.83.128.0/18
95.84.128.0/18 95.84.192.0/18 95.86.128.0/18 95.87.0.0/18 95.93.128.0/18 95.104.128.0/17
95.105.0.0/18 95.105.64.0/19 95.108.128.0/17 95.111.0.0/17 95.129.60.0/22 95.132.0.0/14
95.141.192.0/20 95.142.46.0/24 95.143.20.0/22 95.152.0.0/18 95.159.128.0/22 95.162.0.0/16
95.163.0.0/16 95.165.0.0/16 95.167.0.0/16 95.168.160.0/19 95.168.192.0/19 95.169.160.0/19
95.169.192.0/19 95.171.96.0/19 95.172.32.0/19 95.174.192.0/19 95.179.0.0/17
95.182.112.0/20 95.188.0.0/14 95.215.36.0/22 95.220.0.0/16
deny from 108.62.150.0/24 109.60.128.0/17 109.62.128.0/17 109.72.112.0/20 109.74.128.0/20
109.80.0.0/15 109.86.0.0/15 109.92.0.0/15 109.95.112.0/22 109.95.224.0/21 109.96.0.0/13
109.108.64.0/19 109.110.32.0/19 109.110.64.0/19 109.111.176.0/20 109.120.128.0/18
109.122.0.0/18 109.122.88.0/21 109.124.0.0/18 109.124.192.0/19 109.126.136.0/21
109.126.192.0/18 109.161.0.0/17 109.163.192.0/21 109.163.216.0/21 109.163.224.0/22
109.163.228.0/24 109.163.229.0/24 109.163.230.0/23 109.163.236.0/22 109.165.0.0/17
109.167.0.0/16 109.168.128.0/17 109.169.192.0/18 109.171.0.0/17 109.173.0.0/17
109.184.0.0/16 109.185.0.0/16 109.187.0.0/16 109.188.0.0/16 109.191.0.0/16 109.194.0.0/18

109. 104. 0. 0/18 109. 105. 0. 0/18 109. 107. 0. 0/18 109. 108. 0. 0/18 109. 131. 0. 0/18 109. 134. 0. 0/18
109. 194. 64. 0/19 109. 195. 48. 0/20 109. 196. 16. 0/20 109. 196. 128. 0/20 109. 200. 96. 0/19
109. 200. 128. 0/19 109. 206. 96. 0/19 109. 207. 200. 0/21 109. 227. 64. 0/18 109. 229. 0. 0/19
109. 230. 0. 0/18 109. 230. 128. 0/19 109. 243. 0. 0/16 109. 252. 0. 0/16 109. 254. 0. 0/16 128. 72. 0. 0/15
130. 0. 232. 0/21 130. 204. 0. 0/16 134. 0. 112. 0/21 134. 17. 0. 0/16 134. 249. 0. 0/16 136. 169. 0. 0/16
141. 85. 0. 0/16 141. 101. 128. 0/17 141. 105. 64. 0/21 141. 136. 27. 0/24 146. 185. 0. 0/16
147. 228. 0. 0/14 147. 232. 0. 0/14 147. 236. 0. 0/15 151. 0. 0. 0/18 158. 181. 0. 0/16 158. 197. 0. 0/16
159. 148. 0. 0/16 159. 224. 0. 0/16 160. 99. 0. 0/16 164. 177. 192. 0/18 174. 133. 202. 176/28
176. 8. 0. 0/16 176. 14. 0. 0/15 176. 36. 0. 0/14 176. 53. 128. 0/17 176. 102. 0. 0/18 176. 102. 192. 0/19
176. 108. 188. 0/24 176. 111. 32. 0/19 176. 111. 64. 0/19 176. 111. 96. 0/21 176. 113. 32. 0/21
176. 113. 224. 0/19 176. 119. 64. 0/18 176. 123. 0. 0/19 176. 124. 0. 0/19 176. 196. 128. 0/18
176. 212. 0. 0/15 176. 215. 64. 0/21 176. 222. 140. 0/22 176. 223. 0. 0/16 178. 19. 99. 0/24
178. 19. 104. 0/21 178. 34. 128. 0/18 178. 36. 0. 0/15 178. 44. 0. 0/14 178. 49. 0. 0/16 178. 64. 0. 0/13
178. 73. 0. 0/18 178. 75. 64. 0/18 178. 76. 192. 0/18 178. 88. 0. 0/14 178. 91. 0. 0/17 178. 91. 128. 0/18
178. 91. 192. 0/19 178. 91. 224. 0/20 178. 91. 240. 0/21 178. 91. 248. 0/22 178. 91. 252. 0/24
178. 91. 254. 0/23 178. 92. 0. 0/14 178. 120. 0. 0/13 178. 129. 0. 0/16 178. 130. 0. 0/16 178. 137. 0. 0/16
178. 140. 0. 0/16 178. 150. 0. 0/15 178. 154. 0. 0/17 178. 158. 192. 0/19 178. 159. 16. 0/20
178. 159. 32. 0/19 178. 159. 64. 0/19 178. 159. 208. 0/20 178. 159. 240. 0/21 178. 161. 128. 0/17
178. 163. 128. 0/17 178. 165. 0. 0/17 178. 167. 0. 0/17 178. 168. 0. 0/17 178. 172. 129. 0/24
178. 183. 224. 0/19 178. 184. 0. 0/14 178. 204. 0. 0/15 178. 206. 0. 0/16 178. 208. 83. 0/24
178. 209. 64. 0/19 178. 210. 32. 0/20 178. 212. 96. 0/21 178. 213. 240. 0/21 178. 216. 32. 0/21
178. 217. 160. 0/21 178. 218. 96. 0/20 178. 220. 0. 0/14 178. 234. 0. 0/16 185. 30. 176. 0/22
185. 58. 204. 0/22 188. 16. 0. 0/16 188. 18. 16. 0/20 188. 18. 64. 0/19 188. 18. 112. 0/20
188. 18. 240. 0/20 188. 24. 0. 0/14 188. 40. 54. 192/26 188. 47. 64. 0/18 188. 64. 168. 0/21
188. 64. 220. 0/22 188. 92. 72. 0/21 188. 92. 160. 0/21 188. 95. 152. 0/21 188. 115. 128. 0/18
188. 120. 32. 0/20 188. 120. 248. 0/23 188. 123. 224. 0/19 188. 128. 0. 0/17 188. 129. 128. 0/17
188. 131. 0. 0/17 188. 138. 128. 0/17 188. 143. 128. 0/17 188. 146. 0. 0/15 188. 163. 0. 0/16
188. 168. 0. 0/16 188. 186. 0. 0/16 188. 187. 128. 0/18 188. 190. 0. 0/16 188. 191. 224. 0/19
188. 208. 0. 0/13 188. 225. 32. 0/21 188. 226. 0. 0/17 188. 229. 0. 0/17 188. 230. 0. 0/17
188. 231. 168. 0/22 188. 233. 0. 0/17 188. 235. 0. 0/19 188. 235. 128. 0/18 188. 240. 0. 0/16
188. 244. 32. 0/20 188. 247. 135. 0/24 192. 129. 3. 0/24 192. 162. 0. 0/16 193. 0. 129. 0/24
193. 0. 212. 0/24 193. 9. 28. 0/24 193. 17. 208. 0/24 193. 19. 244. 0/22 193. 25. 112. 0/23
193. 27. 246. 0/23 193. 30. 248. 0/22 193. 37. 138. 0/24 193. 37. 156. 0/23 193. 39. 113. 0/24
193. 43. 252. 0/22 193. 47. 166. 0/24 193. 58. 246. 0/24 193. 77. 64. 0/18 193. 86. 0. 0/16
193. 93. 228. 0/22 193. 104. 27. 0/24 193. 104. 41. 0/24 193. 104. 94. 0/24 193. 105. 0. 0/24
193. 105. 154. 0/24 193. 105. 210. 0/24 193. 106. 0. 0/21 193. 106. 24. 0/22 193. 106. 28. 0/22
193. 106. 40. 0/21 193. 106. 56. 0/21 193. 106. 64. 0/21 193. 106. 104. 0/22 193. 106. 136. 0/22
193. 106. 168. 0/23 193. 106. 172. 0/22 193. 108. 38. 0/23 193. 108. 248. 0/22 193. 110. 120. 0/22
193. 111. 48. 0/22 193. 111. 114. 0/23 193. 169. 12. 0/23 193. 169. 86. 0/23 193. 178. 144. 0/22
193. 178. 228. 0/23 193. 189. 116. 0/23 193. 200. 50. 0/23 193. 200. 255. 0/24 193. 201. 224. 0/21
193. 203. 36. 0/22 193. 203. 40. 0/21 193. 203. 48. 0/22 193. 223. 101. 0/24 193. 227. 226. 0/23

193. 227. 240. 0/23 193. 236. 232. 0/24 193. 238. 0. 0/22 193. 238. 74. 0/23 193. 238. 128. 0/22

193. 239. 24. 0/22 193. 239. 36. 0/22 193. 239. 44. 0/22 193. 239. 64. 0/21 193. 239. 72. 0/22

193. 243. 168. 0/22 194. 0. 88. 0/22 194. 8. 156. 0/22 194. 8. 250. 0/23 194. 15. 112. 0/22 194. 28. 4. 0/23

194. 28. 16. 0/22 194. 28. 20. 0/22 194. 28. 28. 0/22 194. 28. 32. 0/20 194. 28. 52. 0/22 194. 28. 56. 0/22

194. 28. 60. 0/22 194. 28. 64. 0/20 194. 28. 44. 0/22 194. 29. 60. 0/22 194. 44. 0. 0/16 194. 50. 7. 0/24

194. 54. 88. 0/22 194. 63. 140. 0/23 194. 79. 60. 0/22 194. 85. 88. 0/21 194. 85. 128. 0/19

194. 102. 64. 0/21 194. 102. 114. 0/24 194. 105. 156. 0/23 194. 114. 136. 0/22 194. 114. 144. 0/22

194. 146. 136. 0/22 194. 146. 196. 0/22 194. 146. 228. 0/22 194. 160. 0. 0/16 194. 169. 126. 0/24

194. 176. 176. 0/24 194. 181. 0. 0/16 194. 186. 0. 0/16 194. 187. 108. 0/22 194. 187. 148. 0/22

194. 190. 32. 0/22 194. 226. 0. 0/16 194. 247. 24. 0/23 195. 2. 96. 0/19 195. 2. 192. 0/23 195. 2. 240. 0/23

195. 2. 252. 0/23 195. 3. 128. 0/19 195. 5. 32. 0/19 195. 5. 116. 0/23 195. 5. 161. 0/24 195. 9. 0. 0/16

195. 14. 112. 0/23 195. 20. 196. 0/23 195. 22. 104. 0/22 195. 24. 64. 0/21 195. 28. 2. 0/23

195. 28. 32. 0/19 195. 34. 208. 0/22 195. 34. 224. 0/19 195. 39. 210. 0/23 195. 42. 160. 0/19

195. 46. 160. 0/19 195. 54. 162. 0/23 195. 54. 192. 0/19 195. 58. 0. 0/19 195. 58. 32. 0/19

195. 58. 224. 0/19 195. 60. 174. 0/23 195. 62. 24. 0/23 195. 66. 140. 0/23 195. 78. 108. 0/23

195. 78. 124. 0/23 195. 82. 154. 0/23 195. 88. 32. 0/23 195. 93. 218. 0/23 195. 95. 218. 0/23

195. 95. 228. 0/23 195. 112. 96. 0/19 195. 114. 32. 0/19 195. 114. 128. 0/19 195. 114. 240. 0/20

195. 116. 0. 0/16 195. 128. 16. 0/22 195. 128. 48. 0/21 195. 131. 0. 0/16 195. 137. 200. 0/23

195. 137. 244. 0/23 195. 138. 64. 0/19 195. 138. 198. 0/24 195. 162. 68. 0/23 195. 170. 192. 0/19

195. 182. 0. 0/24 195. 182. 3. 0/24 195. 182. 7. 0/24 195. 182. 8. 0/24 195. 182. 15. 0/24

195. 182. 21. 0/24 195. 182. 22. 0/24 195. 182. 27. 0/24 195. 182. 128. 0/19 195. 182. 202. 0/23

195. 189. 8. 0/22 195. 189. 16. 0/22 195. 189. 28. 0/22 195. 189. 36. 0/22 195. 189. 40. 0/21

195. 189. 48. 0/22 195. 189. 60. 0/22 195. 189. 68. 0/22 195. 189. 72. 0/22 195. 189. 80. 0/22

195. 189. 96. 0/20 195. 189. 224. 0/21 195. 189. 246. 0/23 195. 190. 13. 0/24 195. 190. 157. 0/24

195. 191. 54. 0/23 195. 200. 90. 0/23 195. 208. 0. 0/15 195. 209. 32. 0/19 195. 209. 224. 0/19

195. 210. 8. 0/23 195. 210. 46. 0/23 195. 211. 100. 0/22 195. 216. 243. 0/24 195. 222. 64. 0/20

195. 222. 88. 0/23 195. 222. 92. 0/22 195. 225. 64. 0/22 195. 225. 176. 0/22 195. 239. 0. 0/16

195. 242. 98. 0/23 195. 242. 114. 0/23 195. 242. 161. 0/24 195. 242. 232. 0/22 195. 244. 128. 128/25

195. 245. 96. 0/23 195. 245. 112. 0/23 195. 245. 208. 0/24 199. 127. 96. 0/21

deny from 204. 9. 184. 0/21 212. 1. 224. 0/19 212. 9. 224. 0/19 212. 13. 0. 0/19 212. 22. 200. 0/21

212. 24. 32. 0/19 212. 27. 192. 0/19 212. 33. 224. 0/19 212. 35. 128. 0/18 212. 40. 32. 0/19

212. 44. 64. 0/20 212. 44. 80. 0/22 212. 44. 128. 0/19 212. 45. 0. 0/19 212. 58. 192. 0/19 212. 59. 96. 0/19

212. 75. 0. 0/19 212. 75. 128. 0/19 212. 87. 160. 0/19 212. 90. 160. 0/19 212. 91. 160. 0/19

212. 92. 128. 0/18 212. 95. 54. 0/24 212. 96. 96. 0/19 212. 96. 160. 0/19 212. 98. 160. 0/19

212. 113. 32. 0/19 212. 113. 96. 0/19 212. 116. 96. 0/19 212. 118. 32. 0/19 212. 124. 0. 0/20

212. 146. 64. 0/18 212. 158. 160. 0/20 212. 160. 0. 0/16 212. 178. 0. 0/19 212. 200. 0. 0/17

212. 220. 0. 0/16 213. 5. 128. 0/21 213. 25. 0. 0/16 213. 35. 224. 0/23 213. 87. 0. 0/16 213. 91. 128. 0/17

213. 108. 16. 0/21 213. 108. 144. 0/21 213. 110. 128. 0/19 213. 111. 128. 0/17 213. 132. 72. 0/21

213. 135. 64. 0/18 213. 135. 128. 0/19 213. 140. 96. 0/19 213. 141. 128. 0/19 213. 142. 192. 0/19

213. 149. 0. 0/19 213. 151. 0. 0/19 213. 154. 192. 0/19 213. 155. 0. 0/19 213. 156. 192. 0/24

213. 163. 96. 0/19 213. 170. 64. 0/19 213. 171. 0. 0/19 213. 174. 0. 0/21 213. 180. 147. 0/24

213.186.192.0/19 213.191.0.0/19 213.197.64.0/19 213.200.32.0/19 213.215.64.0/18
213.222.224.0/20 213.222.240.0/20 213.231.0.0/18 213.233.101.0/24 213.242.0.0/18
213.242.192.0/18 213.248.0.0/18 217.12.112.0/20 217.12.192.0/19 217.12.240.0/20
217.16.16.0/20 217.18.240.0/20 217.20.160.0/20 217.23.128.0/19 217.27.144.0/20
217.27.208.0/20 217.28.208.0/21 217.65.0.0/20 217.65.208.0/20 217.66.144.0/20
217.67.16.0/20 217.69.128.0/20 217.73.160.0/20 217.77.48.0/20 217.77.208.0/20
217.79.0.0/18 217.79.64.0/19 217.106.0.0/15 217.112.0.0/19 217.112.32.0/21 217.112.40.0/22
217.112.46.0/24 217.114.176.0/20 217.114.224.0/20 217.117.208.0/20 217.146.240.0/20
217.147.0.0/19 217.149.240.0/20 217.150.32.0/19 217.173.64.0/20 217.174.96.0/20
217.174.160.0/20 217.196.160.0/20 217.197.0.0/20 217.197.240.0/20 217.198.112.0/20
Insert new former USSR CIDRs into appropriate CIDR range lines
deny from 89.0.0.0/8
deny from 68.180.230.233
deny from 68.180.230.1
deny from 68.180.230.2/31
deny from 68.180.230.4/30
deny from 68.180.230.8/29
deny from 68.180.230.16/28
deny from 68.180.230.32/27
deny from 68.180.230.64/26
deny from 68.180.230.128/25