

```

<IfModule mod_rewrite.c>
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]

    <IfModule mod_negotiation.c>
        Options -MultiViews
    </IfModule>

    RewriteEngine On

    # Redirect Trailing Slashes...
    RewriteRule ^(.*)/$/ $1 [L,R=301]

    # Handle Front Controller...
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^ index.php [L]

    #RewriteBase /
    #RewriteCond %{HTTP_HOST} ^104\.131\.154\.101$
    #RewriteRule ^(.*)$ http://freebtc.website/$1 [L,R=301]

    #RewriteCond %{HTTP_HOST} .
    #RewriteCond %{HTTP_HOST} !freebtc\.website$
    #RewriteRule ^ - [F]
    #RewriteCond %{HTTP_HOST} !^(freebtc\.website)?$
    #RewriteRule (.*) http://freebtc.website/$1 [R=301,L]
</IfModule>

# -----
# | CORS-enabled images |
# -----

# Send the CORS header for images when browsers request it.
# https://developer.mozilla.org/en-US/docs/HTML/CORS_Enabled_Image
# http://blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html
# http://hacks.mozilla.org/2011/11/using-cors-to-load-webgl-textures-from-cross-domain-images/

# vim: set fdp=2000 :

```

```

<!Module mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(curl|gif|ico|jpe?g|png|svgz?|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

# -----
# | Web fonts access |
# -----

# Allow access to web fonts from all domains.

<IfModule mod_headers.c>
  <FilesMatch "\.(eot|otf|tt[cf]|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>

  <FilesMatch "\.(curl|gif|ico|jpe?g|png|svgz?|webp)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

# #####
# # INTERNET EXPLORER #
# #####

# -----
# | Better website experience |
# -----

# Force Internet Explorer to render pages in the highest available mode
# in the various cases when it may not.
# http://hsivonen.iki.fi/doctype/ie-mode.pdf

<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=edge"
  # `mod_headers` cannot match based on the content-type, however, this
  # header should be send only for HTML pages and not for the other resources
  # https://www.chromium.org/blink/compatibility/ie-mode

```

```

    <FilesMatch "\.(appache|atom|crx|css|curl|eot|f4[abv]|flv|gif|htc|ico|jpe?
gl|js|json|ld)?
|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svgz?
|swf|tt[cf]|vcl|vtt|webapp|web[mp]|woff|xml|xpi)$">
    Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

# -----
# | Cookie setting from iframes |
# -----

# Allow cookies to be set from iframes in Internet Explorer.
# http://msdn.microsoft.com/en-us/library/ms537343.aspx
# http://www.w3.org/TR/2000/CR-P3P-20001215/

<IfModule mod_headers.c>
    Header set P3P "policyref=\"/w3c/p3p.xml\", CP=\"IDC DSP COR ADM DEVI TAIi PSA PSD
IVAI IVDi CONi HIS OUR IND CNT\""
</IfModule>

# #####
# # MIME TYPES AND ENCODING #
# #####

# -----
# | Proper MIME types for all files |
# -----

<IfModule mod_mime.c>

# Audio
AddType audio/mp4 m4a f4a f4b
AddType audio/ogg oga ogg opus

# Data interchange
AddType application/json json map
AddType application/ld+json jsonld

# JavaScript
# Normalize to standard type.

```

```

# http://tools.ietf.org/html/rfc4329#section-7.2
AddType application/javascript js

# Video
AddType video/mp4 f4v f4p m4v mp4
AddType video/ogg ogv
AddType video/webm webm
AddType video/x-flv flv

# Web fonts
AddType application/font-woff woff
AddType application/vnd.ms-fontobject eot

# Browsers usually ignore the font MIME types and simply sniff the bytes
# to figure out the font type.
# http://mimesniff.spec.whatwg.org/#matching-a-font-type-pattern

# Chrome however, shows a warning if any other MIME types are used for
# the following fonts.

AddType application/x-font-ttf ttc ttf
AddType font/opentype otf

# Make SVGZ fonts work on the iPad.
# https://twitter.com/FontSquirrel/status/14855840545
AddType image/svg+xml svgz
AddEncoding gzip svgz

# Other
AddType application/octet-stream safariextz
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall xpi
AddType application/xml atom rdf rss xml
AddType image/webp webp
AddType image/x-icon cur
AddType text/cache-manifest appcache manifest
AddType text/vtt vtt
AddType text/x-component htc
AddType text/x-vcard vcf

```

```
</IfModule>

# -----
# | UTF-8 encoding |
# -----

# Use UTF-8 encoding for anything served as `text/html` or `text/plain`.
AddDefaultCharset utf-8

# Force UTF-8 for certain file formats.
<IfModule mod_mime.c>
    AddCharset utf-8 .atom .css .js .json .jsonld .rss .vtt .webapp .xml
</IfModule>

<FilesMatch "\.(html|html|php)$">
    <IfModule mod_headers.c>
        BrowserMatch MSIE ie
        Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
    </IfModule>
</FilesMatch>

# -----
# | File access |
# -----

# Block access to directories without a default document.
# You should leave the following uncommented, as you shouldn't allow anyone to
# surf through every directory on your server (which may includes rather private
# places such as the CMS's directories).

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# -----

# Block access to hidden files and directories.
# This includes directories used by version control systems such as Git and SVN.

<IfModule mod_rewrite.c>
```

```

RewriteCond %{SCRIPT_FILENAME} -d [OR]
RewriteCond %{SCRIPT_FILENAME} -f
RewriteRule "(^|/)\." - [F]
</IfModule>

# -----

# Block access to files that can expose sensitive information.

# By default, block access to backup and source files that may be left by some
# text editors and can pose a security risk when anyone has access to them.
# http://feross.org/cmsexploit/

# IMPORTANT: Update the `<FilesMatch>` regular expression from below to include
# any files that might end up on your production server and can expose sensitive
# information about your website. These files may include: configuration files,
# files that contain metadata about the project (e.g.: project dependencies),
# build scripts, etc..

<FilesMatch "(^#.#|\. (bak| config| dist| fl| in[ci]| log| psd| sh| sql| sw[op])| \")$" >

    # Apache < 2.3
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
        Satisfy All
    </IfModule>

    # Apache ? 2.3
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>

</FilesMatch>

# -----
# | Reducing MIME type security risks |
# -----

# Prevent some browsers from MIME-sniffing the response.

```

```
# This reduces exposure to drive-by download attacks and cross-origin data
# leaks, and should be left uncommented, especially if the web server is
# serving user-uploaded content or content that could potentially be treated
# as executable by the browser.

# http://www.slideshare.net/hasegawayosuke/owasp-hasegawa
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-v-comprehensive-
# protection.aspx
# http://msdn.microsoft.com/en-us/library/ie/gg622941.aspx
# http://mimesniff.spec.whatwg.org/

<IfModule mod_headers.c>
    Header set X-Content-Type-Options "nosniff"
</IfModule>

# -----
# | Reflected Cross-Site Scripting (XSS) attacks |
# -----

# (1) Try to re-enable the Cross-Site Scripting (XSS) filter built into the
#     most recent web browsers.
#
#     The filter is usually enabled by default, but in some cases it may be
#     disabled by the user. However, in Internet Explorer for example, it can
#     be re-enabled just by sending the `X-XSS-Protection` header with the
#     value of `1`.
#
# (2) Prevent web browsers from rendering the web page if a potential reflected
#     (a.k.a. a non-persistent) XSS attack is detected by the filter.
#
#     By default, if the filter is enabled and browsers detect a reflected
#     XSS attack, they will attempt to block the attack by making the smallest
#     possible modifications to the returned web page.
#
#     Unfortunately, in some browsers (e.g.: Internet Explorer), this default
#     behavior may allow the XSS filter to be exploited, thereby, it's better
#     to tell browsers to prevent the rendering of the page altogether, instead
#     of attempting to modify it.
#
#     http://hackademix.net/2009/11/21/ies-xss-filter-creates-xss-vulnerabilities
#
```

```
# IMPORTANT: Do not rely on the XSS filter to prevent XSS attacks! Ensure that
# you are taking all possible measures to prevent XSS attacks, the most obvious
# being: validating and sanitizing your site's inputs.
#
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-iv-the-xss-filter.aspx
# http://blogs.msdn.com/b/ieinternals/archive/2011/01/31/controlling-the-internet-
explorer-xss-filter-with-the-x-xss-protection-http-header.aspx
# https://www.owasp.org/index.php/Cross-site_Scripting_%28XSS%29
```

```
<IfModule mod_headers.c>
    #                                     (1)   (2)
    Header set X-XSS-Protection "1; mode=block"
    <FilesMatch "\.(appache|atom|crx|css|curl|eot|f4[abpv]|flv|gif|htcl|icol|jpe?
gl|jsl|json|ld)?
|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svgz?
|swf|tt[cf]|vcf|vtt|webapp|web[mp]|woff|xml|xpi)$">
        Header unset X-XSS-Protection
    </FilesMatch>
</IfModule>
```

```
# #####
# # WEB PERFORMANCE #
# #####
```

```
# -----
# | Compression |
# -----
```

```
<IfModule mod_deflate.c>

    # Force compression for mangled headers.
    # http://developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-beyond-gzipping
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>

    # Compress all output labeled with one of the following MIME-types
```



```
-----
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `` and `` lines
# as `AddOutputFilterByType` is still in the core directives).
```

```
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/ld+json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/x-web-app-manifest+json \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
-----
# | Content Transformations |
# -----
```

```
# Prevent mobile network providers from modifying the website's content.
# http://www.w3.org/Protocols/rfc2616/rfc2616-sec14.html#sec14.9.5.
```

```
<IfModule mod_headers.c>
    Header set Cache-Control "no-transform"
</IfModule>
```

```
-----
# | ETags |
# -----
```

```
# Remove `ETags` as resources are sent with far-future expires headers.  
# http://developer.yahoo.com/performance/rules.html#etags.
```

```
# `FileETag None` doesn't work in all cases.
```

```
<IfModule mod_headers.c>
```

```
Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
# -----  
# | Expires headers |  
# -----
```

```
# The following expires headers are set pretty far in the future. If you  
# don't control versioning with filename-based cache busting, consider  
# lowering the cache time for resources such as style sheets and JavaScript  
# files to something like one week.
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
ExpiresDefault "access plus 1 month"
```

```
# CSS
```

```
ExpiresByType text/css "access plus 1 year"
```

```
# Data interchange
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
ExpiresByType application/ld+json "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
# Favicon (cannot be renamed!) and cursor images
```

```
ExpiresByType image/x-icon "access plus 1 week"
```

```
# HTML components (HTCs)
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```
# HTML
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```

ExpiresByType text/html access plus 0 seconds

# JavaScript
ExpiresByType application/javascript "access plus 1 year"

# Manifest files
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

# Web fonts
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"

</IfModule>

#Gzip
<ifmodule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
    application/x-javascript application/javascript text/javascript
</ifmodule>
#End Gzip

<ifmodule mod_setenvif.c>
    SetEnvIfNoCase Referer semalt.com spambot=yes
    SetEnvIfNoCase Referer darodar.com spambot=yes
    # If you have a server with IP-based reverse proxying, you
    # may want to uncomment the following line to ignore
    # proxies:
    # SetEnvIfNoCase ^(\s)?(?:.*)$ spambot=no

```

SetEnvIfNoCase Referer buttons-for-website.com spambot=yes
SetEnvIfNoCase Referer fbdownloader.com spambot=yes
SetEnvIfNoCase Referer descargar-musicas-gratis.com spambot=yes
SetEnvIfNoCase Referer baixar-musicas-gratis.com spambot=yes
SetEnvIfNoCase Referer savetubevideo.com spambot=yes
SetEnvIfNoCase Referer srecorder.com spambot=yes
SetEnvIfNoCase Referer kambasoft.com spambot=yes
SetEnvIfNoCase Referer ilovevitaly.com spambot=yes
SetEnvIfNoCase Referer ilovevitaly.co spambot=yes
SetEnvIfNoCase Referer ilovevitaly.ru spambot=yes
SetEnvIfNoCase Referer blackhatworth.com spambot=yes
SetEnvIfNoCase Referer priceg.com spambot=yes
SetEnvIfNoCase Referer backgroundpictures.net spambot=yes
SetEnvIfNoCase Referer embedle.com spambot=yes
SetEnvIfNoCase Referer extener.com spambot=yes
SetEnvIfNoCase Referer fbfreegifts.com spambot=yes
SetEnvIfNoCase Referer feedouble.com spambot=yes
SetEnvIfNoCase Referer feedouble.net spambot=yes
SetEnvIfNoCase Referer japfm.com spambot=yes
SetEnvIfNoCase Referer joinandplay.me spambot=yes
SetEnvIfNoCase Referer joingames.org spambot=yes
SetEnvIfNoCase Referer iskalko.ru spambot=yes
SetEnvIfNoCase Referer musicprojectfoundation.com spambot=yes
SetEnvIfNoCase Referer myprintscreen.com spambot=yes
SetEnvIfNoCase Referer slftsdybbg.ru spambot=yes
SetEnvIfNoCase Referer edakgfvwql.ru spambot=yes
SetEnvIfNoCase Referer openfrost.com spambot=yes
SetEnvIfNoCase Referer openfrost.net spambot=yes
SetEnvIfNoCase Referer openmediasoft.com spambot=yes
SetEnvIfNoCase Referer serv.clicksor.com spambot=yes
SetEnvIfNoCase Referer socialseet.ru spambot=yes
SetEnvIfNoCase Referer sharebutton.net spambot=yes
SetEnvIfNoCase Referer cityadspix.com spambot=yes
SetEnvIfNoCase Referer screentoolkit.com spambot=yes
SetEnvIfNoCase Referer softomix.com spambot=yes
SetEnvIfNoCase Referer softomix.net spambot=yes
SetEnvIfNoCase Referer softomix.ru spambot=yes
SetEnvIfNoCase Referer gobongo.info spambot=yes
SetEnvIfNoCase Referer myftpupload.com spambot=yes
SetEnvIfNoCase Referer websocial.me spambot=yes
SetEnvIfNoCase Referer luxup.ru spambot=yes

SetEnvIfNoCase Referer ykecwqlixx.ru spambot=yes
SetEnvIfNoCase Referer soundfrost.org spambot=yes
SetEnvIfNoCase Referer seoexperimenty.ru spambot=yes
SetEnvIfNoCase Referer cenokos.ru spambot=yes
SetEnvIfNoCase Referer star61.de spambot=yes
SetEnvIfNoCase Referer superiends.org spambot=yes
SetEnvIfNoCase Referer vapmedia.org spambot=yes
SetEnvIfNoCase Referer econom.co spambot=yes
SetEnvIfNoCase Referer vodkoved.ru spambot=yes
SetEnvIfNoCase Referer adcash.com spambot=yes
SetEnvIfNoCase Referer videofrost.com spambot=yes
SetEnvIfNoCase Referer youtubedownload.org spambot=yes
SetEnvIfNoCase Referer zazagames.org spambot=yes
SetEnvIfNoCase Referer 7makemoneyonline.com spambot=yes
SetEnvIfNoCase Referer ranksonic.info spambot=yes
SetEnvIfNoCase Referer hulfigtonpost.com spambot=yes
SetEnvIfNoCase Referer viandpet.com spambot=yes
SetEnvIfNoCase Referer a-hau.mk spambot=yes
SetEnvIfNoCase Referer cfsrating.sonicwall.com:8080 spambot=yes
SetEnvIfNoCase Referer yougetsignal.com spambot=yes
SetEnvIfNoCase Referer cenoval.ru spambot=yes
SetEnvIfNoCase Referer bestwebsiteawards.com spambot=yes
SetEnvIfNoCase Referer bestwebsitesawards.com spambot=yes
SetEnvIfNoCase Referer simple-share-buttons.com spambot=yes
SetEnvIfNoCase Referer adviceforum.info spambot=yes
SetEnvIfNoCase Referer o-o-6-o-o.com spambot=yes
SetEnvIfNoCase Referer o-o-8-o-o.com spambot=yes
SetEnvIfNoCase Referer humanrightswatch.org spambot=yes
SetEnvIfNoCase Referer smailik.org spambot=yes
SetEnvIfNoCase Referer s.click.aliexpress.com spambot=yes
SetEnvIfNoCase Referer social-buttons.com spambot=yes
SetEnvIfNoCase Referer 4webmasters.org spambot=yes
SetEnvIfNoCase Referer best-seo-offer.com spambot=yes
SetEnvIfNoCase Referer best-seo-solution.com spambot=yes
SetEnvIfNoCase Referer buttons-for-your-website.com spambot=yes
SetEnvIfNoCase Referer www.Get-Free-Traffic-Now.com spambot=yes
SetEnvIfNoCase Referer free-share-buttons.co spambot=yes
SetEnvIfNoCase Referer theguardlan.com spambot=yes
SetEnvIfNoCase Referer googlsucks.com spambot=yes
SetEnvIfNoCase Referer buy-cheap-online.info spambot=yes
SetEnvIfNoCase Referer forum69.info spambot=yes

```
SetEnvIfNoCase Referer meendo-free-traffic. ga spambot=yes
SetEnvIfNoCase Referer www.kabbalah-red-bracelets. com spambot=yes
SetEnvIfNoCase Referer pornhub-forum. ga spambot=yes
SetEnvIfNoCase Referer pornhubforum. tk spambot=yes
SetEnvIfNoCase Referer anal-acrobats. hol. es spambot=yes
SetEnvIfNoCase Referer youporn-forum. ga spambot=yes
SetEnvIfNoCase Referer sexyteens. hol. es spambot=yes
SetEnvIfNoCase Referer amanda-porn. ga spambot=yes
SetEnvIfNoCase Referer generalporn. org spambot=yes
SetEnvIfNoCase Referer depositfiles-porn. ga spambot=yes
SetEnvIfNoCase Referer rapidgator-porn. ga spambot=yes
SetEnvIfNoCase Referer torture. ml spambot=yes
SetEnvIfNoCase Referer domination. ml spambot=yes
SetEnvIfNoCase Referer webmaster-traffic. com spambot=yes
SetEnvIfNoCase Referer youporn-forum. uni. me spambot=yes
SetEnvIfNoCase Referer www.event-tracking. com spambot=yes
SetEnvIfNoCase Referer event-tracking. com spambot=yes
SetEnvIfNoCase Referer free-share-buttons. com spambot=yes
SetEnvIfNoCase Referer free-social-buttons. com spambot=yes
SetEnvIfNoCase Referer guardlink. org spambot=yes
SetEnvIfNoCase Referer redtube-talk. ga spambot=yes
SetEnvIfNoCase Referer sanjosestartups. com spambot=yes
SetEnvIfNoCase Referer trafficmonetize. org spambot=yes
SetEnvIfNoCase Referer siteevaluation. org spambot=yes
SetEnvIfNoCase Referer 100dollars-seo. com spambot=yes
SetEnvIfNoCase Referer dailyrank. net spambot=yes
SetEnvIfNoCase Referer howtostopreferralspam. eu spambot=yes
SetEnvIfNoCase Referer floating-share-buttons. com spambot=yes
SetEnvIfNoCase Referer whattosearch. com spambot=yes
SetEnvIfNoCase Referer zedwars. com spambot=yes
SetEnvIfNoCase Referer sturmans. com. au spambot=yes
SetEnvIfNoCase Referer e-buyeasy. com spambot=yes
SetEnvIfNoCase Referer chinese-amezon. com spambot=yes
    SetEnvIfNoCase Referer 99girls. com spambot=yes
```

```
Order allow,deny
```

```
Allow from all
```

```
Deny from env=spambot
```

```
</ifmodule>
```

```
<IfModule mod_rewrite.c>
```

RewriteCond %{HTTP_REFERER} advair [OR]
RewriteCond %{HTTP_REFERER} allegra [OR]
RewriteCond %{HTTP_REFERER} ambien [OR]
RewriteCond %{HTTP_REFERER} amoxicillin [OR]
RewriteCond %{HTTP_REFERER} baccarat [OR]
RewriteCond %{HTTP_REFERER} bet [OR]
RewriteCond %{HTTP_REFERER} blackjack [OR]
RewriteCond %{HTTP_REFERER} cash [OR]
RewriteCond %{HTTP_REFERER} casino [OR]
RewriteCond %{HTTP_REFERER} celeb [OR]
RewriteCond %{HTTP_REFERER} cheap [OR]
RewriteCond %{HTTP_REFERER} chinese-amazon [OR]
RewriteCond %{HTTP_REFERER} cialis [OR]
RewriteCond %{HTTP_REFERER} craps [OR]
RewriteCond %{HTTP_REFERER} credit [OR]
RewriteCond %{HTTP_REFERER} deal [OR]
RewriteCond %{HTTP_REFERER} debt [OR]
RewriteCond %{HTTP_REFERER} drug [OR]
RewriteCond %{HTTP_REFERER} effexor [OR]
RewriteCond %{HTTP_REFERER} equity [OR]
RewriteCond %{HTTP_REFERER} faxo [OR]
RewriteCond %{HTTP_REFERER} finance [OR]
RewriteCond %{HTTP_REFERER} gambling [OR]
RewriteCond %{HTTP_REFERER} hold-em [OR]
RewriteCond %{HTTP_REFERER} holdem [OR]
RewriteCond %{HTTP_REFERER} iconsurf [OR]
RewriteCond %{HTTP_REFERER} insurance [OR]
RewriteCond %{HTTP_REFERER} interest [OR]
RewriteCond %{HTTP_REFERER} internetsupervision [OR]
RewriteCond %{HTTP_REFERER} keno [OR]
RewriteCond %{HTTP_REFERER} levitra [OR]
RewriteCond %{HTTP_REFERER} lipitor [OR]
RewriteCond %{HTTP_REFERER} loan [OR]
RewriteCond %{HTTP_REFERER} meds [OR]
RewriteCond %{HTTP_REFERER} money [OR]
RewriteCond %{HTTP_REFERER} mortgage [OR]
RewriteCond %{HTTP_REFERER} omaha [OR]
RewriteCond %{HTTP_REFERER} paxil [OR]
RewriteCond %{HTTP_REFERER} pharmacy [OR]
RewriteCond %{HTTP_REFERER} pharmacies [OR]
RewriteCond %{HTTP_REFERER} phentermine [OR]

RewriteCond %{HTTP_REFERER} pheromone [OR]
RewriteCond %{HTTP_REFERER} pills [OR]
RewriteCond %{HTTP_REFERER} poker [OR]
RewriteCond %{HTTP_REFERER} refinance [OR]
RewriteCond %{HTTP_REFERER} roulette [OR]
RewriteCond %{HTTP_REFERER} scout [OR]
RewriteCond %{HTTP_REFERER} seventwentyfour [OR]
RewriteCond %{HTTP_REFERER} slot [OR]
RewriteCond %{HTTP_REFERER} syntryx [OR]
RewriteCond %{HTTP_REFERER} texas [OR]
RewriteCond %{HTTP_REFERER} tournament [OR]
RewriteCond %{HTTP_REFERER} tramadol [OR]
RewriteCond %{HTTP_REFERER} tramadol [OR]
RewriteCond %{HTTP_REFERER} valtrex [OR]
RewriteCond %{HTTP_REFERER} viagra [OR]
RewriteCond %{HTTP_REFERER} vicodin [OR]
RewriteCond %{HTTP_REFERER} win [OR]
RewriteCond %{HTTP_REFERER} xanax [OR]
RewriteCond %{HTTP_REFERER} zanax [OR]
RewriteCond %{HTTP_REFERER} zolofit [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?adult(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?anal(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?blow.?job(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?gay(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?incest(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?mature(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?nude(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?porn(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?pus*y(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?sex(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?teen(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?tits(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?.*(-.)?titten(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?38ha(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?4free(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?4hs8(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?4t(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?4u(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?6q(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?8gold(-.).*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?911(-.).*\$ [OR]

RewriteCond %{HTTP_REFERER} ^http://(www\.)?abalone(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?adminshop(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?adultactioncam(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?aizzo(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?alexa(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?alphacarolinas(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?amateur(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?amateurxpass(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ansar-u-deen(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?atelebanon(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?bestiality(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?bestiality(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?belize(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?best-deals(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?blogincome(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?bontril(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?bruce-holdeman(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?vixen1(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ca-america(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?chatt-net(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?commerce(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?condo(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?conjuratia(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?consolidate(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?coswap(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?crescentarian(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?crepesuzette(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?dating(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?devaddict(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?discount(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?domainsatcost(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?doobu(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?e-site(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?egygift(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?empathica(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?empirepoker(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?e-poker-2005(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?escal8(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?eurip(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?exitq(-|.)*\$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?euemagination(-|.)*\$ [OR]

```
-----  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fastcrawl(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fearcrow(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ferretsoft(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fick(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?finance(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?flafeber(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fidelityfunding(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?freakycheats(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?freeality(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fuck(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?future-2000(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?gabriola(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?gallerylisting(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?gb.com(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?globusy(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?golf-e-course(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?gospel.com(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?gradfinder(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?hasfun(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?herbal(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?hermosa(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?highprofitclub(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?hilton(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?teaminspection(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?hotel(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?houseofseven(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?hurricane(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?iaea(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ime(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?info(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ingyensms(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?inkjet-toner(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?isacommie(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?istarthere(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?it.tt(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?italiancharms(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?iwantu(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?jfcadvocacy(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?jmhic(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?juris(-\.).*$ [OR]  
RewriteCond %{HTTP_REFERER} ^http://(www\.)?kudos(-\.).*$ [OR]
```

```
RewriteCond %{HTTP_REFERER} !http://www.*/img/objects/.*.gif [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?laser-eye(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?leathertree(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?lillystar(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?linkerdome(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?livenet(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?low-limit(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?lowest-price(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?macsurfer(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?mall.uk(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?maloylaw(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?marketing(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?mcdortaklar(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?mediavisor(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?medications(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?mirror.sytes(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?mp3(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?(?!musicbox1(-|\.)).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?naked(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?netdisaster(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?netfirms(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?newtruths(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?no-limit(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?nude(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?nudeceleb(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?nutzu(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?odge(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?oiline(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?onlinegamingassoc(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?outpersonals(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pagetwo(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?paris(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?passions(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?peblog(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?peng(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?perfume-cologne(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?personal(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?php-soft(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pics(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pisoc(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pisx(-|\.).*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?piss(-|\.).*$ [OR]
```

```
RewriteCond %{HTTP_REFERER} !http://(www\.)?popwow(-|.)*$ [OK]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?porn(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?prescriptions(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?printdirectforless(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ps2cool(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?psnarones(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?psxtreme(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?quality-traffic(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?registrarprice(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?reliableresults(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?rimpim(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ro7kalbe(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?rohkalby(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ronnieazza(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?rulo.biz(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?s5(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?samuls(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?searchedu(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?seventyfour(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?seventyfour.$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sex(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sexsearch(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sexsq(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?shoesdiscount(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?site-4u(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?site5(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?slatersdvds(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sm1338(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sms(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?smsportali(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?software(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sortthemesitesby(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?spears(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?spoodles(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sportparent(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?stmaryonline(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?strip(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?suttonjames(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?talk.uk-yankee(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?tecrep-inc(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?teen(-|.)*$ [OR]
```

```
RewriteCond %{HTTP_REFERER} ^http://(www\.)?terashells(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?thatwhichis(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?thorcarlson(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?tmsathai(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?traffixer(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?tranny(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?valeof(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?video(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?vinhas(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?vixen1(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?vpshs(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?vrajitor(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?w3md(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?webdevsquare(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?whois(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?withdrawal(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?worldemal(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?wslp24(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?ws-op(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?xopy(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?xxx(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?yelucie(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?youradulthosting(-|.)*$ [OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?(-|.)*zindagi(-|.)*$ [NC]
RewriteRule .* - [F]
</IfModule>
```