

```
# BEGIN iThemes Security - Ne pas modifier ou supprimer cette ligne
# iThemes Security Config Details: 2
# Activer les fonctionnalités de la liste noire de HackRepair.com - Sécurité > Réglages
> Utilisateurs bannis > Liste noire par défaut
# Start HackRepair.com Blacklist
RewriteEngine on
# Start Abuse Agent Blocking
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*Indy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*NEWT" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Maxthon$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SeaMonkey$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Acunetix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^binlar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BlackWidow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bolt 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BOT for JCE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bot mailto\:craftbot@yahoo\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^casper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^checkprivacy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ChinaClaw" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^clshhttp" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^cmsworldmap" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^comodo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Custo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Default Browser 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^diavol" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DIIBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DISCo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^dotbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Download Demon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^eCatch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EirGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailCollector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailSiphon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailWolf" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Express WebPictures" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^extract" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ExtractorPro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Feedfinder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^flicky" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^g00gle" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetRight" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetWeb\!" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\! Zilla" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\~Ahead\~Got\~It" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^grab" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GrabNet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Grafula" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^harvest" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^HMView" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Stripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InterGET" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Internet Ninja" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetSeer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MI Down tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister Pix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ""nutch" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^planetnetwork" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Website eXtractor" [NC, OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\:\: WWW" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\:\: Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\~-search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lup\~-trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\:\: HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBI der" [NC,OR]
```

```

RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:\Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "YisouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https://(?:[^\./]+\.)?semalt\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https://(?:[^\./]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https://(?:[^\./]+\.)?savetubevideo\.com" [NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Hôtes bannis - Sécurité > Réglages > Utilisateurs bannis
SetEnvIF REMOTE_ADDR "^40\.117\.231\.52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^40\.117\.231\.52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^40\.117\.231\.52$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.200\.12\.114$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.200\.12\.114$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.200\.12\.114$" DenyAccess

SetEnvIF REMOTE_ADDR "^69\.197\.169\.202$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^69\.197\.169\.202$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^69\.197\.169\.202$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.200\.12\.36$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.200\.12\.36$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.200\.12\.36$" DenyAccess

```

```
SetEnvIF REMOTE_ADDR "^173\.208\.169\.50$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^173\.208\.169\.50$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^173\.208\.169\.50$" DenyAccess

SetEnvIF REMOTE_ADDR "^40\.76\.213\.104$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^40\.76\.213\.104$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^40\.76\.213\.104$" DenyAccess

SetEnvIF REMOTE_ADDR "^195\.154\.194\.116$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^195\.154\.194\.116$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^195\.154\.194\.116$" DenyAccess

SetEnvIF REMOTE_ADDR "^195\.154\.191\.105$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^195\.154\.191\.105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^195\.154\.191\.105$" DenyAccess
```

```
<IfModule mod_authz_core.c>
  <RequireAll>
    Require all granted
    Require not env DenyAccess
    Require not ip 40.117.231.52
    Require not ip 91.200.12.114
    Require not ip 69.197.169.202
    Require not ip 91.200.12.36
    Require not ip 173.208.169.50
    Require not ip 40.76.213.104
    Require not ip 195.154.194.116
    Require not ip 195.154.191.105
  </RequireAll>
</IfModule>
```

```
<IfModule !mod_authz_core.c>
  Order allow,deny
  Allow from all
  Deny from env=DenyAccess
  Deny from 40.117.231.52
  Deny from 91.200.12.114
  Deny from 69.197.169.202
  Deny from 91.200.12.36
  Deny from 173.208.169.50
  Deny from 40.76.213.104
  Deny from 195.154.194.116
```

```
Deny from 195.154.191.105
```

```
</IfModule>
```

Protéger les fichiers système - Sécurité > Réglages > Modifications système > Fichiers système

```
<files .htaccess>
```

```
<IfModule mod_authz_core.c>
```

```
Require all denied
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Deny from all
```

```
</IfModule>
```

```
</files>
```

```
<files readme.html>
```

```
<IfModule mod_authz_core.c>
```

```
Require all denied
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Deny from all
```

```
</IfModule>
```

```
</files>
```

```
<files readme.txt>
```

```
<IfModule mod_authz_core.c>
```

```
Require all denied
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Deny from all
```

```
</IfModule>
```

```
</files>
```

```
<files install.php>
```

```
<IfModule mod_authz_core.c>
```

```
Require all denied
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Deny from all
```

```
</IfModule>
```

```
</files>
```

```
<files wp-config.php>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
```

Désactiver l'exploration des répertoires - Sécurité > Réglages > Modifications système
> Exploration des répertoires
Options -Indexes

```
<IfModule mod_rewrite.c>
  RewriteEngine On
```

Protéger les fichiers système - Sécurité > Réglages > Modifications système >
Fichiers système

```
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
RewriteRule ^wp-includes/[^\s]+\.(php|php5|php4|php3|php2|php1|php|phps|phpf|phpm|phpt|phpa|phpn|phpw|phps|phpc|phpo|phpl|phpu|phpv|phpw|phpz|phpai|phpar|phpas|phpbb|phpb|phpc|phpd|phpe|phpf|phpg|phpg2|phpg3|phpg4|phpg5|phpg6|phpg7|phpg8|phpg9|phphtm|phphtml|phpini|phpinfo|phplog|phplog2|phplog3|phplog4|phplog5|phplog6|phplog7|phplog8|phplog9|phplogtest|phplogtest2|phplogtest3|phplogtest4|phplogtest5|phplogtest6|phplogtest7|phplogtest8|phplogtest9|phplogtest10|phplogtest11|phplogtest12|phplogtest13|phplogtest14|phplogtest15|phplogtest16|phplogtest17|phplogtest18|phplogtest19|phplogtest20|phplogtest21|phplogtest22|phplogtest23|phplogtest24|phplogtest25|phplogtest26|phplogtest27|phplogtest28|phplogtest29|phplogtest30|phplogtest31|phplogtest32|phplogtest33|phplogtest34|phplogtest35|phplogtest36|phplogtest37|phplogtest38|phplogtest39|phplogtest40|phplogtest41|phplogtest42|phplogtest43|phplogtest44|phplogtest45|phplogtest46|phplogtest47|phplogtest48|phplogtest49|phplogtest50|phplogtest51|phplogtest52|phplogtest53|phplogtest54|phplogtest55|phplogtest56|phplogtest57|phplogtest58|phplogtest59|phplogtest60|phplogtest61|phplogtest62|phplogtest63|phplogtest64|phplogtest65|phplogtest66|phplogtest67|phplogtest68|phplogtest69|phplogtest70|phplogtest71|phplogtest72|phplogtest73|phplogtest74|phplogtest75|phplogtest76|phplogtest77|phplogtest78|phplogtest79|phplogtest80|phplogtest81|phplogtest82|phplogtest83|phplogtest84|phplogtest85|phplogtest86|phplogtest87|phplogtest88|phplogtest89|phplogtest90|phplogtest91|phplogtest92|phplogtest93|phplogtest94|phplogtest95|phplogtest96|phplogtest97|phplogtest98|phplogtest99|phplogtest100 - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]
```

Désactivez PHP dans Uploads - Sécurité > Réglages > Modifications système > Uploads
RewriteRule ^wp-content/uploads/.+\.php\$ - [NC,F]

Filtrer les méthodes de requête - Sécurité > Réglages > Modifications système >
Méthodes de requête

```
RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
RewriteRule ^.* - [F]
```

Filtrer les requêtes avec des chaînes de caractères suspectes dans l'URL - Sécurité
> Réglages > Modifications système > Requêtes de chaînes de caractères suspectes

```
RewriteCond %{QUERY_STRING} \\.\\.\\. [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(bash|git|hg|log|svn|supl|cvs) [NC,OR]
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} ftp\.: [NC,OR]
```

```

RewriteCond %{QUERY_STRING} http\  [NC,OR]
RewriteCond %{QUERY_STRING} https\  [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C). *script. *(\>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|%3D) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(. *\) [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(%24&x). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(127\. 0). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(global| encode| localhost| loopback). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(request| concat| insert| union| declare). * [NC]
RewriteCond %{QUERY_STRING} !^loggedout=true
RewriteCond %{QUERY_STRING} !^action=jetpack-sso
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in.*$
RewriteCond %{HTTP_REFERER} !^http://maps\. googleapis\. com(. *)$
RewriteRule ^.* - [F]
</IfModule>

<IfModule mod_rewrite.c>
    RewriteEngine On

    # Reduce Comment Spam - Security > Settings > WordPress Tweaks > Comment Spam
    RewriteCond %{REQUEST_METHOD} POST
    RewriteCond %{REQUEST_URI} /wp-comments-post\. php$
    RewriteCond %{HTTP_USER_AGENT} ^$ [OR]
    RewriteCond %{HTTP_REFERER} !^https?://([^\s]+\.)?
ascometal\. com| jetpack\. wordpress\. com/jetpack-comment)(/|$) [NC]
    RewriteRule ^.* - [F]
</IfModule>

# END iThemes Security - Ne pas modifier ou supprimer cette ligne

#####
# GZIP COMPRESSION #
#####
#SetOutputFilter DEFLATE
#AddOutputFilterByType DEFLATE text/html text/css text/plain text/xml application/x-
javascript application/x-httpd-php
#BrowserMatch ^Mozilla/4 gzip-only-text/html
#BrowserMatch ^Mozilla/4\. 0[678] no-gzip
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
#BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip

```

```
# Enable Vary User-Agent for all jpegi png/ gif-gzip
```

```
#Header append Vary User-Agent env=!dont-vary
```

```
# Enable GZIP
```

```
<ifmodule mod_deflate.c>
```

```
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
```

```
application/x-javascript application/javascript
```

```
BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
BrowserMatch ^Mozilla/4\.0[678] no-gzip
```

```
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
</ifmodule>
```

```
# Expires Headers - 2678400s = 31 days
```

```
<ifmodule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 1 seconds"
```

```
ExpiresByType text/html "access plus 7200 seconds"
```

```
ExpiresByType image/gif "access plus 2678400 seconds"
```

```
ExpiresByType image/jpeg "access plus 2678400 seconds"
```

```
ExpiresByType image/png "access plus 2678400 seconds"
```

```
ExpiresByType text/css "access plus 518400 seconds"
```

```
ExpiresByType text/javascript "access plus 2678400 seconds"
```

```
ExpiresByType application/x-javascript "access plus 2678400 seconds"
```

```
</ifmodule>
```

```
# Cache Headers
```

```
<ifmodule mod_headers.c>
```

```
# Cache specified files for 31 days
```

```
<filesmatch "\.(ico|flv|jpg|jpeg|png|gif|css|swf)$">
```

```
Header set Cache-Control "max-age=2678400, public"
```

```
</filesmatch>
```

```
# Cache HTML files for a couple hours
```

```
<filesmatch "\.(html|htm)$">
```

```
Header set Cache-Control "max-age=7200, private, must-revalidate"
```

```
</filesmatch>
```

```
# Cache PDFs for a day
```

```
<filesmatch "\.(pdf)$">
```

```
Header set Cache-Control "max-age=86400, public"
```

```
</filesmatch>
```

```
# Cache Javascripts for 31 days
```

```
<filesmatch "\.(js)$">
```

```
Header set Cache-Control "max-age=2678400, public"
```

```
header set Cache-Control max-age=2676400, private
</filesmatch>
</ifmodule>
```

```
# end GZIP / headers
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /ascometal/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /ascometal/index.php [L]
</IfModule>
```

```
# END WordPress
```