

```
# Use the front controller as index file. It serves as a fallback solution when  
# every other rewrite/redirect fails (e.g. in an aliased environment without  
# mod_rewrite). Additionally, this reduces the matching process for the  
# start page (path "/") because otherwise Apache will apply the rewriting rules  
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).  
DirectoryIndex app.php
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
# Determine the RewriteBase automatically and set it as environment variable.  
# If you are using Apache aliases to do mass virtual hosting or installed the  
# project in a subdirectory, the base path will be prepended to allow proper  
# resolution of the app.php file and to redirect to the correct URI. It will  
# work in environments without path prefix as well, providing a safe, one-size  
# fits all solution. But as you do not need it in this case, you can comment  
# the following 2 lines to eliminate the overhead.
```

```
#RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*)::\2$
```

```
#RewriteRule ^(.*) - [E=BASE:%1]
```

```
# Redirect to URI without front controller to prevent duplicate content  
# (with and without `/app.php`). Only do this redirect on the initial  
# rewrite by Apache and not on subsequent cycles. Otherwise we would get an  
# endless redirect loop (request -> rewrite to front controller ->  
# redirect -> request -> ...).  
# So in case you get a "too many redirects" error or you always get redirected  
# to the start page because your Apache does not expose the REDIRECT_STATUS  
# environment variable, you have 2 choices:  
# - disable this feature by commenting the following 2 lines or  
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the  
#   following RewriteCond (best solution)
```

```
#RewriteCond %{ENV:REDIRECT_STATUS} ^$
```

```
#RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/%2 [R=301,L]
```

```
# If the requested filename exists, simply serve it.  
# We only want to let Apache serve files and not directories.
```

```
#RewriteCond %{REQUEST_FILENAME} -f
```

```
#RewriteRule ^(.*)$ $1 [S=1]
```

```
#RewriteRule .? - [L]

# Rewrite all other queries to the front controller.
#RewriteRule .? %{ENV:BASE}/app.php [L]

# skip "real" requests
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule .* - [QSA, L]

# _wdt
RewriteCond %{REQUEST_URI} ^/_wdt/([^/]+)$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_wdt, E=_ROUTING_param_token:%1, E=_ROUTING_param_about:%2]

# _profiler_home
RewriteCond %{REQUEST_URI} ^/_profiler$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/_profiler/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_home, E=_ROUTING_default__controller:_profiler_home]

# _profiler_search
RewriteCond %{REQUEST_URI} ^/_profiler/search$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_search, E=_ROUTING_default__controller:_profiler_search]

# _profiler_search_bar
RewriteCond %{REQUEST_URI} ^/_profiler/search_bar$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_search_bar, E=_ROUTING_default__controller:_profiler_search_bar]

# _profiler_purge
RewriteCond %{REQUEST_URI} ^/_profiler/purge$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_purge, E=_ROUTING_default__controller:_profiler_purge]

# _profiler_info
RewriteCond %{REQUEST_URI} ^/_profiler/info/([^/]+)$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_info, E=_ROUTING_param_about:%1, E=_ROUTING_param_token:%2]

# _profiler_import
RewriteCond %{REQUEST_URI} ^/_profiler/import$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_import, E=_ROUTING_default__controller:_profiler_import]

# _profiler_export
RewriteCond %{REQUEST_URI} ^/_profiler/export/([^/\.]+)\.txt$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route:_profiler_export, E=_ROUTING_param_about:%1, E=_ROUTING_param_token:%2]
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_export,E=_ROUTING_param_token: ]

# _profiler_phpinfo
RewriteCond %(REQUEST_URI) ^/_profiler/phpinfo$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_phpinfo,E=_ROUTING_default__cor

# _profiler_search_results
RewriteCond %(REQUEST_URI) ^/_profiler/([^/]+)/search/results$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_search_results,E=_ROUTING_param

# _profiler
RewriteCond %(REQUEST_URI) ^/_profiler/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler,E=_ROUTING_param_token: %1,E=R(

# _profiler_router
RewriteCond %(REQUEST_URI) ^/_profiler/([^/]+)/router$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_router,E=_ROUTING_param_token: ]

# _profiler_exception
RewriteCond %(REQUEST_URI) ^/_profiler/([^/]+)/exception$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_exception,E=_ROUTING_param_tok

# _profiler_exception_css
RewriteCond %(REQUEST_URI) ^/_profiler/([^/]+)/exception\.css$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_exception_css,E=_ROUTING_param

# _configurator_home
RewriteCond %(REQUEST_URI) ^/_configurator$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %(REQUEST_URI) ^/_configurator/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_configurator_home,E=_ROUTING_default__c

# _configurator_step
RewriteCond %(REQUEST_URI) ^/_configurator/step/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_configurator_step,E=_ROUTING_param_inde

# _configurator_final
RewriteCond %(REQUEST_URI) ^/_configurator/final$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_configurator_final,E=_ROUTING_default__c

# message_new
```

```
RewriteCond %{REQUEST_URI} ^/message/new$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/message/new/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: message_new, E=_ROUTING_default__controller: Spor

# message_sent
RewriteCond %{REQUEST_URI} ^/message/sent$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/message/sent/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: message_sent, E=_ROUTING_default__controller: Spor

# index
RewriteCond %{REQUEST_URI} ^/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: index, E=_ROUTING_default__controller: Spor

# static_page
RewriteCond %{REQUEST_URI} ^/site/([^/]+)$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: static_page, E=_ROUTING_param_page: %1, E=_ROUTING_default__controller: Spor

# signup
RewriteCond %{REQUEST_URI} ^/user/signup$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/user/signup/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: signup, E=_ROUTING_default__controller: Spor

# login
RewriteCond %{REQUEST_URI} ^/user/login$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/user/login/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: login, E=_ROUTING_default__controller: Spor

# login_check
RewriteCond %{REQUEST_URI} ^/user/login_check$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/user/login_check/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: login_check]

# logout
RewriteCond %{REQUEST_URI} ^/user/logout$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/user/logout/$
```

```

RewriteRule .* app.php [QSA,L,E=_ROUTING_route:logout]

# intro
RewriteCond %{REQUEST_URI} ^/user/intro$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/intro/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:intro,E=_ROUTING_default__controller: Spor

# profile
RewriteCond %{REQUEST_URI} ^/user/profile$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/profile/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:profile,E=_ROUTING_default__controller: Sp

# user_welcome
RewriteCond %{REQUEST_URI} ^/intro/user/welcome$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/intro/user/welcome/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_welcome,E=_ROUTING_default__control

# user_welcome_search
RewriteCond %{REQUEST_URI} ^/intro/user/welcome/search$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/intro/user/welcome/search/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_welcome_search,E=_ROUTING_default__

# user_intro_boards
RewriteCond %{REQUEST_URI} ^/intro/user/boards$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/intro/user/boards/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_intro_boards,E=_ROUTING_default__cor

# user_intro_boards_load
RewriteCond %{REQUEST_URI} ^/intro/user/boards/load/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_intro_boards_load,E=_ROUTING_param_]

# user_publications
RewriteCond %{REQUEST_URI} ^/user/([^/]+)$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_publications,E=_ROUTING_param_userSI

```

### *# user\_publications\_load*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/load/([^/]+)\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_publications\_load, E=\_ROUTING\_param\_u

### *# user\_boards*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/boards\$

RewriteRule .\* \$0/ [QSA, L, R=301]

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/boards/\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_boards, E=\_ROUTING\_param\_userSlug: %1,

### *# user\_boards\_load*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/boards/load/([^/]+)\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_boards\_load, E=\_ROUTING\_param\_userSlu

### *# user\_board\_publications*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/board/([^/]+)\$

RewriteRule .\* \$0/ [QSA, L, R=301]

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/board/([^/]+)/\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_board\_publications, E=\_ROUTING\_param

### *# user\_board\_publications\_load*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/board/([^/]+)/load/([^/]+)\$

RewriteRule .\* app.php

[QSA, L, E=\_ROUTING\_route: user\_board\_publications\_load, E=\_ROUTING\_param\_userSlug: %1, E=\_ROUTING

### *# user\_sports*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/sports\$

RewriteRule .\* \$0/ [QSA, L, R=301]

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/sports/\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_sports, E=\_ROUTING\_param\_userSlug: %1,

### *# user\_sports\_load*

RewriteCond %(REQUEST\_URI) ^/user/([^/]+)/sports/load/([^/]+)\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_sports\_load, E=\_ROUTING\_param\_userSlu

### *# user\_follow\_sport*

RewriteCond %(REQUEST\_URI) ^/sport/([^/]+)/follow\$

RewriteRule .\* \$0/ [QSA, L, R=301]

RewriteCond %(REQUEST\_URI) ^/sport/([^/]+)/follow/\$

RewriteRule .\* app.php [QSA, L, E=\_ROUTING\_route: user\_follow\_sport, E=\_ROUTING\_param\_sport]

### *# user\_unfollow\_sport*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/unfollow$  
RewriteRule .* $0/ [QSA,L,R=301]  
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/unfollow/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_unfollow_sport,E=_ROUTING_param_spor
```

### *# user\_followers*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/followers$  
RewriteRule .* $0/ [QSA,L,R=301]  
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/followers/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_followers,E=_ROUTING_param_userSlug:
```

### *# user\_followers\_load*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/followers/load/([^/]+)/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_followers_load,E=_ROUTING_param_user
```

### *# user\_following*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/following$  
RewriteRule .* $0/ [QSA,L,R=301]  
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/following/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_following,E=_ROUTING_param_userSlug:
```

### *# user\_following\_load*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/following/load/([^/]+)/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_following_load,E=_ROUTING_param_user
```

### *# user\_lists*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/lists$  
RewriteRule .* $0/ [QSA,L,R=301]  
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/lists/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_lists,E=_ROUTING_param_userSlug: %1, E
```

### *# user\_lists\_load*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/lists/load/([^/]+)/$  
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: user_lists_load,E=_ROUTING_param_userSlug:
```

### *# user\_list\_members*

```
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/list/([^/]+)/$  
RewriteRule .* $0/ [QSA,L,R=301]  
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/list/([^/]+)/$
```

```

RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_list_members,E=_ROUTING_param_userSl

# user_list_members_load
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/list/([^/]+)/load/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:user_list_members_load,E=_ROUTING_param_userSlug:%1,E=_ROUTING_param

# user_modal_contact_lists
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/lists/([^/]+)$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/lists/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_modal_contact_lists,E=_ROUTING_param

# user_follow_contact
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/follow$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/follow/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_follow_contact,E=_ROUTING_param_user

# user_unfollow_contact
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/unfollow$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/([^/]+)/unfollow/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_unfollow_contact,E=_ROUTING_param_us

# user_search
RewriteCond %{REQUEST_URI} ^/user/search/search$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/search/search/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_search,E=_ROUTING_default__controlle

# user_search_load
RewriteCond %{REQUEST_URI} ^/user/search/search/load/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_search_load,E=_ROUTING_param_lastEl

# user_search_button
RewriteCond %{REQUEST_URI} ^/user/search/button$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/user/search/button/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:user_search_button,E=_ROUTING_default__co

```

### *# user\_modal\_search*

```
RewriteCond %{REQUEST_URI} ^/user/search/modal\-search$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/user/search/modal\-search/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: user_modal_search, E=_ROUTING_default__cor
```

### *# user\_modal\_search\_reload*

```
RewriteCond %{REQUEST_URI} ^/user/search/reload$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/user/search/reload/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: user_modal_search_reload, E=_ROUTING_def at
```

### *# user\_modal\_onload*

```
RewriteCond %{REQUEST_URI} ^/user/search/onload$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/user/search/onload/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: user_modal_onload, E=_ROUTING_default__cor
```

### *# sport\_checked*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_checked, E=_ROUTING_param_sportId: %1
```

### *# sport\_menu\_elements*

```
RewriteCond %{REQUEST_URI} ^/sport/menu/elements$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/sport/menu/elements/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_menu_elements, E=_ROUTING_default__c
```

### *# usersport\_checked*

```
RewriteCond %{REQUEST_URI} ^/usersport/([^/]+)$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/usersport/([^/]+)/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: usersport_checked, E=_ROUTING_param_userSp
```

### *# usersport\_menu\_elements*

```
RewriteCond %{REQUEST_URI} ^/usersport/menu/elements$  
RewriteRule .* $0/ [QSA, L, R=301]  
RewriteCond %{REQUEST_URI} ^/usersport/menu/elements/$  
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: usersport_menu_elements, E=_ROUTING_defaul
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_publications, E=_ROUTING_param_sport
```

### *# sport\_publications*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/publications$
```

```
RewriteRule .* $0/ [QSA, L, R=301]
```

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/publications/$
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_publications, E=_ROUTING_param_sport
```

### *# sport\_publications\_load*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/publications/load/([^/]+$)
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_publications_load, E=_ROUTING_param
```

### *# sport\_modality\_publications*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/publications/modality/([^/]+$)
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_modality_publications, E=_ROUTING_p
```

### *# sport\_modality\_publications\_load*

```
RewriteCond %{REQUEST_URI} ^/sport/([^/]+)/([^/]+)/publications/load/([^/]+$)
```

```
RewriteRule .* app.php
```

```
[QSA, L, E=_ROUTING_route: sport_modality_publications_load, E=_ROUTING_param_sportId: %1, E=_ROU
```

### *# sport\_welcome*

```
RewriteCond %{REQUEST_URI} ^/intro/sport/welcome$
```

```
RewriteRule .* $0/ [QSA, L, R=301]
```

```
RewriteCond %{REQUEST_URI} ^/intro/sport/welcome/$
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_welcome, E=_ROUTING_default__contr
```

### *# sport\_welcome\_load*

```
RewriteCond %{REQUEST_URI} ^/intro/sport/welcome/load/([^/]+$)
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_welcome_load, E=_ROUTING_param_last
```

### *# sport\_search*

```
RewriteCond %{REQUEST_URI} ^/search/sport/search$
```

```
RewriteRule .* $0/ [QSA, L, R=301]
```

```
RewriteCond %{REQUEST_URI} ^/search/sport/search/$
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_search, E=_ROUTING_default__control
```

### *# sport\_search\_button*

```
RewriteCond %{REQUEST_URI} ^/sport/search/button$
```

```
RewriteRule .* $0/ [QSA, L, R=301]
```

```
RewriteCond %{REQUEST_URI} ^/sport/search/button/$
```

```
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: sport_search_button, E=_ROUTING_default__
```

```

RewriteRule .* app.php [QSH,L,E=_ROUTING_route:sport_search_button,E=_ROUTING_default__cont

# sport_search_load
RewriteCond %{REQUEST_URI} ^/sport/search/load/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:sport_search_load,E=_ROUTING_param_lastEl

# publication_load
RewriteCond %{REQUEST_URI} ^/publication/load/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_load,E=_ROUTING_param_lastEl

# publication_new
RewriteCond %{REQUEST_URI} ^/publication/new$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/new/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_new,E=_ROUTING_default__contr

# publication_edit
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/edit$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/edit/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_edit,E=_ROUTING_param_publici

# publication_modal_share
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-share$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-share/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_modal_share,E=_ROUTING_param

# publication_share
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/share$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/share/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_share,E=_ROUTING_param_publici

# publication_unshare
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/unshare$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/unshare/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_unshare,E=_ROUTING_param_publici

# publication_modal_save
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal/save$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal/save/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:publication_modal_save,E=_ROUTING_param_publici

```

```

RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-save$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-save/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_modal_save, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3]

# publication_save
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/board/([^/]+)/save$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/board/([^/]+)/save/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_save, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3]

# publication_delete
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/delete$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/delete/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_delete, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3]

# publication_modal_comments
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-comments$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/modal\-comments/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_modal_comments, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3]

# publication_comment_delete
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/comment/([^/]+)/delete$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/([^/]+)/comment/([^/]+)/delete/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_comment_delete, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3, E=_ROUTING_param_publication_comment_id: %4]

# publication_search
RewriteCond %{REQUEST_URI} ^/publication/search$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/search/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_search, E=_ROUTING_default__content: %1]

# publication_search_load
RewriteCond %{REQUEST_URI} ^/publication/search/load/([^/]+)$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_search_load, E=_ROUTING_param_publication_id: %1, E=_ROUTING_param_publication_title: %2, E=_ROUTING_param_publication_content: %3]

# publication_search_button

```

```

RewriteCond %{REQUEST_URI} ^/publication/search\-button$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/publication/search\-button/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: publication_search_button, E=_ROUTING_def:

# app_modal_add_object
RewriteCond %{REQUEST_URI} ^/modal\-add\-object$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/modal\-add\-object/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: app_modal_add_object, E=_ROUTING_def: default__

# app_modal_onload
RewriteCond %{REQUEST_URI} ^/modal\-onload$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/modal\-onload/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: app_modal_onload, E=_ROUTING_def: default__cont

# modality_checked
RewriteCond %{REQUEST_URI} ^/modality/([^\/]++)$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/modality/([^\/]++)/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: modality_checked, E=_ROUTING_param: modality

# modality_menu_elements
RewriteCond %{REQUEST_URI} ^/modality/menu/elements$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/modality/menu/elements/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: modality_menu_elements, E=_ROUTING_def: default

# list_checked
RewriteCond %{REQUEST_URI} ^/list/([^\/]++)$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/list/([^\/]++)/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: list_checked, E=_ROUTING_param: listId: %1, E

# list_menu_elements
RewriteCond %{REQUEST_URI} ^/list/menu/elements$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %{REQUEST_URI} ^/list/menu/elements/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: list_menu_elements, E=_ROUTING_def: default__cont

```

```
# list_new
RewriteCond %{REQUEST_URI} ^/list/list/new$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/list/new/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_new,E=_ROUTING_default__controller:]

# list_new_from_contact
RewriteCond %{REQUEST_URI} ^/list/new/([^/]+)$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/new/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_new_from_contact,E=_ROUTING_param_c]

# list_edit
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/edit$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/edit/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_edit,E=_ROUTING_param_listId:%1,E=f]

# list_advice
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/advice$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/advice/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_advice,E=_ROUTING_param_listId:%1,E=f]

# list_delete
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/delete$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/delete/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_delete,E=_ROUTING_param_listId:%1,E=f]

# list_add_member
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/add/([^/]+)$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/add/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_add_member,E=_ROUTING_param_listId:%1,E=f]

# list_delete_member
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/delete/([^/]+)$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/list/([^/]+)/delete/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:list_delete_member,E=_ROUTING_param_listId:%1,E=f]
```

```
# category_checked
RewriteCond %(REQUEST_URI) ^/category/([^/]+)$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/category/([^/]+)/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: category_checked, E=_ROUTING_param_categor

# category_menu_elements
RewriteCond %(REQUEST_URI) ^/category/menu/elements$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/category/menu/elements/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: category_menu_elements, E=_ROUTING_default

# board_new
RewriteCond %(REQUEST_URI) ^/board/new$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/board/new/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: board_new, E=_ROUTING_default__controller:

# board_edit
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/edit$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/edit/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: board_edit, E=_ROUTING_param_boardId: %1, E=

# board_advice
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/advice$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/advice/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: board_advice, E=_ROUTING_param_boardId: %1,

# board_delete
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/delete$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/delete/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: board_delete, E=_ROUTING_param_boardId: %1,

# board_simple_form
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/simple-form$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/board/([^/]+)/simple-form/$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: board_simple_form,E=_ROUTING_param_board]

# board_new_from_combo
RewriteCond %{REQUEST_URI} ^/board/new\-simple$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/board/new\-simple/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: board_new_from_combo,E=_ROUTING_default_]
</IfModule>

<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
    # When mod_rewrite is not available, we instruct a temporary redirect of
    # the start page to the front controller explicitly so that the website
    # and the generated links can still be used.
    RedirectMatch 302 ^/$ /app.php/
    # RedirectTemp cannot be used instead
  </IfModule>
</IfModule>
```