

```

<IfModule mod_rewrite.c>
    RewriteEngine On

    #<IfModule mod_vhost_alias.c>
    #    RewriteBase /
    #</IfModule>

    # skip "real" requests
    RewriteCond %{REQUEST_FILENAME} -f
    RewriteRule .* - [QSA, L]

    # _wdt
    RewriteCond %{REQUEST_URI} ^/_wdt/([^/]+)$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_wdt, E=_ROUTING_token:%1, E=_ROUTING_DEFAULTS__co

    # _profiler_search
    RewriteCond %{REQUEST_URI} ^/_profiler/search$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_search, E=_ROUTING_DEFAULTS__co

    # _profiler_purge
    RewriteCond %{REQUEST_URI} ^/_profiler/purge$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_purge, E=_ROUTING_DEFAULTS__cor

    # _profiler_info
    RewriteCond %{REQUEST_URI} ^/_profiler/info/([^/]+)$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_info, E=_ROUTING_about:%1, E=_R

    # _profiler_import
    RewriteCond %{REQUEST_URI} ^/_profiler/import$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_import, E=_ROUTING_DEFAULTS__co

    # _profiler_export
    RewriteCond %{REQUEST_URI} ^/_profiler/export/([^\\. ]+)\.txt$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_export, E=_ROUTING_token:%1, E=

    # _profiler_phpinfo
    RewriteCond %{REQUEST_URI} ^/_profiler/phpinfo$
    RewriteRule .* app.php [QSA, L, E=_ROUTING__route:_profiler_phpinfo, E=_ROUTING_DEFAULTS__co

    # _profiler_search_results
    RewriteCond %{REQUEST_URI} ^/_profiler/search/([^/]+)\/search\/results$

```

```

RewriteCond %{REQUEST_URI} ^/_profiler/(.*)/search/results$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_profiler_search_results,E=_ROUTING_token: %1,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ProfilerController]

# _profiler
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_profiler,E=_ROUTING_token: %1,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ProfilerController]

# _profiler_redirect
RewriteCond %{REQUEST_URI} ^/_profiler$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/_profiler/$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_profiler_redirect,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ProfilerController]

# _configurator_home
RewriteCond %{REQUEST_URI} ^/_configurator$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/_configurator/$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_configurator_home,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ConfiguratorController]

# _configurator_step
RewriteCond %{REQUEST_URI} ^/_configurator/step/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_configurator_step,E=_ROUTING_index: %1,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ConfiguratorController]

# _configurator_final
RewriteCond %{REQUEST_URI} ^/_configurator/final$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_configurator_final,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\ConfiguratorController]

# homepage
RewriteCond %{REQUEST_URI} ^/$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:homepage,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\HomepageController]

# admin_menu_categoria
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:admin_menu_categoria,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\AdminMenuController]

# admin_menu_categoria_filter
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/filter$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_POST:1]
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/filter$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:admin_menu_categoria_filter,E=_ROUTING_DEFAULTS__controller: Symfony\Bundle\FrameworkBundle\Controller\AdminMenuController]

```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_filter,E=_ROUTING_ID]

# admin_menu_categoria_show
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_show,E=_ROUTING_id]

# admin_menu_categoria_new
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_new,E=_ROUTING_DEFAULTS__cor]

# admin_menu_categoria_edit
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_edit,E=_ROUTING_id]

# admin_menu_categoria_delete
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_delete,E=_ROUTING_ID]

# admin_menu_categoria_batch
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/batch$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_batch,E=_ROUTING_DEFAULTS__cor]

# admin_menu_categoria_changemaxperpage
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/changemaxperpage$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_changemaxperpage,E=_ROUTING_DEFAULTS__cor]

# admin_menu_categoria_sort
RewriteCond %{REQUEST_URI} ^/admin/menu/categoria/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_categoria_sort,E=_ROUTING_fecha: %1,E=_ROUTING_ID]

# admin_dashboard
RewriteCond %{REQUEST_URI} ^/admin/dashboard$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_dashboard,E=_ROUTING_DEFAULTS__cor]

# core_plan_default_index
RewriteCond %{REQUEST_URI} ^/$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: core_plan_default_index,E=_ROUTING_DEFAULTS__cor]

# plan_show
RewriteCond %{REQUEST_URI} ^/ofertas/([^/]+)/$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: plan_show,E=_ROUTING_fecha: %1,E=_ROUTING_ID]
```

admin_menu

RewriteCond %{REQUEST_URI} ^/admin/menu\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu,E=_ROUTING_DEFAULTS__control]

admin_menu_filter

RewriteCond %{REQUEST_URI} ^/admin/menu/filter\$

RewriteCond %{REQUEST_METHOD} !^(POST)\$ [NC]

RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]

RewriteCond %{REQUEST_URI} ^/admin/menu/filter\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_filter,E=_ROUTING_DEFAULTS__control]

admin_menu_show

RewriteCond %{REQUEST_URI} ^/admin/menu/([^/]+)/show\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_show,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_menu_new

RewriteCond %{REQUEST_URI} ^/admin/menu/new\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_new,E=_ROUTING_DEFAULTS__control]

admin_menu_edit

RewriteCond %{REQUEST_URI} ^/admin/menu/([^/]+)/edit\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_edit,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_menu_delete

RewriteCond %{REQUEST_URI} ^/admin/menu/([^/]+)/delete\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_delete,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_menu_batch

RewriteCond %{REQUEST_URI} ^/admin/menu/batch\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_batch,E=_ROUTING_DEFAULTS__control]

admin_menu_changemaxperpage

RewriteCond %{REQUEST_URI} ^/admin/menu/changemaxperpage\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_changemaxperpage,E=_ROUTING_DEFAULTS__control]

admin_menu_sort

RewriteCond %{REQUEST_URI} ^/admin/menu/([^/]+)/([^/]+)/short\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_menu_sort,E=_ROUTING_field: %1,E=_ROUTING_DEFAULTS__control]

menu_show

```

RewriteCond %{REQUEST_URI} ^/menu/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: menu_show,E=_ROUTING_slug: %1,E=_ROUTING_

# admin_momento
RewriteCond %{REQUEST_URI} ^/admin/momento$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento,E=_ROUTING_DEFAULTS__contr

# admin_momento_filter
RewriteCond %{REQUEST_URI} ^/admin/momento/filter$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/admin/momento/filter$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_filter,E=_ROUTING_DEFAULTS__

# admin_momento_show
RewriteCond %{REQUEST_URI} ^/admin/momento/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_show,E=_ROUTING_id: %1,E=_f

# admin_momento_new
RewriteCond %{REQUEST_URI} ^/admin/momento/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_new,E=_ROUTING_DEFAULTS__c

# admin_momento_edit
RewriteCond %{REQUEST_URI} ^/admin/momento/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_edit,E=_ROUTING_id: %1,E=_f

# admin_momento_delete
RewriteCond %{REQUEST_URI} ^/admin/momento/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_delete,E=_ROUTING_id: %1,E=

# admin_momento_batch
RewriteCond %{REQUEST_URI} ^/admin/momento/batch$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_batch,E=_ROUTING_DEFAULTS__

# admin_momento_changemaxperpage
RewriteCond %{REQUEST_URI} ^/admin/momento/changemaxperpage$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_changemaxperpage,E=_ROUTING

# admin_momento_sort
RewriteCond %{REQUEST_URI} ^/admin/momento/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_momento_sort,E=_ROUTING_field: %1,E=

```

admin_plan

RewriteCond %(REQUEST_URI) ^/admin/plan\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan,E=_ROUTING_DEFAULTS__control]

admin_plan_filter

RewriteCond %(REQUEST_URI) ^/admin/plan/filter\$

RewriteCond %(REQUEST_METHOD) !^(POST)\$ [NC]

RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]

RewriteCond %(REQUEST_URI) ^/admin/plan/filter\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_filter,E=_ROUTING_DEFAULTS__control]

admin_plan_list_compra

RewriteCond %(REQUEST_URI) ^/admin/plan/([^/]+)/lista\~compra\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_list_compra,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_plan_show

RewriteCond %(REQUEST_URI) ^/admin/plan/([^/]+)/show\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_show,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_plan_new

RewriteCond %(REQUEST_URI) ^/admin/plan/new\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_new,E=_ROUTING_DEFAULTS__control]

admin_plan_edit

RewriteCond %(REQUEST_URI) ^/admin/plan/([^/]+)/edit\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_edit,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_plan_delete

RewriteCond %(REQUEST_URI) ^/admin/plan/([^/]+)/delete\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_delete,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_plan_batch

RewriteCond %(REQUEST_URI) ^/admin/plan/batch\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_batch,E=_ROUTING_DEFAULTS__control]

admin_plan_changemaxperpage

RewriteCond %(REQUEST_URI) ^/admin/plan/changemaxperpage\$

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_changemaxperpage,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control]

admin_plan_sort

```
RewriteCond %{REQUEST_URI} ^/admin/plan/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plan_sort,E=_ROUTING_field: %1,E=]

# admin_add_plan_momento
RewriteCond %{REQUEST_URI} ^/admin/plan/plan\-momento/([^/]+)/([^/]+)/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_add_plan_momento,E=_ROUTING_id_pla:

# admin_delete_plan_momento
RewriteCond %{REQUEST_URI} ^/admin/plan/plan\-momento/([^/]+)/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_delete_plan_momento,E=_ROUTING_id:

# sitio_page
RewriteCond %{REQUEST_URI} ^/sitio/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: sitio_page,E=_ROUTING_page: %1,E=_ROUTING:

# buscador
RewriteCond %{REQUEST_URI} ^/buscar$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: buscador,E=_ROUTING_DEFAULTS__controller:

# admin_ingrediente_categoria
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria,E=_ROUTING_I:

# admin_ingrediente_categoria_filter
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/filter$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/filter$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_filter,E=_R:

# admin_ingrediente_categoria_show
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_show,E=_ROU:

# admin_ingrediente_categoria_new
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_new,E=_ROUT:

# admin_ingrediente_categoria_edit
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_edit,E=_ROU:
```

```
# admin_ingrediente_categoria_delete
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/([^/]+)/delete$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_delete,E=RO
```

```
# admin_ingrediente_categoria_batch
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/batch$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_batch,E=RO
```

```
# admin_ingrediente_categoria_changemaxperpage
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/changemaxperpage$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_changemaxper
```

```
# admin_ingrediente_categoria_sort
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/categoria/([^/]+)/([^/]+)/short$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_categoria_sort,E=ROU
```

```
# plato_show
```

```
RewriteCond %{REQUEST_URI} ^/menu/([^/]+)/plato/([^/]+$)
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: plato_show,E=_ROUTING_menu_slug: %1,E=RO
```

```
# plato_show_simple
```

```
RewriteCond %{REQUEST_URI} ^/plato/([^/]+$)
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: plato_show_simple,E=_ROUTING_slug: %1,E=
```

```
# rss_plato
```

```
RewriteCond %{REQUEST_URI} ^/platos\.rss$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: rss_plato,E=_ROUTING_DEFAULTS__controlle
```

```
# admin_ingrediente
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente,E=_ROUTING_DEFAULTS__c
```

```
# admin_ingrediente_filter
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/filter$
```

```
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]
```

```
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/filter$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_filter,E=_ROUTING_DEFF
```

```
# admin_ingrediente_show
```



```

# admin_ingrediente_show
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_show,E=_ROUTING_id: %1,

# admin_ingrediente_new
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_new,E=_ROUTING_DEFAULTS__control

# admin_ingrediente_edit
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_edit,E=_ROUTING_id: %1,

# admin_ingrediente_delete
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_delete,E=_ROUTING_id: %1,

# admin_ingrediente_batch
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/batch$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_batch,E=_ROUTING_DEFAULTS__control

# admin_ingrediente_changemaxperpage
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/changemaxperpage$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_changemaxperpage,E=_ROUTING_id: %1,

# admin_ingrediente_sort
RewriteCond %{REQUEST_URI} ^/admin/ingrediente/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_ingrediente_sort,E=_ROUTING_field: %2,

# admin_plato
RewriteCond %{REQUEST_URI} ^/admin/plato$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato,E=_ROUTING_DEFAULTS__control

# admin_plato_filter
RewriteCond %{REQUEST_URI} ^/admin/plato/filter$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/admin/plato/filter$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_filter,E=_ROUTING_DEFAULTS__control

# admin_plato_show
RewriteCond %{REQUEST_URI} ^/admin/plato/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_show,E=_ROUTING_id: %1,E=_ROUTING_DEFAULTS__control

```

```

RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_new,E=_ROUTING_DEFAULTS__cor

# admin_plato_new
RewriteCond %{REQUEST_URI} ^/admin/plato/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_new,E=_ROUTING_DEFAULTS__cor

# admin_plato_edit
RewriteCond %{REQUEST_URI} ^/admin/plato/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_edit,E=_ROUTING_id: %1,E=RO

# admin_plato_delete
RewriteCond %{REQUEST_URI} ^/admin/plato/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_delete,E=_ROUTING_id: %1,E=

# admin_plato_batch
RewriteCond %{REQUEST_URI} ^/admin/plato/batch$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_batch,E=_ROUTING_DEFAULTS__c

# admin_plato_changemaxperpage
RewriteCond %{REQUEST_URI} ^/admin/plato/changemaxperpage$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_changemaxperpage,E=_ROUTING

# admin_plato_sort
RewriteCond %{REQUEST_URI} ^/admin/plato/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_plato_sort,E=_ROUTING_field: %1,E=

# core_user_default_index
RewriteCond %{REQUEST_URI} ^/hello/([^/]+$)
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: core_user_default_index,E=_ROUTING_name:

# admin_user
RewriteCond %{REQUEST_URI} ^/admin/user$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user,E=_ROUTING_DEFAULTS__control

# admin_user_filter
RewriteCond %{REQUEST_URI} ^/admin/user/filter$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/admin/user/filter$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_filter,E=_ROUTING_DEFAULTS__c

# admin_user_show

```

```

# admin_user_show
RewriteCond %{REQUEST_URI} ^/admin/user/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_show,E=_ROUTING_id: %1,E=_ROUTING_field: %2]

# admin_user_new
RewriteCond %{REQUEST_URI} ^/admin/user/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_new,E=_ROUTING_DEFAULTS__content: %1,E=_ROUTING_id: %2,E=_ROUTING_field: %3]

# admin_user_edit
RewriteCond %{REQUEST_URI} ^/admin/user/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_edit,E=_ROUTING_id: %1,E=_ROUTING_field: %2]

# admin_user_delete
RewriteCond %{REQUEST_URI} ^/admin/user/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_delete,E=_ROUTING_id: %1,E=_ROUTING_field: %2]

# admin_user_batch
RewriteCond %{REQUEST_URI} ^/admin/user/batch$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_batch,E=_ROUTING_DEFAULTS__content: %1,E=_ROUTING_id: %2,E=_ROUTING_field: %3]

# admin_user_changemaxperpage
RewriteCond %{REQUEST_URI} ^/admin/user/changemaxperpage$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_changemaxperpage,E=_ROUTING_id: %1,E=_ROUTING_field: %2]

# admin_user_sort
RewriteCond %{REQUEST_URI} ^/admin/user/([^/]+)/([^/]+)/short$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: admin_user_sort,E=_ROUTING_field: %1,E=_ROUTING_id: %2,E=_ROUTING_field2: %3]

# fos_user_security_login
RewriteCond %{REQUEST_URI} ^/admin/login$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: fos_user_security_login,E=_ROUTING_DEFAULTS__content: %1,E=_ROUTING_id: %2,E=_ROUTING_field: %3]

# fos_user_security_check
RewriteCond %{REQUEST_URI} ^/admin/login_check$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: fos_user_security_check]

# fos_user_security_logout
RewriteCond %{REQUEST_URI} ^/admin/logout$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: fos_user_security_logout]

# _image_list_admin
RewriteCond %{REQUEST_URI} ^/admin/image/list$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route: _image_list_admin,E=_ROUTING_id: %1,E=_ROUTING_field: %2]

```

```
RewriteCond %(REQUEST_URI) ^/media/cache/list_admin/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/list_admin/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_list_admin,E=_ROUTING_path:%1,E=]

# _image_list_front
RewriteCond %(REQUEST_URI) ^/media/cache/list_front/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/list_front/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_list_front,E=_ROUTING_path:%1,E=]

# _image_list_miniatuira_front
RewriteCond %(REQUEST_URI) ^/media/cache/list_miniatuira_front/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/list_miniatuira_front/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_list_miniatuira_front,E=_ROUTING_path:%1,E=]

# _image_show_menor_front
RewriteCond %(REQUEST_URI) ^/media/cache/show_menor_front/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/show_menor_front/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_show_menor_front,E=_ROUTING_path:%1,E=]

# _image_show_front
RewriteCond %(REQUEST_URI) ^/media/cache/show_front/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/show_front/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_show_front,E=_ROUTING_path:%1,E=]

# _image_destacado_front
RewriteCond %(REQUEST_URI) ^/media/cache/destacado_front/(.+)$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/media/cache/destacado_front/(.+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:_image_destacado_front,E=_ROUTING_path:%1,E=]
```

```
# 405 Method Not Allowed
RewriteCond %{_ROUTING__allow_POST} !-z [OR]
RewriteCond %{_ROUTING__allow_GET} !-z [OR]
RewriteCond %{_ROUTING__allow_HEAD} !-z
RewriteRule .* app.php [QSA,L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.*)$ app.php [QSA,L]
</IfModule>
```