

RewriteEngine On

GENERAL

RewriteCond %{HTTPS} !=off

RewriteRule ^latest/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^latest/([^/]+)/([^/]+)/?\$ latest.php?limit=\$1&sort=\$2 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^latest/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^latest/([^/]+)/?\$ latest.php?limit=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^latest/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^latest/?\$ latest.php [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^newest/([^/]+)/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^newest/([^/]+)/([^/]+)/([^/]+)/?\$ newest.php?category=\$1&limit=\$2&sort=\$3 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^newest/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^newest/([^/]+)/([^/]+)/?\$ newest.php?category=\$1&limit=\$2 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^newest/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^newest/([^/]+)/?\$ newest.php?category=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^newest/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^newest/?\$ newest.php [L,NC]

```
RewriteCond %{HTTPS} !=off
RewriteRule ^highlights/table/([^/]+)/([^/]+)/?$ http://%{SERVER_NAME}%{REQUEST_URI}
[R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^highlights/table/([^/]+)/([^/]+)/?$ highlights-table.php?limit=$1&sort=$2
[L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^highlights/table/([^/]+)/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^highlights/table/([^/]+)/?$ highlights-table.php?limit=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^highlights/table/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^highlights/table/?$ highlights-table.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^highlights/([^/]+)/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^highlights/([^/]+)/?$ highlights-display.php?limit=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^highlights/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^highlights/?$ highlights-display.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^about/tv/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^about/tv/?$ about-tv.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^about/map/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^about/map/?$ about-map.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^about/export/?$ http://%{SERVER_NAME}%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^about/export(/?)$ about-export.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^about(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^about(/?)$ about.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^sitemap/([^\s/]+)(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^sitemap/([^\s/]+)(/?)$ sitemap.php?type=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^sitemap(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^sitemap(/?)$ sitemap.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^tv/([^\s/]+)(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^tv/([^\s/]+)(/?)$ tv.php?q=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^tv(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^tv(/?)$ tv.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^redirect/([^\s/]+)(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^redirect/([^\s/]+)(/?)$ redirect.php?flightaware_id=$1 [L, NC]

##### LIVE #####

RewriteCond %{HTTPS} !=off
RewriteRule ^live/geojson(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^live/geojson(/?)$ live-geojson.php [L, NC]

##### SEARCH #####
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^search/csv(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/csv(/?)$ search-csv.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/json(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/json(/?)$ search-json.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/xml(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/xml(/?)$ search-xml.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/rss(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/rss(/?)$ search-rss.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/kml(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/kml(/?)$ search-kml.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/geojson(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/geojson(/?)$ search-geojson.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/yaml(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/yaml(/?)$ search-yaml.php [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^search/php(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^search/php(/?)$ search-php.php [L,NC]

RewriteCond %{HTTPS} !=off
```

RewriteRule ^search/wkt(/?)\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^search/wkt(/?)\$ search-wkt.php [L,NC]

RewriteCond %(HTTPS) !=off

RewriteRule ^search/gpx(/?)\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^search/gpx(/?)\$ search-gpx.php [L,NC]

RewriteCond %(HTTPS) !=off

RewriteRule ^search/georss(/?)\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^search/georss(/?)\$ search-georss.php [L,NC]

RewriteCond %(HTTPS) !=off

RewriteRule ^search(/?)\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^search(/?)\$ search.php [L,NC]

AIRPORT

RewriteCond %(HTTPS) !=off

RewriteRule ^airport/statistics/aircraft/([^/]+)/?\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^airport/statistics/aircraft/([^/]+)/?\$ airport-statistics-aircraft.php?airport=\$1 [L,NC]

RewriteCond %(HTTPS) !=off

RewriteRule ^airport/statistics/registration/([^/]+)/?\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^airport/statistics/registration/([^/]+)/?\$ airport-statistics-registration.php?airport=\$1 [L,NC]

RewriteCond %(HTTPS) !=off

RewriteRule ^airport/statistics/manufacturer/([^/]+)/?\$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]

RewriteCond %(HTTPS) =off

RewriteRule ^airport/statistics/manufacturer/([^/]+)/?\$ airport-statistics-manufacturer.php?airport=\$1 [L,NC]

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/airline/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI}
[R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/airline/([^/]+)(/)?$ airport-statistics-airline.php?
airport=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/airline-country/([^/]+)(/)?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/airline-country/([^/]+)(/)?$ airport-statistics-airline-
country.php?airport=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/departure-airport/([^/]+)(/)?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/departure-airport/([^/]+)(/)?$ airport-statistics-
departure-airport.php?airport=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/departure-airport-country/([^/]+)(/)?$ http://%
{SERVER_NAME}%{REQUEST_URI} [R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/departure-airport-country/([^/]+)(/)?$ airport-statistics-
departure-airport-country.php?airport=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/arrival-airport/([^/]+)(/)?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/arrival-airport/([^/]+)(/)?$ airport-statistics-arrival-
airport.php?airport=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^airport/statistics/arrival-airport-country/([^/]+)(/)?$ http://%
{SERVER_NAME}%{REQUEST_URI} [R,NC]
```

```
RewriteCond %{HTTPS} =off
RewriteRule ^airport/statistics/arrival-airport-country/([^/]+)(/)?$ airport-statistics-
```

arrival-airport-country.php?airport=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/statistics/time/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/statistics/time/([^/]+)/?\$ airport-statistics-time.php?airport=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/statistics/route/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/statistics/route/([^/]+)/?\$ airport-statistics-route.php?airport=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/([^/]+)/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/([^/]+)/([^/]+)/([^/]+)/?\$ airport-detailed.php?airport=\$1&limit=\$2&sort=\$3 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/([^/]+)/([^/]+)/?\$ airport-detailed.php?airport=\$1&limit=\$2 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/([^/]+)/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/([^/]+)/?\$ airport-detailed.php?airport=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^airport/?\$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^airport/?\$ airport.php [L, NC]

COUNTRY

RewriteCond %{HTTPS} !=off

```
RewriteRule ^country/statistics/aircraft/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI)
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/aircraft/([^/]+)/?$ country-statistics-aircraft.php?
country=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^country/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%(
REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/registration/([^/]+)/?$ country-statistics-
registration.php?country=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^country/statistics/manufacturer/([^/]+)/?$ http://%(SERVER_NAME)%(
REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/manufacturer/([^/]+)/?$ country-statistics-
manufacturer.php?country=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^country/statistics/airline/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI)
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/airline/([^/]+)/?$ country-statistics-airline.php?
country=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^country/statistics/airline-country/([^/]+)/?$ http://%(SERVER_NAME)%(
REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/airline-country/([^/]+)/?$ country-statistics-airline-
country.php?country=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^country/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%(
REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^country/statistics/departure-airport/([^/]+)/?$ country-statistics-
departure-airport.php?country=$1 [L,NC]
```



```
RewriteCond %{HTTPS} !=off
RewriteRule ^country/statistics/departure-airport-country/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/statistics/departure-airport-country/([^/]+)(/)?$ country-statistics-departure-airport-country.php?country=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^country/statistics/arrival-airport/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/statistics/arrival-airport/([^/]+)(/)?$ country-statistics-arrival-airport.php?country=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^country/statistics/arrival-airport-country/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/statistics/arrival-airport-country/([^/]+)(/)?$ country-statistics-arrival-airport-country.php?country=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^country/statistics/time/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/statistics/time/([^/]+)(/)?$ country-statistics-time.php?country=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^country/statistics/route/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/statistics/route/([^/]+)(/)?$ country-statistics-route.php?country=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^country/([^/]+)/([^/]+)/([^/]+)(/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^country/([^/]+)/([^/]+)/([^/]+)(/)?$ country-detailed.php?country=$1&limit=$2&sort=$3 [L,NC]
```

```
country.php?country=$1&limit=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^country/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^country/([^/]+)/([^/]+)/?$ country-detailed.php?country=$1&limit=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^country/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^country/([^/]+)/?$ country-detailed.php?country=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^country/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^country/)?$ country.php [L, NC]
```

```
##### REGISTRATION #####
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^registration/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%  
{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^registration/statistics/departure-airport/([^/]+)/?$ registration-  
statistics-departure-airport.php?registration=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^registration/statistics/departure-airport-country/([^/]+)/?$ http://%  
{SERVER_NAME}%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^registration/statistics/departure-airport-country/([^/]+)/?$ registration-  
statistics-departure-airport-country.php?registration=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^registration/statistics/arrival-airport-country/([^/]+)/?$ http://%  
{SERVER_NAME}%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^registration/statistics/arrival-airport-country/([^/]+)/?$ registration-  
statistics-arrival-airport-country.php?registration=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^registration/statistics/arrival-airport-country/([^/]+)/?$ http://%(SERVER_NAME)%
```

```
RewriteRule registration/statistics/arrival-airport/([^/]+)/?$ http://%(SERVER_NAME)%
<REQUEST_URI> [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/statistics/arrival-airport/([^/]+)/?$ registration-statistics-
arrival-airport.php?registration=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/statistics/time/([^/]+)/?$ http://%(SERVER_NAME)%<REQUEST_URI>
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/statistics/time/([^/]+)/?$ registration-statistics-time.php?
registration=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/statistics/route/([^/]+)/?$ http://%(SERVER_NAME)%
<REQUEST_URI> [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/statistics/route/([^/]+)/?$ registration-statistics-route.php?
registration=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%<REQUEST_URI>
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/([^/]+)/([^/]+)/([^/]+)/?$ registration-detailed.php?
registration=$1&limit=$2&sort=$3 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%<REQUEST_URI> [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/([^/]+)/([^/]+)/?$ registration-detailed.php?
registration=$1&limit=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/([^/]+)/?$ http://%(SERVER_NAME)%<REQUEST_URI> [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^registration/([^/]+)/?$ registration-detailed.php?registration=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^registration/?$ http://%(SERVER_NAME)%<REQUEST_URI> [R,NC]
RewriteCond %(HTTPS) =off
```

```
RewriteRule ^registration(/?)$ registration.php [L, NC]
```

```
##### MANUFACTURER #####
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/aircraft/([^/]+)/?$ http://%(SERVER_NAME)%  
(REQUEST_URI) [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^manufacturer/statistics/aircraft/([^/]+)/?$ manufacturer-statistics-  
aircraft.php?aircraft_manufacturer=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%  
(REQUEST_URI) [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^manufacturer/statistics/registration/([^/]+)/?$ manufacturer-statistics-  
registration.php?aircraft_manufacturer=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/airline/([^/]+)/?$ http://%(SERVER_NAME)%  
(REQUEST_URI) [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^manufacturer/statistics/airline/([^/]+)/?$ manufacturer-statistics-  
airline.php?aircraft_manufacturer=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/airline-country/([^/]+)/?$ http://%(SERVER_NAME)%  
(REQUEST_URI) [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^manufacturer/statistics/airline-country/([^/]+)/?$ manufacturer-statistics-  
airline-country.php?aircraft_manufacturer=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%  
(REQUEST_URI) [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^manufacturer/statistics/departure-airport/([^/]+)/?$ manufacturer-  
statistics-departure-airport.php?aircraft_manufacturer=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^manufacturer/statistics/departure-airport-country/([^/]+)/?$ http://%
```

```
(SERVER_NAME)%%(REQUEST_URI) [R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/statistics/departure-airport-country/([^/]+)/?$ manufacturer-
statistics-departure-airport-country.php?aircraft_manufacturer=$1 [L, NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/statistics/arrival-airport/([^/]+)/?$ http://%(SERVER_NAME)%
%(REQUEST_URI) [R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/statistics/arrival-airport/([^/]+)/?$ manufacturer-statistics-
arrival-airport.php?aircraft_manufacturer=$1 [L, NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/statistics/arrival-airport-country/([^/]+)/?$ http://%
%(SERVER_NAME)%%(REQUEST_URI) [R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/statistics/arrival-airport-country/([^/]+)/?$ manufacturer-
statistics-arrival-airport-country.php?aircraft_manufacturer=$1 [L, NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/statistics/time/([^/]+)/?$ http://%(SERVER_NAME)%%(REQUEST_URI)
[R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/statistics/time/([^/]+)/?$ manufacturer-statistics-time.php?
aircraft_manufacturer=$1 [L, NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/statistics/route/([^/]+)/?$ http://%(SERVER_NAME)%
%(REQUEST_URI) [R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/statistics/route/([^/]+)/?$ manufacturer-statistics-route.php?
aircraft_manufacturer=$1 [L, NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%%(REQUEST_URI)
[R, NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/([^/]+)/([^/]+)/([^/]+)/?$ manufacturer-detailed.php?
aircraft_manufacturer=$1&limit=$2&sort=$3 [L, NC]

RewriteCond %(HTTPS) !=off
```

```
RewriteRule ^manufacturer/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/([^/]+)/([^/]+)/?$ manufacturer-detailed.php?
aircraft_manufacturer=$1&limit=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/([^/]+)/?$ manufacturer-detailed.php?aircraft_manufacturer=$1
[L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^manufacturer/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^manufacturer/)?$ manufacturer.php [L,NC]

##### AIRLINE #####

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/statistics/aircraft/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI)
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/statistics/aircraft/([^/]+)/?$ airline-statistics-aircraft.php?
airline=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%
(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/statistics/registration/([^/]+)/?$ airline-statistics-
registration.php?airline=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/statistics/manufacturer/([^/]+)/?$ http://%(SERVER_NAME)%
(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/statistics/manufacturer/([^/]+)/?$ airline-statistics-
manufacturer.php?airline=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%
```

```
<REQUEST_URI> [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/departure-airport/([^/]+)(/)?$ airline-statistics-
departur-airport.php?airline=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^airline/statistics/departur-airport-country/([^/]+)(/)?$ http://%
(SERVER_NAME)%<REQUEST_URI> [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/departur-airport-country/([^/]+)(/)?$ airline-statistics-
departur-airport-country.php?airline=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^airline/statistics/arrival-airport/([^/]+)(/)?$ http://%(SERVER_NAME)%
<REQUEST_URI> [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/arrival-airport/([^/]+)(/)?$ airline-statistics-arrival-
airport.php?airline=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^airline/statistics/arrival-airport-country/([^/]+)(/)?$ http://%
(SERVER_NAME)%<REQUEST_URI> [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/arrival-airport-country/([^/]+)(/)?$ airline-statistics-
arrival-airport-country.php?airline=$1 [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^airline/statistics/time/([^/]+)(/)?$ http://%(SERVER_NAME)%<REQUEST_URI>
[R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/time/([^/]+)(/)?$ airline-statistics-time.php?airline=$1
[L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^airline/statistics/route/([^/]+)(/)?$ http://%(SERVER_NAME)%<REQUEST_URI>
[R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^airline/statistics/route/([^/]+)(/)?$ airline-statistics-route.php?airline=$1
[L, NC]

RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^airline/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/([^/]+)/([^/]+)/([^/]+)/?$ airline-detailed.php?airline=$1&limit=$2&sort=$3 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/([^/]+)/([^/]+)/?$ airline-detailed.php?airline=$1&limit=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/([^/]+)/?$ airline-detailed.php?airline=$1&limit=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^airline/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^airline/)?$ airline.php [L,NC]

##### ROUTE #####

RewriteCond %(HTTPS) !=off
RewriteRule ^route/statistics/aircraft/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^route/statistics/aircraft/([^/]+)/([^/]+)/?$ route-statistics-aircraft.php?departure_airport=$1&arrival_airport=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^route/statistics/registration/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^route/statistics/registration/([^/]+)/([^/]+)/?$ route-statistics-registration.php?departure_airport=$1&arrival_airport=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^route/statistics/manufacturer/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
```



```
RewriteRule ^route/statistics/manufacturer/([^/]+)/([^/]+)/?$ route-statistics-  
manufacturer.php?departure_airport=$1&arrival_airport=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/statistics/airline/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%  
{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/statistics/airline/([^/]+)/([^/]+)/?$ route-statistics-airline.php?  
departure_airport=$1&arrival_airport=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/statistics/airline-country/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%  
{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/statistics/airline-country/([^/]+)/([^/]+)/?$ route-statistics-  
airline-country.php?departure_airport=$1&arrival_airport=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/statistics/time/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%  
{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/statistics/time/([^/]+)/([^/]+)/?$ route-statistics-time.php?  
departure_airport=$1&arrival_airport=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%  
{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/([^/]+)/([^/]+)/?$ route-detailed.php?  
departure_airport=$1&arrival_airport=$2&limit=$3&sort=$4 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/([^/]+)/?$ route-detailed.php?  
departure_airport=$1&arrival_airport=$2&limit=$3 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route/([^/]+)/([^/]+)/?$ route-detailed.php?
```

```
departure_airport=$1&arrival_airport=$2 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^route(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^route(/?)$ route.php [L, NC]
```

```
##### IDENT #####
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^ident/statistics/aircraft/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^ident/statistics/aircraft/([^/]+)/?$ ident-statistics-aircraft.php?ident=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^ident/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^ident/statistics/registration/([^/]+)/?$ ident-statistics-registration.php?ident=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^ident/statistics/manufacturer/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^ident/statistics/manufacturer/([^/]+)/?$ ident-statistics-manufacturer.php?ident=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^ident/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

```
RewriteRule ^ident/statistics/departure-airport/([^/]+)/?$ ident-statistics-departure-airport.php?ident=$1 [L, NC]
```

```
RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^ident/statistics/departure-airport-country/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
```

```
RewriteCond %{HTTPS} =off
```

RewriteCond %{HTTPS} !=on

RewriteRule ^ident/statistics/departure-airport-country/([^/]+)/?\$ ident-statistics-departure-airport-country.php?ident=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/statistics/arrival-airport/([^/]+)/?\$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/statistics/arrival-airport/([^/]+)/?\$ ident-statistics-arrival-airport.php?ident=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/statistics/arrival-airport-country/([^/]+)/?\$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/statistics/arrival-airport-country/([^/]+)/?\$ ident-statistics-arrival-airport-country.php?ident=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/statistics/time/([^/]+)/?\$ http://%(SERVER_NAME){REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/statistics/time/([^/]+)/?\$ ident-statistics-time.php?ident=\$1 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/statistics/route/([^/]+)/?\$ http://%(SERVER_NAME){REQUEST_URI}
[R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/statistics/route/([^/]+)/?\$ ident-statistics-route.php?ident=\$1
[L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/([^/]+)/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME){REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/([^/]+)/([^/]+)/([^/]+)/?\$ ident-detailed.php?
ident=\$1&limit=\$2&sort=\$3 [L,NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^ident/([^/]+)/([^/]+)/?\$ http://%(SERVER_NAME){REQUEST_URI} [R,NC]

RewriteCond %{HTTPS} =off

RewriteRule ^ident/([^/]+)/([^/]+)/?\$ ident-detailed.php?ident=\$1&limit=\$2 [L,NC]

RewriteCond %{HTTPS} !=off

```
RewriteCond %{HTTPS} !=off
RewriteRule ^ident/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^ident/([^/]+)/?$ ident-detailed.php?ident=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^ident(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^ident(/?)$ ident.php [L,NC]

##### AIRCRAFT #####

RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/statistics/airline/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI}
[R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/statistics/airline/([^/]+)/?$ aircraft-statistics-airline.php?
aircraft_type=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/statistics/airline-country/([^/]+)/?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/statistics/airline-country/([^/]+)/?$ aircraft-statistics-airline-
country.php?aircraft_type=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/statistics/registration/([^/]+)/?$ aircraft-statistics-
registration.php?aircraft_type=$1 [L,NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/statistics/departure-airport/([^/]+)/?$ http://%(SERVER_NAME)%
{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/statistics/departure-airport/([^/]+)/?$ aircraft-statistics-
departure-airport.php?aircraft_type=$1 [L,NC]

RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^aircraft/statistics/departure-airport-country/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/statistics/departure-airport-country/([^/]+)/?$ aircraft-statistics-departure-airport-country.php?aircraft_type=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^aircraft/statistics/arrival-airport/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/statistics/arrival-airport/([^/]+)/?$ aircraft-statistics-arrival-airport.php?aircraft_type=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^aircraft/statistics/arrival-airport-country/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/statistics/arrival-airport-country/([^/]+)/?$ aircraft-statistics-arrival-airport-country.php?aircraft_type=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^aircraft/statistics/time/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/statistics/time/([^/]+)/?$ aircraft-statistics-time.php?aircraft_type=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^aircraft/statistics/route/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/statistics/route/([^/]+)/?$ aircraft-statistics-route.php?aircraft_type=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^aircraft/([^/]+)/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^aircraft/([^/]+)/([^/]+)/([^/]+)/?$ aircraft-detailed.php?aircraft_type=$1&limit=$2&sort=$3 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/([^/]+)/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/([^/]+)/([^/]+)/?$ aircraft-detailed.php?aircraft_type=$1&limit=$2
[L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/([^/]+)/?$ aircraft-detailed.php?aircraft_type=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^aircraft/)?$ http://%(SERVER_NAME)%{REQUEST_URI} [R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^aircraft/)?$ aircraft.php [L,NC]
```

DATE

```
RewriteCond %{HTTPS} !=off
RewriteRule ^date/statistics/aircraft/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI}
[R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^date/statistics/aircraft/([^/]+)/?$ date-statistics-aircraft.php?date=$1
[L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^date/statistics/registration/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI}
[R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^date/statistics/registration/([^/]+)/?$ date-statistics-registration.php?
date=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^date/statistics/manufacturer/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI}
[R,NC]
RewriteCond %{HTTPS} =off
RewriteRule ^date/statistics/manufacturer/([^/]+)/?$ date-statistics-manufacturer.php?
date=$1 [L,NC]
```

```
RewriteCond %{HTTPS} !=off
RewriteRule ^date/statistics/airline/([^/]+)/?$ http://%(SERVER_NAME)%{REQUEST_URI}
```

[R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/airline/([^/]+)/?\$ date-statistics-airline.php?date=\$1

[L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^date/statistics/airline-country/([^/]+)/?\$ http://%(SERVER_NAME)%

{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/airline-country/([^/]+)/?\$ date-statistics-airline-country.php?date=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^date/statistics/departure-airport/([^/]+)/?\$ http://%(SERVER_NAME)%

{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/departure-airport/([^/]+)/?\$ date-statistics-departure-airport.php?date=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^date/statistics/departure-airport-country/([^/]+)/?\$ http://%(SERVER_NAME)%

{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/departure-airport-country/([^/]+)/?\$ date-statistics-departure-airport-country.php?date=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^date/statistics/arrival-airport/([^/]+)/?\$ http://%(SERVER_NAME)%

{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/arrival-airport/([^/]+)/?\$ date-statistics-arrival-airport.php?date=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

RewriteRule ^date/statistics/arrival-airport-country/([^/]+)/?\$ http://%(SERVER_NAME)%

{REQUEST_URI} [R, NC]

RewriteCond %{HTTPS} =off

RewriteRule ^date/statistics/arrival-airport-country/([^/]+)/?\$ date-statistics-arrival-airport-country.php?date=\$1 [L, NC]

RewriteCond %{HTTPS} !=off

```
RewriteRule ^date/statistics/time/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date/statistics/time/([^\s/]+)(/)?$ date-statistics-time.php?date=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^date/statistics/route/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date/statistics/route/([^\s/]+)(/)?$ date-statistics-route.php?date=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^date/([^\s/]+)/([^\s/]+)/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date/([^\s/]+)/([^\s/]+)/([^\s/]+)(/)?$ date-detailed.php?date=$1&limit=$2&sort=$3
[L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^date/([^\s/]+)/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date/([^\s/]+)/([^\s/]+)(/)?$ date-detailed.php?date=$1&limit=$2 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^date/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date/([^\s/]+)(/)?$ date-detailed.php?date=$1 [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^date(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^date(/)?$ date.php [L,NC]

##### FLIGHTID #####

RewriteCond %(HTTPS) !=off
RewriteRule ^flightid/([^\s/]+)(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^flightid/([^\s/]+)(/)?$ flightid-overview.php?id=$1 [L,NC]

##### STATISTICS #####

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics(/)?$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
```



```
RewriteCond %{HTTPS} =off
RewriteRule ^statistics(/?)$ statistics.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/aircraft(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/aircraft(/?)$ statistics-aircraft.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/registration(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/registration(/?)$ statistics-registration.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/manufacturer(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/manufacturer(/?)$ statistics-manufacturer.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/airline(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/airline(/?)$ statistics-airline.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/airline-country(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/airline-country(/?)$ statistics-airline-country.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/airport-departure(/?)$ http://%(SERVER_NAME)%{REQUEST_URI} [R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/airport-departure(/?)$ statistics-airport-departure.php [L, NC]

RewriteCond %{HTTPS} !=off
RewriteRule ^statistics/airport-departure-country(/?)$ http://%(SERVER_NAME)%{REQUEST_URI}
[R, NC]
RewriteCond %{HTTPS} =off
RewriteRule ^statistics/airport-departure-country(/?)$ statistics-airport-departure-
country.php [L, NC]

RewriteCond %{HTTPS} !=off
```

```
RewriteRule ^statistics/airport-arrival(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/airport-arrival(/?)$ statistics-airport-arrival.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/airport-arrival-country(/?)$ http://%(SERVER_NAME)%(REQUEST_URI)
[R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/airport-arrival-country(/?)$ statistics-airport-arrival-
country.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/route-airport(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/route-airport(/?)$ statistics-route-airport.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/route-waypoint(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/route-waypoint(/?)$ statistics-route-waypoint.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/callsign(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/callsign(/?)$ statistics-callsign.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/date(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/date(/?)$ statistics-date.php [L,NC]

RewriteCond %(HTTPS) !=off
RewriteRule ^statistics/time(/?)$ http://%(SERVER_NAME)%(REQUEST_URI) [R,NC]
RewriteCond %(HTTPS) =off
RewriteRule ^statistics/time(/?)$ statistics-time.php [L,NC]
```