```
php_value upload_max_filesize 2048M
php_value post_max_size 2048M
php_value memory_limit 2048M


# BEGIN W3TC Browser Cache
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
        AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript
application/javascript text/javascript text/x-js text/html text/richtext image/svg+xml
text/plain text/xsd text/xsl text/xml image/x-icon application/json
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
# END W3TC Browser Cache


# BEGIN iThemes Security - Do not modify or remove this line
# iThemes Security Config Details: 2
    # Enable HackRepair.com's blacklist feature - Security > Settings > Banned Users >
Default Blacklist
    # Start HackRepair.com Blacklist
    RewriteEngine on
    # Start Abuse Agent Blocking
    RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*Indy" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*NEWT" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^$" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^Maxthon$" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^SeaMonkey$" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^Acunetix" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^binlar" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^BlackWidow" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^Bolt 0" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^BOT for JCE" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^Bot mailto\:craftbot@yahoo\.com" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^casper" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^checkprivacy" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^ChinaClaw" [NC,OR]
    RewriteCond %{HTTP_USER_AGENT} "^clshttp" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^clshttp" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^cmsworldmap" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^comodo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Custo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Default Browser 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^diavol" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DIIbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DISCo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^dotbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Download Demon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^eCatch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EirGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailCollector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailSiphon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailWolf" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Express WebPictures" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^extract" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ExtractorPro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^feedfinder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^flicky" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^g00g1e" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetRight" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetWeb\!" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\!Zilla" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\-Ahead\-Got\-It" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^grab" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GrabNet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Grafula" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^harvest" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^HMView" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Stripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InterGET" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Internet Ninja" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetSeer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MIDown tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister PiX" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^planetwork" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website eXtractor" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW\-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\:\:WWW" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\:\:Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
```

```apache
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\-search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\.1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\-trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\:\:HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBIder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "YisouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https?://(?:[^/]+\.)?semalt\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?://(?:[^/]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?://(?:[^/]+\.)?savetubevideo\.com" [NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
```

```
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Protect System Files - Security > Settings > System Tweaks > System Files
<files .htaccess>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files readme.html>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files readme.txt>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files install.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files wp-config.php>
    <IfModule mod_authz_core.c>
```

```
            Require all denied
        </IfModule>
        <IfModule !mod_authz_core.c>
            Order allow,deny
            Deny from all
        </IfModule>
    </files>

    # Disable XML-RPC - Security > Settings > WordPress Tweaks > XML-RPC
    <files xmlrpc.php>
        <IfModule mod_authz_core.c>
            Require all denied
        </IfModule>
        <IfModule !mod_authz_core.c>
            Order allow,deny
            Deny from all
        </IfModule>
    </files>

    # Disable Directory Browsing - Security > Settings > System Tweaks > Directory
Browsing
    Options -Indexes

    <IfModule mod_rewrite.c>
        RewriteEngine On

        # Protect System Files - Security > Settings > System Tweaks > System Files
        RewriteRule ^wp-admin/includes/ - [F]
        RewriteRule !^wp-includes/ - [S=3]
        RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
        RewriteRule ^wp-includes/[^/]+\.php$ - [F]
        RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
        RewriteRule ^wp-includes/theme-compat/ - [F]

        # Disable PHP in Uploads - Security > Settings > System Tweaks > Uploads
        RewriteRule ^wp\-content/uploads/.*\.(?:php[1-6]?|phtl|phtml?)$ - [NC,F]

        # Filter Request Methods - Security > Settings > System Tweaks > Request Methods
        RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
        RewriteRule ^.* - [F]
```

```
        # Filter Suspicious Query Strings in the URL - Security > Settings > System Tweaks
> Suspicious Query Strings
        RewriteCond %{QUERY_STRING} \.\.\/ [NC,OR]
        RewriteCond %{QUERY_STRING} ^.*\.(bash|git|hg|log|svn|swp|cvs) [NC,OR]
        RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
        RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
        RewriteCond %{QUERY_STRING} ftp\:  [NC,OR]
        RewriteCond %{QUERY_STRING} http\:  [NC,OR]
        RewriteCond %{QUERY_STRING} https\:  [NC,OR]
        RewriteCond %{QUERY_STRING} (\<|%3C).*script.*(\>|%3E) [NC,OR]
        RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z_]{1,21}(=|%3D) [NC,OR]
        RewriteCond %{QUERY_STRING} base64_encode.*\(.*\) [NC,OR]
        RewriteCond %{QUERY_STRING} ^.*(%24&x).* [NC,OR]
        RewriteCond %{QUERY_STRING} ^.*(127\.0).* [NC,OR]
        RewriteCond %{QUERY_STRING} ^.*(globals|encode|localhost|loopback).* [NC,OR]
        RewriteCond %{QUERY_STRING} ^.*(request|concat|insert|union|declare).* [NC]
        RewriteCond %{QUERY_STRING} !^loggedout=true
        RewriteCond %{QUERY_STRING} !^action=jetpack-sso
        RewriteCond %{QUERY_STRING} !^action=rp
        RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
        RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(.*)$
        RewriteRule ^.* - [F]

        # Filter Non-English Characters - Security > Settings > System Tweaks > Non-
English Characters
        RewriteCond %{QUERY_STRING} ^.*(%0|%A|%B|%C|%D|%E|%F).* [NC]
        RewriteRule ^.* - [F]

        # Reduce Comment Spam - Security > Settings > System Tweaks > Comment Spam
        RewriteCond %{REQUEST_METHOD} POST
        RewriteCond %{REQUEST_URI} /wp-comments-post\.php$
        RewriteCond %{HTTP_USER_AGENT} ^$ [OR]
        RewriteCond %{HTTP_REFERER} !^https?://((([^/]+\.)?
rhcloud\.com|jetpack\.wordpress\.com/jetpack-comment)(/|$) [NC]
        RewriteRule ^.* - [F]
    </IfModule>
# END iThemes Security - Do not modify or remove this line
```